



Solaris 8 Maintenance Update 4 Installation Guide

Sun Microsystems, Inc.
901 San Antonio Road
Palo Alto, CA 94303-4900
U.S.A.

Part Number 806-7510-10
April 2001

Copyright 2001 Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California 94303-4900 U.S.A. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, docs.sun.com, AnswerBook, AnswerBook2, Solaris 8 Maintenance Update, SunOS, JumpStart, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Federal Acquisitions: Commercial Software—Government Users Subject to Standard License Terms and Conditions.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2001 Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California 94303-4900 Etats-Unis. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées du système Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, docs.sun.com, AnswerBook, AnswerBook2, Solaris 8 Maintenance Update, JumpStart, SunOS, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REpondre A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.



Contents

- 1. Introduction 5**
 - What Is the Solaris 8 Maintenance Update 4 5
 - When to Install the Solaris 8 Maintenance Update 4 6
- 2. Installing the Solaris 8 Maintenance Update 4 7**
 - Time Considerations 7
 - Requirements 7
 - Installing the Solaris 8 MU4 8
 - Identifying the Version of Your Solaris 8 Maintenance Update 12
- 3. Backing Out the Solaris 8 Maintenance Update 4 15**
 - Backing Out the Solaris 8 MU4 15
- 4. Known Problems 19**
 - Installation Bugs 19
 - `install_mu` Does Not Function Correctly When Starting It Using `sh` (4062334) 19
 - `patchadd` Displays an Error That It Is Terminating 19
 - Cannot `login` if System is Not Rebooted (4423853) 20
- 5. Error Messages 23**
- A. Solaris 8 Maintenance Update 4 Contents 29**
 - SPARC Platform Patch List 29

Introduction

The *Solaris 8 Maintenance Update 4 Installation Guide* explains how to install and back out the Solaris™ 8 Maintenance Update™ 4 (MU4) software. This guide is for system administrators installing the MU4 software. For late-breaking MU4 issues identified too late to be included in this guide, refer to the *Solaris 8 Maintenance Update 4 Installation Guide* on <http://docs.sun.com>.

If you need more information on general procedures for system administration, refer to the *Solaris 8 System Administration Guide, Volumes I, II, and III*.

What Is the Solaris 8 Maintenance Update 4

The Solaris 8 MU4 contains the same set of patches as the ones prepackaged on the Solaris 8 4/01 software CDs. These patches have been tested together and packaged for a one-step installation. The MU4 installation automatically updates your system without regressing any patches you have previously installed.

The Solaris 8 MU4 is available on a CD or as a file for download from the Web.

When to Install the Solaris 8 Maintenance Update 4

If your system is running the Solaris 8, Solaris 8 6/00, Solaris 8 10/00, or Solaris 8 1/01 operating environment and you want to apply patches released in the Solaris 8 4/01 operating environment without losing patches you previously applied to your system, install the Solaris 8 MU4. Patches applied using the MU4 can be backed out.

If your system is running the Solaris 8 operating environment, or a Solaris 8 Update release, and you want to fully upgrade to new features and hardware support, install the Solaris 8 4/01 operating environment. The patches applied by installing the Solaris 8 4/01 operating environment will replace any previously installed Solaris 8 patches and cannot be backed out of the release.

Maintenance Updates are primarily designed to update the Solaris operating environment to a known, tested patch-level. If you want to apply a particular patch, and only that patch, do so through your normal support channels.

Note - The name of this product is Solaris 8 MU4, but code or package path names might use Solaris 2.8 or SunOS™ 5.8. Always follow the code or path as it is written in this document.

Installing the Solaris 8 Maintenance Update 4

This chapter describes how to install your Solaris 8 MU4 software. If you want to install the Solaris 8 MU4 software as part of a custom JumpStart™ installation, refer to the *Solaris 8 Advanced Installation Guide*.

Time Considerations

The Solaris 8 MU4 installation procedure is faster than the installation of the individual MU4 patches. The Solaris 8 MU4 installation time varies depending on:

- CPU speed of your machine
- `install_mu` option you select
- Transfer speed of the CD-ROM drive, hard drive, or network you use to access the `install_mu` code and patch set

If you install the MU4 with the backout option disabled, installation will proceed more quickly. However, you will not be able to back out any of the patches MU4 delivers.

Requirements

The MU4 may only be installed on a system running the Solaris 8, Solaris 8 6/00, Solaris 8 10/00, or Solaris 8 1/01 operating environment.

Space requirements per file system vary depending on:

- Whether you select the backout option
- The location of the backout directory when saving backout data
- The disk partitions and the space available in each file system versus the patch disk space needed per file system
- Your system's locale
- Whether some of the Maintenance Update patches are already installed on your system

The `install_mu` script performs a space analysis and reports the space needed per file system, including back out space if applicable. The space calculations take several minutes to complete.

The `install_mu` script does not proceed if it determines that space is lacking in one or more file systems. Although the patch installation space needed is calculated fairly precisely, the backout data space need is estimated and the reported need may be higher than the actual need.

If you are certain that you have enough space to apply the patch set (and backout data if desired) and you want to bypass the space calculation, run `install_mu` with the `-f` option.

Installing the Solaris 8 MU4

Solaris 8 MU4 software can only be installed if the system running `install_mu` is already running the Solaris 8, Solaris 8 6/00, Solaris 8 10/00, or Solaris 8 1/01 operating environment.

Note - Diskless client systems are not supported in MU4.

It is best to reboot your system in single-user mode before installing MU4 because MU4 applies patches to system libraries. Individual systems in a multiuser system will be unstable if any processes have mapped to an unpatched version of a library and later attempt to map to different sections of the old library.

In single-user mode, network services are not available. If the MU4 image is on the network rather than on a CD, you must copy the MU4 image from the network to your local system before booting your system in single-user mode.

If it is not possible to reboot the system in single-user mode or if you do not have enough disk space to make a local copy of the MU4 image, you will need to install MU4 using NFS in multiuser mode. In this case, you should have the system in as quiet a state as possible, without users logged on or running jobs.

When in single-user mode, you must reboot your system after MU4 is installed. Do not use the `exit` command. If `exit` is used, the system is brought to `init 3` and no one can log in until the system is brought to the `ok` prompt and rebooted. If operating in multi-user mode, no one can log in until the system is rebooted. If the root user has logged out and no other root users remain logged in, the system must be booted from the `ok` prompt. See Chapter 4, *Known Problems*, for more detail.

Note - Be sure that you have backed up your system's operating system before proceeding.

To install the Solaris 8 MU4 software:

1. **Make sure that no important user or system processes are running.**
2. **Exit the current session.**
The CDE login screen appears.
3. **Click the Options button and select Command Line Login.**
The system prompts you to log in.
4. **Type your login name as `root` and type the root password:**

```
login: root
password: root password
```

5. **Reboot in single-user mode. From the root shell prompt, type:**

```
# reboot -- -s
```

Note - Changing the run level from multiuser mode to single-user mode with the `shutdown` or `init` command might leave the `vold` process running. This process can cause problems mounting the MU4 CD in single-user mode.

6. **Type the root password.**

Check that the system displays the following message and is now in system maintenance mode.

```
Entering System Maintenance Mode

Sun Microsystems Inc. SunOS 5.8 Generic Feb 2000
#
```

7. Determine where you are running the `install_mu` command.

- If you are running `install_mu` from the CD, go to Step 8 on page 10.
- If you are running `install_mu` from a local copy of the MU4 image, go to Step 9 on page 10.

8. To mount the MU4 CD, place the CD in the drive and from the root shell prompt, type:

```
# mount -o ro -F hfs /dev/dsk/c0t6d0s0 /cdrom
```

Note - In some cases the CD-ROM drive might be on a controller other than `c0` or a target other than `t6`, which would require a different path to the CD-ROM device. Check with your system administrator if you have questions about mounting the CD-ROM drive.

9. Run `install_mu`.

- From a local copy of the MU4 image, type:

```
# cd local_directory
# ./install_mu options
```

- From the MU4 CD, type:

```
# cd /cdrom
# ./install_mu options
```

You can use the following options on the command line.

TABLE 2-1 Command-Line Options for `install_mu`

Option	Description
<code>-d</code>	Specifies that patches will not be backed up. Using this argument decreases the time to install the software, but it also prevents you from backing out individual patches. Cannot be specified with <code>-B</code> option.
<code>-p patchdir</code>	Specifies directory that includes all the patches.
<code>-q</code>	Disables the display of dots that indicate <code>install_mu</code> activity.
<code>-B backoutdir</code>	Specifies that the backout data is saved in the indicated directory. Cannot be specified with the <code>-d</code> option.
<code>-f</code>	Forces installation of patch set without checking for sufficient disk space. Using this option saves time, but you must use it only if you are certain that you have enough space.

When the installation is complete, the following message appears.

```
install_mu completed at date_time.
```

- If you see this message, go to Step 10 on page 11.
- If you encounter any errors, go to Chapter 5.

10. Reboot the system by typing:

```
# sync ; reboot
```

You are then prompted for a login.

Note - To prevent the library conflict problem, you must reboot your system after installing MU4.

11. Type your login name and password:

```
login: login
password: password
```

Identifying the Version of Your Solaris 8 Maintenance Update

To identify the version of your Solaris 8 MU software, type:

```
# cat /etc/release
```

To identify the patches the MU software applied to your system, type:

```
# showrev -p
```

Note - If you compare the `showrev -p` output from applying the Solaris 8 MU4 software to the `showrev -p` output from installing the Solaris 8 4/01 operating environment, you will note that the following patches are not applied in the MU4 installation:

- Solaris 8 MU4 SPARC Platform Edition:

- 110597-02
- 110600-02
- 110712-03
- 110423-01
- 110418-01

- Solaris 8 MU4 Intel Platform Edition:

- 110598-02
- 110601-02
- 110713-03
- 110424-01
- 110419-01

These patches are needed to generate the Solaris 8 4/01 operating environment, but are not needed to apply the Solaris 8 MU4 patches.

Backing Out the Solaris 8 Maintenance Update 4

The patches in the Solaris 8 MU4 software have been tested together as a set and, for the greatest stability, should be used that way. If you need to remove one of the patches, you may do so provided that you did not use the `-d` option of `install_mu` during the installation of the Solaris 8 MU4 software.

Instructions for backing out individual patches are located in each patch directory. Patch directories are located in `/var/sadm/patch/`.

Note - Backing out the entire MU is not possible if you selected the `-d` option of `install_mu`.

Backing Out the Solaris 8 MU4

It is best to reboot your system in single-user mode before backing out the MU4. MU4 applies patches to system libraries. Individual systems in a multiuser system will be unstable if any processes have mapped to a patched version of a library and later attempt to map to different sections of the old library.

In single-user mode, network services are not available. If the MU4 image is on the network rather than on a CD, you must copy the MU4 image from the network to your local system before booting your system in single-user mode.

If you cannot reboot the system in single-user mode or if you do not have enough disk space to make a local copy of the MU4 image, you need to back out MU4 using NFS in multiuser mode. In this case, you should have the system in as quiet a state as possible, without users logged on or running jobs.

The `backout_mu` script provided by MU4 enables you to back out an entire MU.

To back out the Solaris 8 MU4 software:

1. Make sure that no important user or system processes are running.

2. Exit the current session.

The CDE login screen appears.

3. Click the Options button and select Command Line Login.

The system prompts you to log in.

4. Type your login name as `root` and type the root password:

```
login: root
password: root password
```

5. Reboot in single-user mode. From the root shell prompt, type:

```
# reboot -- -s
```

Note - Changing the run level from multiuser mode to single-user mode with the `shutdown` or `init` command might leave the `vold` process running. This process can cause problems when mounting the MU4 CD in single-user mode.

6. Type the root password.

Check that the system displays the following message and is now in system maintenance mode.

```
Entering System Maintenance Mode

Sun Microsystems Inc. SunOS 5.8 Generic Feb 2000
#
```

7. Determine where you are running the `backout_mu` command.

- If you are running `backout_mu` from the CD, go to Step 8 on page 17.
- If you are running `backout_mu` from a local copy of the MU4 image, go to Step 9 on page 17.

8. To mount the MU4 CD, place the CD in the drive and from the root shell prompt, type:

```
# mount -o ro -F hsfs /dev/dsk/c0t6d0s0 /cdrom
```

Note - In some cases, the CD-ROM drive might be on a controller other than `c0` or a target other than `t6`, which would require a different path to the CD-ROM device. Check with your system administrator if you have questions about mounting the CD-ROM drive.

9. Run `backout_mu`.

- From a local copy of the MU4 image, type:

```
# cd local_directory
# ./backout_mu options
```

- From the MU4 CD, type:

```
# cd /cdrom
# ./backout_mu options
```

TABLE 3-1 Command-Line Options for `backout_mu`

Option	Description
<code>-q</code>	Disables the display of dots that indicate <code>backout_mu</code> activity
<code>-B backoutdir</code>	Specifies an alternate directory in which the information required to back a patch out will be held

When the backout is complete, the following message is displayed.

```
backout_mu completed at date_time.
```

- If you see this message, go to Step 10 on page 18 to complete the backout.
- If you encounter any errors, go to Chapter 5.

10. Reboot the system by typing:

```
# sync ; reboot
```

You are then prompted for a login.

Note - To prevent the library conflict problem, you must reboot your system after backing out MU4 .

11. Type your login name and password:

```
login: login  
password: password
```

Known Problems

This chapter describes known problems relating to the installation and use of the Solaris 8 MU4 software.

Installation Bugs

`install_mu` Does Not Function Correctly When Starting It Using `sh` (4062334)

Because of problems regarding the interactions between `sh(1)` and `ksh(1)`, the `install_mu` utility might fail to install certain patches correctly when you start it using the following command from the command line or from an administrative script:

```
# /bin/sh ./install_mu options
```

Workaround: Execute `install_mu` from the command line or from an administrative script as follows:

```
# ./install_mu options
```

`Patchadd` Displays an Error That It Is Terminating

One of the following benign messages might be displayed by `install_mu`:

```
One or more patch packages included in
XXXXXX-YY are not installed on this system.
```

```
Patchadd is terminating.
```

Or:

```
Installation of XXXXXX-YY failed:
  Attempting to patch a package that is not installed.
```

These messages indicate that `patchadd` could not find on your system any of the packages that it intended to patch, so it skipped the indicated patch.

The message is displayed when `patchadd` notices a discrepancy installing a patch of one architecture onto a system with a different architecture (for example, a `sun4u` patch on a `sun4m` system.)

This may also be the result of one or more missing packages. The package might have been removed by the administrator, or never installed, as in the case of installing a cluster smaller than the Entire Distribution.

Workaround: Ignore the message.

Cannot login if System is Not Rebooted (4423853)

When installing in single-user mode, do not use the `exit` command when done. You must instead use the `reboot` command. If `exit` is used instead of `reboot`, the following happens:

- The system is brought to `init 3` and you cannot log in until the system is brought to the `ok` prompt and rebooted.
- No other users can log in until the system is rebooted.
- `pam_projects.so.1` dumps core when any user or process tries to log in. The following message is displayed:

```
NOTICE: core_log: in.rshd[1479] core dumped:
/var/crash/core.in.rshd.1479
```

- If a process attempts to access the `pam_projects.so.1` module, load module messages are displayed on the system console. A message similar to the following is displayed:

```
cron[1433]: load_modules: can not open module
/usr/lib/security/pam_projects.so.1
```

These messages are also displayed if MU4 is installed in multi-user mode. In both cases, the messages will disappear once the system is rebooted.

Workaround: If the `exit` command is used after installing in single-user mode, go to the `ok` prompt and type `boot`.

If the `exit` command is used after installing in multi-user mode and no root user remains logged in, go to the `ok` prompt and type `boot`.

Error Messages

The screen messages displayed during the execution of `install_mu` and `backout_mu` do not include all errors that might have occurred. Therefore, check the detail log file for additional information about any patches or packages that were not installed or backed out.

```
# more /var/sadm/install_data/log_file.mu_version_name.date_time
```

In this example:

- `log_file` is the name of the log file for the process you completed. For `install`, it is `Maintenance_Update_log`. For `backout`, it is `MU_Backout_log`.
- `mu_version_name` is the name of the MU (it is `Solaris_8MU4` for MU4).
- `date_time` is the designated date and time copied from `date +%Y%m%d%H%M%S` (`yyyymmddHHMMSS` or `year-month-day-hour-minute-second`).

Note - `/var/sadm/install_data/log_file` is a symbolic link to the most recent MU log file.

Note - You will see only the error text when the message appears, not the error code number included here. The error code numbers are included here in case you are writing a script that calls the `install_mu` or `backout_mu` and your script needs to know the return values for the failure conditions.

Error Code 1:

```
signal detected.
```

```
install_mu (backout_mu) is terminating.
```

Explanation and recommended action: You interrupted `install_mu` (or `backout_mu`) by pressing Control-C. Reinvoke the program. If you reinvoke `install_mu`, error messages about previously applied patches will appear in the log file. Ignore the error messages.

Error Code 2:

`install_mu` (`backout_mu`) is unable to find the `INST_RELEASE` file for the target file system. This file must be present for `install_mu` (`backout_mu`) to function correctly.

Explanation and recommended action: The program cannot find the file `/var/sadm/system/admin/INST_RELEASE` in the client's root area. The client was not created properly or has become corrupted. Back up the client, then remove and re-create it.

Error Code 3:

ERROR: Cannot find `$xcommand` which is required for proper execution of `install_mu` (`backout_mu`).

Explanation and recommended action: `install_mu` and `backout_mu` require certain system utilities (for example `awk`, `sed`, `grep`) to be present in the server's `/usr/bin` and `/usr/sbin` directories. One of these utilities is missing. Contact your system administrator for assistance.

Error Code 4:

The `-B` and `-d` arguments are mutually exclusive.

Explanation and recommended action: The `-d` option requests that no backout data be saved. The `-B` option specifies a directory to store backout data. You cannot use these two options together. Reinvoke `install_mu` with only one of these options.

Error Code 5:

The `-p` parameter must be a directory. `$uPATCHDIR` is not a directory.

Explanation and recommended action: You selected the `-p` option and supplied a path that is not a valid directory. Reinvoke `install_mu` (or `backout_mu`) with a valid path to the `-p` option.

Error Code 6:

The `-B` parameter must be a directory. `$1` is not a directory.

Explanation and recommended action: You supplied an option to `-B` that is not a directory. Reinvoke `install_mu` (or `backout_mu`) with a valid path to the `-B` option.

Error Code 7:

Permissions on backout directory `$BACKOUTDIR` not adequate.

Explanation and recommended action: You supplied an option to `-B` that is not a writable directory. Contact your system administrator for assistance.

Error Code 10:

Invalid option.

Explanation and recommended action: You selected an unrecognized option. Read the usage message displayed and reinvoke `install_mu` (or `backout_mu`).

Error Code 11:

Can't write to Log File: `$LOGFILE`

Explanation and recommended action: `install_mu` and `backout_mu` need to write its log into the `/var/sadm/install_data` directory. Check that the `install_data` directory is writable, then reinvoke `install_mu` (or `backout_mu`).

Error Code 12:

`SUNWcar` (core architecture root) package does not exist in `/var/sadm/pkg`.

Explanation and recommended action: The `/var/sadm/pkg/SUNWcar` directory is missing in the client or server's root area. Your client or server has become corrupted. Contact your system administrator for assistance.

Error Code 13:

`install_mu` (`backout_mu`) only supports `sparc` and `i386` architectures. `install_mu` (`backout_mu`) has detected `ARCH=$LPROC`.

Explanation and recommended action: You ran `install_mu` (or `backout_mu`) on a system whose architecture is not `SPARC` or `i386`. Reinvoke `install_mu` (or `backout_mu`) on a supported platform.

Error Code 14:

`-p` parameter does not point to a directory containing a `.order` file. Looked in `$uPATCHDIR` and in `$uPATCHDIR/$MU_TOP/$LPROC/Patches`.

Explanation and recommended action: You provided a path to a patch directory but `install_mu` could not find a `.order` file in that directory, which it needs to determine the correct patch installation order. `install_mu` (or `backout_mu`)

looked in *\$path_you_specified* and in *\$path_you_specified/MU/\$arch/Patches*, where *\$arch* is either "sparc" or "i386." Check for the existence of a *.order* file and reinvoke *install_mu* (or *backout_mu*).

Error Code 15:

install_mu cannot locate patch order (*.order*) file. Paths searched: *./\$LPROC/Patches*, *\$MU_TOP/\$LPROC/Patches*, */cdrom/cdrom0/\$LPROC/Patches*, *./\$uPATCHDIR*, and *./\$uPATCHDIR/\$MU_TOP/\$LPROC/Patches*.

Explanation and recommended action: You did not supply *install_mu* (or *backout_mu*) with the *-p* option to identify the patch directory and *install_mu* (or *backout_mu*) could not locate the patch directory. Reinvoke *install_mu* (or *backout_mu*) with the *-p* option.

Error Code 16:

You must be root to execute this script.

Explanation and recommended action: You need root privileges to run *install_mu* or *backout_mu* because only user root can apply and remove patches. Reinvoke the program as root.

Error Code 17:

install_mu (*backout_mu*) can only patch version 2.8 systems. Target system is version *\$TrgOSVers*.

Explanation and recommended action: You asked *install_mu* to apply patches to a server or client not running Solaris 8, or you asked *backout_mu* to back out patches from a server or client not running Solaris 8. *install_mu* and *backout_mu* must be run on a Solaris 8 system.

Error Code 22:

Not enough disk space to apply entire patch set.

Explanation and recommended action: *install_mu* analyzed your system and determined that not enough disk space was on one or more file systems to install the entire patch set. Make disk space available in the deficient file systems reported and reinvoke *install_mu*. If you believe that you have enough disk space to apply the Maintenance Update, reinvoke *install_mu* with the *-f* option.

Error Code 23:

Not enough disk space to save patch backout data.

Explanation and recommended action: *install_mu* analyzed your system and determined that not enough disk space was in the backout directory to save patch backout data. Select a backout directory with enough space, then reinvoke

install_mu. If you believe that you really have enough disk space in the backout directory, reinvoke install_mu with the -f option.

Error Code 24:

Dry run disk space check failed.

Explanation and recommended action: install_mu invokes pkgadd with a special option to check for sufficient disk space. pkgadd failed, probably because / or /var is very low on disk space or because your system has become corrupted. Contact your system administrator for assistance.

Error Code 25:

The -f and -D options are mutually exclusive.

Explanation and recommended action: The -f option instructs install_mu to skip the dry-run disk space calculation phase. The -D option requests that only the dry-run calculations be made. Choose one option, but not both.

Error Code 27:

Cannot find state file. Looked for a file of the form /var/sadm/install_data/.mu_state.{*\$root_or_usr.date_time*}.

Explanation and recommended action: backout_mu requires a file containing a list of the patches install_mu applied in order to know which patches to back out. If this file is missing, backout_mu cannot function. To remove the MU4 patch set, run the backout_mu program from the MU4 software distribution.

Solaris 8 Maintenance Update 4 Contents

This chapter provides the contents of the Solaris 8 MU4.

For example, the following patch:

```
108561-02 : CDE 1.4 Window Manager Features Patch
4301525 4301522 4299651 4301229 4300013 4303415 4304468 4302626
```

lists all parts of a patch where:

- 108561-02 is the patch ID number
- CDE 1.4 Window Manager Features Patch is the synopsis patch description
- 4301525 4301522 4299651 4301229 4300013 4303415 4304468 4302626 are the identification numbers of the bugs fixed by patch ID 108561-02

SPARC Platform Patch List

```
108528-07 : SunOS 5.8: kernel update patch
1231256 1256102 4015840 4044653 4111373 4159348 4178572 4184090 4226443 4233718
4233832 4234426 4235823 4236043 4242051 4253713 4254594 4255980 4256799 4259051 4259848
4261064 4261322 4261567 4262685 4262842 4262930 4264390 4265649 4266124 4269556 4269582
4269845 4271378 4271726 4271733 4271738 4272737 4275177 4276021 4278679 4278935 4279959
4281502 4282158 4282212 4284196 4286659 4288248 4290073 4290269 4290532 4291601 4293528
4293692 4295047 4295776 4296081 4296124 4296614 4296770 4296961 4298256 4298789 4298790
4298792 4298794 4299010 4299504 4299838 4300040 4300179 4301117 4301683 4302637 4302919
4303126 4303474 4303649 4304033 4304051 4304696 4305131 4305365 4305392 4305709 4305817
4306004 4306367 4306802 4307062 4307080 4307475 4307697 4307747 4307771 4307827 4308242
```

(continued)

4308245 4308370 4308807 4309011 4309330 4309719 4309750 4309761 4309802 4309818 4310353
 4310864 4311081 4311126 4311134 4311755 4312278 4312461 4312641 4312838 4312876 4312937
 4313235 4313746 4313747 4314121 4314201 4314488 4314616 4314656 4314662 4314936 4315098
 4315100 4315101 4316672 4316683 4317007 4317174 4317476 4317657 4317667 4317728 4318351
 4318358 4318728 4318747 4318795 4319122 4319440 4319715 4319724 4320047 4320297 4320338
 4320394 4320440 4320471 4320547 4320653 4321326 4321803 4321810 4322424 4322734 4323534
 4323981 4324244 4324250 4324390 4324900 4324992 4325075 4325225 4325336 4325366 4325617
 4325626 4325641 4325722 4325730 4325934 4325959 4326076 4326110 4326851 4327038 4327135
 4327330 4327674 4327795 4328067 4328075 4328225 4328669 4328671 4328843 4329112 4329695
 4330014 4330027 4330206 4330301 4330383 4330429 4330774 4330882 4331384 4331496 4331744
 4331884 4332219 4332425 4332484 4332521 4332740 4333138 4333639 4333882 4334198 4334346
 4334348 4334446 4334462 4334505 4335003 4335109 4335251 4335285 4335837 4335935 4336156
 4336182 4336274 4336303 4336323 4336443 4336779 4336906 4337039 4337295 4337300 4337543
 4337637 4337674 4337951 4338007 4338009 4338028 4338033 4338035 4338148 4338189 4338702
 4338704 4339009 4339049 4339179 4339235 4339354 4339732 4340118 4340131 4340385 4340614
 4340910 4340924 4340960 4341008 4341185 4341378 4341664 4341714 4342756 4343039 4343115
 4343189 4343237 4343285 4343391 4343425 4343443 4343480 4343762 4343991 4344008 4344042
 4345163 4345664 4346088 4346167 4346319 4346495 4346666 4346875 4346976 4346998 4347358
 4347359 4347965 4348040 4349102 4349272 4349393 4349603 4350263 4350354 4350574 4350726
 4350849 4351116 4351181 4351877 4351971 4352174 4352284 4352611 4353353 4353432 4353449
 4354331 4354397 4354498 4354564 4354802 4355025 4355205 4355206 4355538 4356439 4356587
 4356615 4356641 4357092 4357097 4357216 4357245 4357371 4357552 4357646 4357714 4357897
 4357919 4358151 4358192 4358385 4358414 4358416 4358837 4359294 4359440 4359501 4359524
 4359812 4360867 4361705 4362122 4362141 4362327 4362522 4362966 4362970 4362979 4362980
 4362983 4362985 4362986 4363646 4363678 4363751 4363907 4364048 4364167 4364314 4364556
 4365247 4365336 4365604 4365739 4367538 4367584 4367625 4367773 4367903 4368026 4368057
 4368758 4368921 4369175 4369300 4369543 4369993 4370121 4370146 4370148 4370240 4371112
 4371183 4371549 4371615 4371697 4371769 4371774 4371775 4371777 4371778 4371970 4371993
 4372173 4372356 4372359 4372457 4373222 4374117 4374859 4374973 4375172 4375901 4376089
 4376101 4377012 4377215 4377831 4380262 4380688 4380916 4381564 4381743 4381821 4381900
 4382190 4382663 4382693 4383099 4383218 4383260 4384445 4384675 4385718 4386088 4386092
 4386857 4387010 4387034 4387227 4387923 4388263 4389866 4391048 4391799 4392082 4393407
 4394023 4394372 4395736 4398255 4398298 4401747 4401837 4402431 4406476 4408832 4409089
 4363051 4405395

108569-04 : X11 6.4.1:
 4335033 4346835 4376310 4376485

108576-11 : SunOS 5.8: Expert3D IFB Graphics Patch
 4287694 4288477 4288903 4292508 4294341 4294348 4297823 4299666 4304542 4309471
 4303922 4299963 4306459 4307648 4311205 4310445 4306528 4307008 4304337 4314581 4275102
 4312920 4325797 4281786 4320218 4281768 4330211 4332169 4312416 4334722 4336101 4331089
 4327729 4330221 4329466 4338179 4338885 4339551 4342292 4339999 4345131 4343337 4345441
 4345824 4318209 4308321 4346269 4343794 4319009 4351258 4350874 4354581 4349383 4371825
 4374934 4362248 4368895 4373831 4367838 4370226 4342520 4361200 4366380 4374490 4375322
 4381790 4384560 4381091 4383456 4359327 4379613 4380904 4382690 4381752 4386795

108604-14 : SunOS 5.8: Elite3D AFB Graphics Patch
 4234045 4294963 4300089 4303885 4308725 4314165 4317186 4318450 4318781 4326599
 4300698 4331783 4332163 4337138 4345380 4346269 4301100 4383203 4398494 4403310

108605-12 : SunOS 5.8: Creator 8 FFB Graphics Patch
 4234045 4294963 4303885 4308725 4314165 4317186 4318781 4326599 4300698 4331783

(continued)

4327149 4335445 4343038 4343163 4343439 4343491 4346269 4383203 4398494 4403310

108606-08 : SunOS 5.8: M64 Graphics Patch
 4346365 4346366 4323033 4330240 4339896 4344317 4339609 4348035 4348038 4355633
 4357093 4346269 4353922 4337456 4344114 4359222 4382556 4388408

108609-01 : SunOS 5.8: Buttons/Dials Patch
 4299526

108623-02 : SunOS 5.8: Thai Wordbreak Iterator module
 4389752

108652-25 : X11 6.4.1: Xsun patch
 4281374 4292395 4286682 4300866 1221324 4308554 4306350 4312517 4287741 4297581
 4297830 4299495 4306774 4308640 4308661 4308670 4311088 4312780 4312893 4305597 4310813
 4293861 4311804 4318777 4311685 4317727 4314304 4310120 4299667 4310536 4330738 4332966
 4107762 4323892 4333070 4185418 4336308 4314423 4346749 4332982 4312537 4323164 4338851
 4356114 4355797 4356265 4345609 4380139 4379301 4201153 4364219 4383751 4373395 4296832
 4363016 4366826 4351398 4351928 4357191 4384470 4386513 4379921

108664-07 : SunOS 5.8: Support for Network Service Provider platforms
 4298987 4309134 4321825 4365953 4395774

108680-09 : SunOS 5.8: su, su_pnp, and eri driver patch
 4252667 4306404 4351894 4374325 4376935 4377930 4385015 4388147

108711-04 : Solaris 8: Misssing Catalan Locale Support
 4305956 4328876 4337258

108714-05 : CDE 1.4: libDtWidget patch
 4289349 4321189 4360030

108723-01 : SunOS 5.8: /kernel/fs/lofs and /kernel/fs/sparcv9/lofs patch
 4126922

108725-02 : SunOS 5.8: st driver patch
 4180382 4258222 4270641 4319238

108727-04 : SunOS 5.8: /kernel/fs/nfs and /kernel/fs/sparcv9/nfs patch
 4193748 4249187 4276984 4293528 4331346

108734-02 : Polish UTF-8 Support Solaris 8:
 4325497 4328876

108735-03 : u.RU.KO18-R : Cannot cut and paste cyrrilic between dtapps
 4307614 4325497 4328876 4359095

108773-08 : SunOS 5.8: IIIM and X Input & Output Method patch
 4409148 4390729 4391701 4379997 4366559 4363883 4306958 4305501 4304989 4301739
 4307230 4307224 4295996 4325454 4313845 4342196 4332958 4339874

108781-01 : Solaris 8: Get UDCTool to work for zh_TW
 4307173

(continued)

108806-04 : SunOS 5.8: Sun Quad FastEthernet qfe driver
4411462 4401250 4400713 4372906 4382499 4321069 4321602 4306341 4301636

108808-23 : SunOS 5.8: Manual Page updates for Solaris 8
4401520 4406485 4373372 4396019 4396026 4400590 4195476 4310895 4311279 4311281
4311373 4311374 4312130 4314114 4314390 4317975 4323321 4323394 4325356 4338576 4345255
4345863 4347481 4351085 4352046 4353279 4356775 4358328 4359608 4360350 4360561 4365567
4365858 4367587 4369053 4370464 4372215 4372924 4373372 4375651 4375910 4375911 4375914
4376137 4377107 4377109 4377110 4379281 4379596 4379982 4381797 4381815 4383769 4383792
4384483 4384874 4385712 4385721 4385727 4385769 4386452 4386980 4388637 4388648 4388763
4394740 4398147 4398148 4398152 4398196 4398301 4331001

108813-05 : Sun Gigabit Ethernet 3.0: Patch for Solaris 8 ge driver
4285590 4286596 4295731 4309515 4311852 4327077 4333896 4335247 4343651 4347663
4355771 4368504

108820-01 : SunOS 5.8: nss_compat.so.1 patch
4302441

108823-01 : SunOS 5.8: compress/uncompress/zcat patch
4295877

108825-01 : SunOS 5.8: /usr/lib/fs/cachefs/cfsadmin patch
4207874

108827-07 : SunOS 5.8: libthread patch
4091466 4236427 4288299 4307551 4311948 4336933 4367192 4381908

108833-04 : SunOS 5.8: X Windows software, PC keytables
4286023 4309431 4351910 4359774

108835-02 : CDE 1.4: dtcm patch
4285729 4320553

108869-03 : SunOS 5.8: snmpdx/mibiisa/libssasmp/snmplib patch
4299328 4301970 4309416 4333417 4377219 4390382 4330039 4361619 4359519 4368330

108875-08 : SunOS 5.8: c2audit patch
4224166 4290575 4307306 4308525 4322741 4325997 4336689 4336959 4339611 4344275
4353965

108897-01 : X11 6.4.1 Xprint patch:
4305734

108899-01 : SunOS 5.8: /usr/bin/ftp patch
4294697

108901-03 : SunOS 5.8: /kernel/sys/rpcmod and /kernel/strmod/rpcmod patch
4107735 4321293 4330007

108909-09 : CDE 1.4: Smart Card Administration GUI patch
4301377 4301411 4310298 4330268 4350318 4353115 4292889 4328443 4343393 4358106

(continued)

4359950 4358885 4288789

108914-02 : SunOS 5.8: localisation updates for different components
4331185

108919-07 : CDE 1.4: dtlogin patch
4072784 4293300 4302209 4299160 4346072 4328385 4293551 4379999 4317622

108921-11 : CDE 1.4: dtwm patch
4306589 4311842 4301522 4299651 4300013 4261430 4311753 4330496 4335592 4335971
4332153 4293551 4383544 4389935 4392829 4395985

108923-01 : CDE 1.4: dtwm patch
4261430 4310640 4311753

108925-08 : Solaris 8: New Messages for new I18N projects
4331886 4351024

108933-01 : Hex broken in Swedish dtcalc, Mistranslation in Spanish dtmail:
4308864 4304021

108940-16 : Motif 2.1.1: Runtime library patch for Solaris 8
4299216 4294643 4320106 4318757 4322319 4299139 4312519 4322466 4327272 4327592
4336559 4327637 4322728 4342603 4343099 4350517 4334155 4367450 4362266 4350828 4383575
4393364 4400646

108947-01 : SunOS 5.8: /platform/sun4u/cprboot patch
4296960

108949-05 : CDE 1.4: libDtHelp/libDtSvc patch
4298416 4307660 4345282 1191725 4389935

108954-02 : SunOS 5.8: localisation updates for different components

108956-01 : SunOS 5.8: htt_server dumps core on SCH's cm.so in utf-8 locales
4314242

108962-01 : SunOS 5.8: XmlReader fails on an HTTP stream
4314140

108964-04 : SunOS 5.8: /usr/sbin/snoop patch
1110881 4297326 4297676 4304083 4313760 4315280 4317713 4321696 4321713 4321720
4321721 4321723 4321725 4321726 4322042 4322055 4322058 4322060 4322064 4322200 4322670

108968-05 : SunOS 5.8: vol/vold/rmmount patch
1206000 4108297 4145529 4205437 4211612 4254816 4255049 4285374 4286446 4292408
4292563 4296452 4298451 4298465 4298563 4298567 4303430 4304283 4304289 4305067 4306425
4307495 4307500 4307620 4307634 4312778 4313091 4314778 4355643 4365412 4392241

108970-01 : SunOS 5.8: /usr/lib/fs/pcfs/fsck and /usr/lib/fs/pcfs/mkfs patch
4145536 4210625 4250242 4256652

(continued)

108972-04 : SunOS 5.8: /sbin/fdisk patch
4221693 4304790 4347145

108974-09 : SunOS 5.8: dada, uata, dad, sd and scsi patch
4102203 4231195 4231208 4237299 4262676 4263164 4271068 4271069 4275749 4279959
4284198 4285368 4285546 4291601 4297348 4302559 4304790 4305131 4305767 4313216 4313235
4318239 4325722 4325730 4328843 4329580 4329996 4335919 4337637 4343075 4343747 4346167
4348075 4352908 4353025 4353074 4354337 4361271 4393407

108975-04 : SunOS 5.8: /usr/bin/rmformat and /usr/sbin/format patch
4242879 4292212 4304790 4308431 4311553 4322206 4328893

108977-01 : SunOS 5.8: libsmmedia patch
4292214 4308431 4311553

108981-04 : SunOS 5.8: /kernel/drv/hme and /kernel/drv/sparcv9/hme patch
4151557 4247473 4305997 4327121 4327720 4372616

108982-08 : SunOS 5.8: fctl/fp/fcp/usoc driver patch
4270724 4278408 4291069 4294605 4295939 4298666 4298671 4298676 4298680 4298689
4298693 4298699 4299785 4300516 4300943 4300953 4302739 4303724 4303736 4304902 4305775
4306340 4306737 4319582 4320820 4323071 4324847 4325628 4326575 4326893 4329579 4331095
4331778 4334397 4336589 4336669 4336671 4342072 4342080 4342091 4342847 4343652 4343660
4344776 4344777 4353138 4353873 4353887 4353895 4353900 4353906 4355988 4357644 4363620
4364099 4368105 4368384 4372083 4372763 4373469 4373730 4377565 4377643 4383009

108983-08 : SunOS 5.8: fcip patch
4304890 4319582 4320876 4337691 4340152 4342080 4342091 4342847 4355959 4355971
4358603 4368384 4369500 4373906

108984-07 : SunOS 5.8: qlc patch
4264323 4278254 4300470 4300943 4300953 4302087 4304897 4319582 4324126 4324180
4324192 4324478 4326893 4327991 4328447 4330730 4334838 4335949 4336664 4336665 4336667
4337688 4344845 4353138 4353797 4353806 4353815 4353831 4353855 4355029 4357943 4360096
4360591 4360623 4363212 4364558 4366910 4367402 4368073 4369500 4375320 4377554 4377565
4380799

108985-02 : SunOS 5.8: /usr/sbin/in.rshd patch
4158689 4305888 4335632

108987-04 : SunOS 5.8: Patch for patchadd and patchrm
4115232 4278860 4292990 4299710 4303509 4304640 4311375 4319950 4330590 4350280
4351626 4356028 4379881 4384137 4388023

108989-02 : SunOS 5.8: /usr/kernel/sys/acctctl and /usr/kernel/sys/exacctsys patch
4305365 4312278 4313746 4313747 4314201

108991-10 : SunOS 5.8: libc and watchmalloc patch
4193683 4225913 4291844 4292683 4302592 4303962 4310353 4312278 4314913 4314993
4341290 4355205 4355206 4366956 4374039 4375449

108993-02 : SunOS 5.8: nss and ldap patch
4312278 4353601

(continued)

- 108995-01 : SunOS 5.8: /usr/lib/libproc.so.1 patch
4312278
- 108997-03 : SunOS 5.8: libexacct and libproject patch
4305365 4312278 4313746 4313747 4314201
- 108999-01 : SunOS 5.8: PAM patch
4312278
- 109003-01 : SunOS 5.8: /etc/init.d/acctadm and /usr/sbin/acctadm patch
4312278
- 109005-01 : SunOS 5.8: /sbin/su.static and /usr/bin/su patch
4312278
- 109007-05 : SunOS 5.8: at/atrm/batch/cron patch
4261967 4304184 4312278 4368876 4379735
- 109009-01 : SunOS 5.8: /etc/magic and /usr/bin/file patch
4312278
- 109011-01 : SunOS 5.8: /usr/bin/id and /usr/xpg4/bin/id patch
4312278
- 109013-02 : SunOS 5.8: /usr/bin/lastcomm patch
4305365 4312278 4313746 4313747 4314201
- 109015-01 : SunOS 5.8: /usr/bin/newtask patch
4312278
- 109017-01 : SunOS 5.8: /usr/bin/pgrep and /usr/bin/pkill patch
4312278
- 109019-01 : SunOS 5.8: /usr/bin/priocntl patch
4312278
- 109021-01 : SunOS 5.8: /usr/bin/projects patch
4312278
- 109023-01 : SunOS 5.8: /usr/bin/sparcv7/ps and /usr/bin/sparcv9/ps patch
4312278
- 109025-02 : SunOS 5.8: /usr/bin/sparcv7/truss and /usr/bin/sparcv9/truss patch
4312278 4355205 4355206
- 109027-01 : SunOS 5.8: /usr/bin/wracct patch
4312278
- 109029-01 : SunOS 5.8: perl patch
4312278
- 109031-01 : SunOS 5.8: projadd/projdel/projmod patch

(continued)

4312278

109033-01 : SunOS 5.8: /usr/bin/sparcv7/prstat and /usr/bin/sparcv9/prstat patch
4312278

109035-01 : SunOS 5.8: useradd/userdel/usermod patch
4312278

109037-01 : SunOS 5.8: /var/yp/Makefile and /var/yp/nicknames patch
4312278

109041-03 : SunOS 5.8: sockfs patch
4224166 4290575 4322741 4337605

109043-02 : SunOS 5.8: sonode adb macro patch
4224166 4290575 4322741

109045-02 : SunOS 5.8: /usr/sbin/sparcv7/crash and /usr/sbin/sparcv9/crash patch
4224166 4290575 4322741

109068-01 : Japanese CDE 1.4: Update Japanese CDE help files
4302904

109070-03 : SunOS 5.8: fix WBEM improper Japanese messages and update
4302909 4380748 4417297

109072-06 : CDE 1.4: (Japanese) sdtsmartcardadmin update
4318088 4301377 4328596 4346028 4346738 4350168 4357755 4384414

109077-01 : SunOS 5.8: /usr/lib/inet/in.dhcpd patch
4313817

109087-01 : SunOS 5.8: atok8 terminates "Shell widget modeShell has zero..."
4297016 4301750

109091-04 : SunOS 5.8: /usr/lib/fs/ufs/ufsrestore patch
4132365 4297558 4302943 4339366 4366956 4375449

109093-05 : SunOS 5.8: JFP message files patch
4318917 4345727 4357764 4358930 4380324 4402947

109094-01 : SunOS 5.8: localisation updates for different components

109128-01 : Provide conversion between codepages 1256 and ISO8859-6:
4301870

109131-06 : SunOS 5.8: JFP manpages patch
4320935 4345069 4302905 4351981 4379437 4405735

109133-02 : SunOS 5.8 : Cut and Paste not functioning in ru_RU.KOI8-R locale
4307614 4328876

(continued)

109134-16 : SunOS 5.8 lines in patch README can cause CIM_ERR_FAILED: WBEM patch
4209330 4297248 4309319 4314792 4318408 4329995 4332540 4333798 4333799 4336708
4336719 4336764 4346486 4346810 4346974 4352831 4355958 4355986 4356000 4357738 4358748
4358807 4358814 4358855 4359098 4359109 4359136 4359580 4359722 4360208 4361147 4362256
4362879 4363471 4363474 4364065 4364250 4364418 4364642 4364742 4364795 4364806 4365026
4365215 4365386 4365462 4365763 4365811 4365940 4366652 4366809 4367110 4367132 4368018
4368410 4368421 4368575 4368608 4368626 4368682 4368756 4368777 4369122 4369554 4370171
4370176 4370212 4370711 4371192 4371214 4371217 4371519 4372191 4372647 4372914 4373672
4374771 4376028 4376259 4377284 4377534 4377870 4377923 4377924 4377935 4377936 4377946
4377957 4377958 4377997 4378011 4378016 4378181 4378271 4378310 4378375 4378523 4378622
4378628 4378636 4378639 4378646 4378763 4378782 4378798 4378801 4379010 4379015 4379045
4379135 4379174 4379554 4379726 4379737 4379936 4380100 4380186 4380380 4380397 4380478
4380481 4380490 4380596 4380882 4380945 4381254 4381266 4381310 4381411 4381431 4382365
4382371 4382812 4383045 4383774 4383837 4385381 4385396 4385564 4385603 4385798 4387049
4387367 4387991 4388779 4389220 4390236 4391275 4391281 4391370 4391522 4392230 4395633
4396481 4396893 4396895 4396991 4397253 4398656 4400195 4403686 4404301 4407241 4407677
4417342

109137-01 : SunOS 5.8: /usr/sadm/install/bin/pkginstall patch
4318844

109142-06 : CDE 1.4: dtterm libDtTerm patch
4308751 4340259 4355107 4308971 4093503 4387002

109145-01 : SunOS 5.8: /usr/sbin/in.routed patch
4319852

109147-07 : SunOS 5.8: linker patch
4040628 4103449 4187211 4210412 4219652 4235315 4239213 4243097 4248250 4250694
4255943 4287274 4297563 4300018 4303609 4306415 4309212 4310324 4310901 4311226 4312449
4313765 4316531 4318162 4321634 4322528 4322581 4324134 4324324 4324775 4327653 4329785
4334617 4335801 4336102 4336980 4338812 4340878 4341496 4343417 4343801 4344528 4346001
4346144 4346615 4349137 4349563 4351197 4351715 4352233 4352330 4354500 4355795 4356879
4357805 4358751 4358862 4366905 4367118 4367405 4369068

109149-01 : SunOS 5.8: /usr/sbin/mkdevmaps patch
4316613

109152-01 : SunOS 5.8: /usr/4lib/libc.so.1.9 and /usr/4lib/libc.so.2.9 patch
4128267

109154-05 : SunOS 5.8: PGX32 Graphics Patch
4313132 4329407 4340417 4340678 4344436 4347028 4357957 4383508 4372518

109157-15 : SunOS 5.8: WOS Message Update and more bug fix for UR4
4350770 4351383 4332965 4343790 4334002 4337487 4337974 4338505 4341638 4323845
4362981 4413585

109159-01 : SunOS 5.8: the mapping of zh_CN.euc%UTF-8 is consistent
4334099 4337362

109165-09 : CDE 1.4: dtfile patch
4257760 4256612 4256615 4256616 4256617 4297751 4259270 4287012 4292249 4303367

(continued)

4297401 4302856 4305084 4305248 4303443 4291565 4308823 4306243 4291444 4286997 4310115
4302740 4301375 4312545 4314867 4312316 4310827 4292266 4316515 4314491 4317156 4317797
4314870 4322296 4318940 4325417 4335592 4331909 4331578 4339457 4343798 4353856 4346376
4406203

109167-01 : CDE 1.4: Desktop Help Updates Patch
4307183 4319636

109169-11 : CDE 1.4 GWM sdtgwm dumps core after selecting Window->Close Window:
Window Manager Enhancements Patch
4301525 4301229 4303415 4304468 4308078 4310419 4311506 4312315 4311916 4312250
4311992 4312375 4305293 4316508 4299329 4321374 4327961 4321817 4328036 4328268 4327801
4330458 4327967 4332309 4330198 4331955 4328255 4330445 4336342 4360521 4376807 4389935
4382452 4319599 4384360 4390631 4392829 4391179

109176-04 : CDE 1.4: Japanese patch to sync base CDE update
4322170 4346025 4365384 4373355 4410646

109179-04 : SunOS 5.8: localisation updates for SmartCard and Removable Media
4337729 4313061 4329376 4333754 4329372

109181-03 : SunOS 5.8: /kernel/fs/cachefs patch
4103817 4166371 4292697 4299056 4299427 4308026 4308068 4345825

109189-02 : SunOS 5.8: ifp driver patch
4275418 4285969 4294568 4309042 4329645 4329671 4333114

109200-02 : SunOS 5.8: I10n updates
4336934 4313061 4333002

109202-01 : SunOS 5.8: /kernel/misc/gld and /kernel/misc/sparcv9/gld patch
4197367

109223-01 : SunOS 5.8: libgss.so.1 and libkadm5clnt.so.1 patch
4308978

109234-02 : SunOS 5.8: Apache/mod_jserv patch
4285881 4294231 4296334 4297125 4297126 4297294 4299951 4300202 4300429 4300836
4301047 4303787 4306793 4307672 4307679 4307683 4308402 4311970 4312075 4312109 4312396
4313734 4316564 4317634 4318360 4318365 4324351 4326195 4326198 4374333

109238-01 : SunOS 5.8: /usr/bin/sparcv7/ipcs and /usr/bin/sparcv9/ipcs patch
4310353

109247-01 : Bad translation causes core dump in German install:
4324017

109249-01 : Help not localised for the dhcprmgr:
4324311

109255-01 : Unlocalised buttons on user-interface of dhcprmgr:
4324315

(continued)

109264-01 : Graphics missing from Help in Smart Card:
4324308

109277-01 : SunOS 5.8: /usr/bin/iostat patch
4313169

109279-10 : SunOS 5.8: /kernel/drv/ip patch
4278842 4291034 4299644 4299951 4302749 4303422 4304991 4305039 4306362 4308728
4310956 4311938 4313189 4317221 4320818 4323647 4323830 4324051 4324430 4333995 4335568
4336478 4337275 4338724 4339375 4347223 4360818 4370123 4375920 4376886 4387783

109318-12 : SunOS 5.8: suninstall patch
4186765 4210386 4245794 4265363 4299103 4302899 4310379 4310705 4313039 4322703
4324404 4325840 4334036 4337779 4338255 4342090 4344764 4350971 4351009 4351486 4355192
4358804 4360631 4372310 4378277 4382446 4384102 4384301 4387795 4389127 4390941 4391651
4392519 4392524 4394060 4400744 4401306 4402955 4403108 4406142 4408096 4410698

109320-01 : SunOS 5.8: LP jumbo patch
4188167 4235953 4260829 4263321 4265529 4281487 4302705 4310991

109322-05 : SunOS 5.8: libnsl patch
4302592 4305859 4320661 4336332 4357266

109324-01 : SunOS 5.8: sh/jsh/rsh/pfsh patch
4313399

109326-02 : SunOS 5.8: libresolv.so.2 patch
4136555 4253123 4284409 4300887 4349983 4365909

109328-01 : SunOS 5.8: /usr/lib/netsvc/yp/ypserv and usr/lib/netsvc/yp/ypxfr patch
4203989

109354-06 : CDE 1.4: dtsession patch
4239375 4344648 4316439 4335987 4293551 4389935 4392829

109384-01 : SunOS 5.8: libaio patch
4253437

109411-02 : SunOS 5.8: dtmail prints garbage strings
4326649 4350277

109441-03 : SunOS 5.8: sdtudctool patch
4312994 4342214 4393648

109452-01 : SunOS 5.8: Window List, buttons unlocalised in Options dialog
4329351

109454-01 : SunOS 5.8: /kernel/fs/fifofs and /kernel/fs/sparcv9/fifofs patch
4302216

109458-01 : SunOS 5.8: ldterm patch
4250344

(continued)

109460-03 : SunOS 5.8: socal and sf driver patch
4137818 4259911 4285968 4296275 4300684 4301468 4303182 4304245 4307129 4307585
4322210 4327372 4327766 4328635 4330062

109461-03 : SunOS 5.8: /usr/lib/lwp/libthread.so.1 patch
4305389 4336933 4371624 4390345 4407002

109470-02 : CDE 1.4: Actions Patch
4326649 4353583

109472-05 : SunOS 5.8: /kernel/drv/tcp patch
4278842 4291034 4299644 4308728 4310189 4311938 4313189 4319441 4319717 4324051
4330074 4332542 4360818 4370123 4375920 4376886

109524-04 : SunOS 5.8: ssd driver patch
4271068 4271069 4295457 4297348 4318239 4329996 4337798 4343075 4343747 4352908
4353025 4353074 4354337

109529-03 : SunOS 5.8: luxadm, liba5k and libg_fc patch
4174203 4239619 4255709 4261528 4267328 4278281 4299846 4300876 4306461 4306571
4308889 4309126 4319786 4322825 4325179 4328845 4331309 4332727 4342013 4346160 4351705
4353263 4358935 4359401 4364789 4375525 4375872

109552-01 : SunOS 5.8: FIGSS-UTF8, Removable media manager unlocalised
4327983

109564-01 : SunOS 5.8: Removable Media Mgr, Missing floppy error unlocalised
4329409

109568-03 : SunOS 5.8: sys-suspend need to support low power mode
4278930 4355638 4358149 4361324

109573-01 : SunOS 5.8: dhcprmgr help graphics not displayed correctly
4330902

109576-01 : SunOS 5.8: mountall and fsckall patch
4260430

109582-01 : CDE 1.4: sdtaudio patch
4305400

109587-03 : SunOS 5.8: libspmistore patch
4256556 4345757 4378277

109607-01 : SunOS 5.8: /usr/include/iso/stdlib_iso.h patch
4300780

109609-01 : SunOS 5.8: UTF-8 Korean attached text becomes garbled
4309015

109613-02 : CDE 1.4: dtmail patch
4336922 4133950 4362276 4372376

(continued)

- 109618-01 : SunOS 5.8: en_US.UTF-8 locale patch
4311444 4336840
- 109622-01 : SunOS 5.8: env LANG=zh_TW dtterm doesn't work in partial zh_TW.UTF-8
4330770
- 109639-02 : SunOS 5.8: th locale has errors in / lacks some LC_CTYPE definitions
4314263 4353504 4306111
- 109642-01 : SunOS 5.8: /usr/include/sys/dkio.h patch
4304790
- 109657-04 : SunOS 5.8: isp driver patch
4225880 4296113 4298594 4299727 4305985 4323441 4330876 4342019 4342469 4347100
4362676 4363019 4363024 4384300
- 109667-03 : SunOS 5.8: /usr/lib/inet/xntpd and /usr/sbin/ntpdate patch
4279094 4320855 4330427
- 109679-01 : SunOS 5.8: /usr/share/lib/smartcard/ibutton.jar patch
4330248
- 109680-01 : SunOS 5.8: nss_nisplus.so.1 and libnss_nisplus.so.1 patch
4244731
- 109692-03 : SunOS 5.8: Information
4339515 4345433 4350242
- 109695-02 : SunOS 5.8: /etc/smartcard/opencard.properties patch
4324685 4343216
- 109704-02 : SunOS 5.8: Japanese iconv patch
4350293 4344163 4344139 4340250 4340245 4227824
- 109727-01 : SunOS 5.8: /usr/sadm/admin/printmgr/classes/pmclient.jar patch
4326665
- 109729-01 : SunOS 5.8: /usr/bin/cat patch
4163406
- 109740-04 : SunOS 5.8: /kernel/drv/udp patch
4278842 4291034 4299644 4302749 4303422 4306362 4308728 4310956 4311938 4313189
4317221 4320818 4324051 4335568 4360818 4370123 4375920 4376886
- 109742-03 : SunOS 5.8: /kernel/drv/icmp patch
4278842 4291034 4299644 4303422 4306362 4308728 4311938 4313189 4324051 4360818
4370123 4375920 4376886
- 109748-01 : CDE 1.4: sdtudiocontrol patch
4324012 4324019 4295904
- 109750-03 : Solaris 8: translation update and sync with base team's PDA images
4339505

(continued)

109752-01 : Solaris 8: UI of admintool is lost in partail installation
4347036

109754-03 : SunOS 5.8: i2c driver patch
4327656 4336169 4348220 4359774

109755-01 : OpenWindows 3.6.1 (japanese): update for power mgt util for s28u2
4345748

109764-02 : SunOS 5.8: /kernel/fs/hsfs and /kernel/fs/sparcv9/hsfs patch
4305026 4328133

109766-02 : SunOS 5.8: SUNWjxmft and SUNWjxcft patch for 8/10 dot font.
4345078 4400714

109783-01 : SunOS 5.8: /usr/lib/nfs/nfsd patch
4305333 4325431

109785-01 : SunOS 5.8: /etc/inittab patch
4273366

109793-06 : SunOS 5.8: su patch
4242185 4284204 4293633 4305633 4329068 4329329 4331497 4333100 4334180 4351341
4352519 4354803 4356143 4358336 4362909 4394849

109803-01 : SunOS 5.8: /usr/bin/du and /usr/xpg4/bin/du patch
4306228

109805-01 : SunOS 5.8: pam_krb5.so.1 patch
4330143

109807-01 : SunOS 5.8: /usr/sbin/dumpadm patch
4340246

109809-01 : SunOS 5.8: timezone data patch for Australasia
4313766

109813-01 : SunOS 5.8: /usr/include/memory.h patch
4313659

109815-04 : SunOS 5.8: se, acebus, pcf8574, pcf8591 and scsb patch
4304938 4308769 4319571 4320055 4333577 4335099 4335407 4338933 4342866 4343601
4345375 4346323 4353422 4353426 4353430 4354219 4354857 4354859 4358059 4364763 4365262
4367981 4368931 4375225 4379189 4383950 4384345 4385065 4391660 4393595 4396693 4401945
4402018

109862-01 : X11 6.4.1 Font Server patch:
4314299 4323233 4335325 4335328 4336593 4345905

109868-04 : SunOS 5.8: WOS Help File Update
4338011 4350353

(continued)

109872-01 : SunOS 5.8: vis driver patch
4269556

109873-06 : SunOS 5.8: prtdiag patch
4285559 4286659 4319714 4326851 4332032 4336443 4337039 4339157 4339689 4339732
4341185 4342594 4352438 4357014 4361157 4362289 4362805 4363440 4363858 4363997 4366980
4366986 4367573 4370121 4370746 4372567 4373616 4380560 4384142 4384394 4386281 4386308
4387908 4401725

109874-06 : SunOS 5.8: audio patch
4246091 4271687 4291027 4304911 4305392 4307415 4311829 4327740 4329687 4332773
4333448 4339937 4348566 4350077 4353457 4353828 4368842 4382602

109876-02 : SunOS 5.8: fd driver patch
4271682 4333588 4336201 4382509

109877-01 : SunOS 5.8: /usr/include/sys/dma_i8237A.h patch
4333588

109879-02 : SunOS 5.8: isadma driver patch
4334446 4346495 4358337

109881-02 : SunOS 5.8: 1394 adb macros patch
4329522 4330882 4331744 4351774

109882-02 : SunOS 5.8: eri header files patch
4231424 4327054 4345671 4345969

109883-02 : SunOS 5.8: /usr/include/sys/ecppsys.h patch
1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200
4275205 4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631
4301029 4301079 4301556 4309750 4310788 4314412 4314419 4329805 4349418 4364900

109885-04 : SunOS 5.8: glm patch
4258589 4324244 4324250 4329411 4331145 4331147 4334348 4334505 4337546 4338033
4340982 4341851 4342624 4345567 4347753

109887-02 : SunOS 5.8: smartcard patch
4252211 4260074 4275177 4288077 4290329 4293939 4298260 4305335 4306126 4315034
4322446 4330625 4332392 4341789 4343702 4343711 4346640 4352242 4352312 4352345 4353105
4355630 4361637

109888-05 : SunOS 5.8: platform drivers patch
4184705 4282158 4282162 4282212 4298789 4298792 4298974 4300179 4302637 4309879
4310136 4311755 4312461 4317174 4317841 4319122 4320338 4322734 4325336 4326197 4328374
4329677 4333868 4333891 4333978 4334198 4334465 4334709 4335760 4337039 4345163 4346495
4349747 4352438 4367126 4375285 4389036 4393883

109889-01 : SunOS 5.8: usr platform links and libc_psr patch
4231424 4275177 4321184 4327624 4328624 4334502 4346495

109890-01 : SunOS 5.8: pmserver.jar patch
4308951

(continued)

109892-03 : SunOS 5.8: ecpp patch
 1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200
 4275205 4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631
 4301029 4301079 4301556 4308951 4309750 4310788 4314412 4314419 4328669 4328671 4329805
 4332425 4334210 4334506 4337450 4344459 4345596 4347469 4347728 4349418 4364900 4375134
 4380979

109893-02 : SunOS 5.8: stc driver patch
 4255596 4309750

109894-01 : SunOS 5.8: bpp patch
 4309750

109896-04 : SunOS 5.8: USB patch
 4042931 4178572 4179082 4204158 4207634 4257491 4278766 4282084 4284408 4284481
 4288456 4290035 4290038 4290048 4295084 4297451 4297991 4298047 4299321 4299711 4300133
 4301110 4302435 4303153 4303369 4303371 4304019 4304060 4304250 4304253 4304383 4304968
 4305434 4305436 4305437 4305467 4305645 4305649 4305819 4306676 4307085 4307542 4308510
 4308511 4309328 4309368 4309566 4309916 4311023 4312163 4312381 4313650 4314164 4314166
 4315368 4317503 4317522 4317527 4317528 4320410 4323024 4326037 4328542 4328590 4329325
 4329560 4330021 4331700 4331710 4332033 4332613 4332707 4333879 4336235 4336592 4337149
 4337561 4337816 4338525 4338614 4339292 4341714 4341839 4342024 4342426 4342488 4343230
 4343443 4343762 4344107 4344121 4344122 4346249 4346254 4346963 4347288 4349013 4349282
 4349339 4350113 4350570 4350901 4351268 4351426 4351707 4352101 4352931 4353264 4353820
 4357035 4357915 4359440 4359658 4359875 4362924 4363252 4364427 4364575 4364748 4365137
 4365848 4366523 4366874 4369166 4380154

109898-02 : SunOS 5.8: /kernel/drv/arp patch
 4291034 4299644 4302198 4308728 4311938

109900-01 : SunOS 5.8: /etc/init.d/network and /etc/rcS.d/S30network.sh patch
 4291034 4299644 4308728 4311938

109902-03 : SunOS 5.8: /usr/lib/inet/in.ndpd patch
 4291034 4299644 4308728 4311938 4347223 4386544

109904-04 : SunOS 5.8: /etc/default/mpathd and /sbin/in.mpathd patch
 4291034 4299644 4308728 4311938 4314132 4328423 4338258 4338530 4347223 4369240
 4386544

109906-05 : SunOS 5.8: /sbin/ifconfig and /usr/sbin/ifconfig patch
 4218277 4291034 4299644 4308728 4311938 4347223 4373331 4386544

109910-01 : Help unlocalised for Winlst, Rem. Media Mgr. & Workspace Mgr.:
 4329353 4329355 4339080

109920-05 : SunOS 5.8: pcic driver patch
 4243709 4286161 4337039 4341224 4347834 4352356 4352663 4367607

109922-02 : SunOS 5.8: pcelx, pcser and cs driver patch
 4090692 4243709 4308863 4308870 4320108 4352663

(continued)

- 109924-02 : SunOS 5.8: pcata driver patch
4287520 4303758 4352663
- 109926-02 : SunOS 5.8: /kernel/drv/pem and /kernel/drv/sparcv9/pem patch
4243709 4303863 4332477 4352663
- 109928-04 : SunOS 5.8: pcmem and pcmcia patch
4243709 4265532 4280422 4303875 4337357 4339636 4352663 4355964
- 109931-01 : CDE 1.4: sdtimage Patch
4345373
- 109933-01 : SunOS 5.8: mv, cp, ln patch
4264701
- 109935-02 : SunOS 5.8: libprtdiag_psr.so.1 for SUNW,UltraSPARC-IIi-Netract patch
4338306 4353761 4353762 4364922
- 109936-01 : SunOS 5.8: /usr/bin/diff patch
4338744
- 109951-01 : SunOS 5.8: jserver buffer overflow
4352777
- 109954-01 : SunOS 5.8: /kernel/sys/pset and /kernel/sys/sparcv9/pset patch
4352049
- 109960-01 : CDE 1.4: sdtperfmer patch
4341412 4290470 4280252
- 109990-01 : SunOS 5.8: /usr/ccs/bin/dis patch
4015840 4350263
- 109994-01 : SunOS 5.8: /usr/bin/sparcv7/adb and /usr/bin/sparcv9/adb patch
4015840 4350263
- 110019-03 : SunOS 5.8: JFP install/sysadm messages patch
4354350 4375794 4405716
- 110044-01 : SunOS 5.8: iswalph0 can't work well in zh.GBK locale
4355229
- 110065-01 : SunOS 5.8: New features added to install
4357775
- 110068-01 : CDE 1.4: PDASync patch
4341358
- 110075-01 : SunOS 5.8: /kernel/drv/devinfo and /kernel/drv/sparcv9/devinfo patch
4341354
- 110077-03 : SunOS 5.8: sysevent framework patch
4336779 4365737 4367081 4367650 4378277

(continued)

110088-02 : CDE 1.4: DtPower patch
4354583 4336307 4370067 4372350 4374505 4374554

110127-02 : SunOS 5.8: Generic Framebuffer configuration Graphics Patch
4305334

110165-01 : SunOS 5.8: /usr/bin/sed patch
4287555

110206-01 : SunOS 5.8: sdtwinlst and sdtgwm utf8 unlocalised
4352861 4352800

110221-03 : SunOS 5.8: Dcam1394 patch
4365341 4349294 4372839 4382327

110269-01 : SunOS 5.8: /usr/lib/libnisdb.so.2 patch
4318294

110274-03 : SunOS 5.8: Figgs Custom install new features and install help
4367029

110283-03 : SunOS 5.8: mkfs and newfs patch
4297460 4333516 4339330 4344221 4380132 4374181

110285-01 : SunOS 5.8: consconfig_dacf patch
4350044

110286-02 : OpenWindows 3.6.2: Tooltalk patch
4334998 4379430 4363822

110320-01 : SunOS 5.8: /kernel/misc/sparcv9/s1394 patch
4362967

110322-01 : SunOS 5.8: /usr/lib/netsvc/yp/ypbind patch
4362647

110326-02 : CDE 1.4: dtstyle patch
4321874 4389935 4384360 4319599 4382452 4392829 4390631

110335-02 : CDE 1.4: dtprintinfo patch
4325603 4380805

110364-02 : SunOS 5.8: Add L10N sdtypesbinder files
4366984 4383627

110368-01 : SunOS 5.8: littleneck support, pcf8574 patch, S8 Update 3
4286659 4326851 4336443 4339732 4341185

110369-04 : SunOS 5.8: sgcn patch
4286659 4326851 4337039 4362703 4362745 4374123 4376376 4385014

110370-02 : SunOS 5.8: usr_platform patch

(continued)

4286659 4326851 4337039 4414560

110371-02 : SunOS 5.8: serengeti support, Update3, sgfru patch
4286659 4326851 4337039 4386526

110373-02 : SunOS 5.8: sgsbbc patch
4286659 4319715 4319724 4326851 4337039 4339009 4351116 4352174 4353000 4354331
4354794 4363095 4363101 4367252 4370240 4398255 4401747

110374-06 : SunOS 5.8: /platform/SUNW,Sun-Fire/kernel/drv/sparcv9/sgenv patch
4286659 4319715 4319724 4326851 4337039 4339009 4345060 4351116 4354331 4370121
4375808 4379057 4386281 4386308 4386526 4401805 4404305

110375-02 : SunOS 5.8: serengeti support, Update3, ssm patch
4286659 4319715 4319724 4326851 4339009 4351116 4352284 4354331 4370146 4370148
4371549 4371993 4375901

110376-01 : SunOS 5.8: littleneck support, usr_platform patch, S8 Update 3
4286659 4326851 4336443 4339732 4341185

110378-05 : SunOS 5.8: mipagent patch Mobile IP
4278842 4302749 4310956 4313189 4317221 4320818 4324051 4335568 4360818 4370123
4370438 4375915 4375920 4376886 4377368 4377693 4377694 4378163 4378727 4379361 4382946
4382996 4382998 4383001 4383007 4386544 4390912 4391040 4392110

110379-01 : SunOS 5.8: littleneck support, gpio patch
4336443 4339732 4341185

110380-01 : SunOS 5.8: ufssnapshots support, libadm patch
4296770

110381-01 : SunOS 5.8: ufssnapshots support, cli patch
4296770

110382-01 : SunOS 5.8:
4296770

110383-01 : SunOS 5.8:
4233832 4326110 4336779 4357245

110384-05 : SunOS 5.8: RCM libraries & header patch
4233832 4326110 4336779 4357245 4363985 4364006 4364129 4373331 4375059 4375416
4379314 4384391 4386436 4386544 4387223

110385-03 : SunOS 5.8: RCM modules patch
4233832 4326110 4336779 4357245 4375059 4375416 4386544

110386-01 : SunOS 5.8: RBAC Feature Patch
4311781 4313955

110387-03 : SunOS 5.8: ufssnapshots support, ufsdump patch
4132365 4296770 4339366 4358666

(continued)

110388-01 : SunOS 5.8:
4311781 4313955

110389-02 : SunOS 5.8: cvc CPU signature
4333639 4337039 4386544

110390-01 : SunOS 5.8:
4310379

110407-02 : CDE 1.4 Sdttypes patch:
4313855 4329990 4357804 4365790 4374350

110416-02 : SunOS 5.8: ATOK12 patch
4361738 4372858 4384092

110428-01 : SunOS 5.8: New Turkish UTF-8 locale
4368177

110453-01 : SunOS 5.8: admintool patch
4354306

110457-01 : SunOS 5.8: scmi2c driver patch
4282989 4349315

110458-02 : SunOS 5.8: libcurses patch
4313067 4398331

110460-03 : SunOS 5.8: picl daemon patch
4286659 4326851 4336443 4339732 4341185 4358170 4358736 4361074 4361175 4363225
4363846 4365022 4366798 4367556 4369058 4370374 4370505 4370718 4372341 4372567 4374731
4375863 4382336 4384394 4384521 4385799 4389946 4400130

110461-01 : SunOS 5.8: ttcompat patch
4335144

110499-03 : X11 6.4.1: Xsun patch
4373395 4296832 4363016 4366826 4351398 4351928 4357191 4384470 4386513 4372057
4376452

110503-01 : SunOS 5.8: Polish locale monetary incorrect
4380484

110511-01 : SunOS 5.8: rpc.nisd patch
4280714 4326943

110603-01 : CDE 1.4: sdtname patch
4149628 4235799

110609-01 : SunOS 5.8: cdio.h and command.h USB header patch
4369151

110611-01 : SunOS 5.8: lp.cat and postio ECP patch
4310788 4329805 4349418 4364900

(continued)

110615-01 : SunOS 5.8: sendmail patch
1119353 1254405 4086468 4304080 4317819 4329124 4329128 4329131 4332599 4344081
4357054

110662-02 : SunOS 5.8: ksh patch
4356624 4379531

110668-01 : SunOS 5.8: /usr/sbin/in.telnetd patch
4366956 4375449

110670-01 : SunOS 5.8: usr/sbin/static/rcp patch
4366956 4375449

110716-02 : SunOS 5.8: Solaris Product Registry 3.0 patch
4366927 4378201 4407526

110724-01 : SunOS 5.8: liblayout patch
4393355

110745-01 : SunOS 5.8: toolbox syntax correction
4391812 4391778 4391779 4391781

110750-01 : SunOS 5.8: TCX Graphics Patch
4349827

110752-01 : SunOS 5.8: Uninstaller doesn't come up with error messages
4389792

110754-03 : SunOS 5.8: UR3 new features WBEM updates

110756-02 : SunOS 5.8: UR3 new features DCL updates
4404182

110758-03 : SunOS 5.8: UR3 new fatures SMC updates
4398894 4404182

110764-02 : SunOS 5.8: UR3 new features MGP updates
4398893 4404182

110766-03 : SunOS 5.8: s28_u4 SUNW0mp update

110794-01 : SunOS 5.8: dr_daemon patch
4250626 4254422 4299508 4355886 4356318 4375745

110797-02 : SunOS 5.8: UR4 New int
4389039 4384498 4399740 4420102

110811-01 : SunOS 5.8: libnls patch
4346460

110813-01 : SunOS 5.8: libxfn patch

(continued)

4346471

110815-01 : SunOS 5.8: libmp patch
4346496

110817-01 : SunOS 5.8: apptrace and interceptors patch
4307470 4344373

110819-01 : SunOS 5.8: us driver patch
4370572

110820-02 : SunOS 5.8: dman driver patch
4352615 4356741 4356803 4363907 4381083 4384426 4387731 4388848

110821-01 : SunOS 5.8: iosram patch
4363907

110822-01 : SunOS 5.8: mboxsc driver patch
4363907

110823-03 : SunOS 5.8: fcode patch
4363907 4405109 4411034

110824-02 : SunOS 5.8: fcpci driver patch
4363907 4405109

110825-02 : SunOS 5.8: fcodem driver patch
4363907 4405109

110826-02 : SunOS 5.8: schpc driver patch
4363907 4389226 4389669 4393561 4393772 4398474

110827-01 : SunOS 5.8: scosmb driver patch
4363907

110828-01 : SunOS 5.8: sbbc driver patch
4363907

110829-01 : SunOS 5.8: todstarcat driver patch
4363907

110830-01 : SunOS 5.8: cvcd patch
4363907

110831-02 : SunOS 5.8: /platform/SUNW,Sun-Fire-15000/kernel/drv/sparcv9/cvc patch
4363907 4370761 4396065

110832-01 : SunOS 5.8: cvcredir patch
4363907

110833-01 : SunOS 5.8: usr platform links
4363907

(continued)

110834-02 : SunOS 5.8: SUNW,Sun-Fire-15000 libprtdiag_psr.so.1 patch
4363907 4382538

110835-02 : SunOS 5.8: gptwo_cpu patch
4363907 4405109

110836-02 : SunOS 5.8: gptwocfg patch
4363907 4405109

110837-03 : SunOS 5.8: efcodes patch
4363907 4393561 4393772 4398474 4405109

110838-01 : SunOS 5.8: axq platform patch
4363907

110839-01 : SunOS 5.8: IP Multipathing RCM patch
4373331

110840-01 : SunOS 5.8: bbc patch
4369175 4381743

110841-01 : SunOS 5.8: gptwo patch
4369175 4381743

110842-01 : SunOS 5.8: hpc3130 patch
4369175 4381743

110843-01 : SunOS 5.8: libprtdiag patch
4369175 4381743

110844-01 : SunOS 5.8: lm75 patch
4369175 4381743

110845-01 : SunOS 5.8: ltc1427 patch
4369175 4381743

110846-01 : SunOS 5.8: pcf8574 patch
4369175 4381743

110847-01 : SunOS 5.8: pcf8591 patch
4369175 4381743

110848-02 : SunOS 5.8: pcicfg patch
4369175 4381743 4405109

110849-01 : SunOS 5.8: picl patch
4369175 4381743

110850-01 : SunOS 5.8: sbdp patch
4369175 4381743

110851-01 : SunOS 5.8: ssc050 patch
4369175 4381743

(continued)

110852-01 : SunOS 5.8: ssc100 patch
4369175 4381743

110853-01 : SunOS 5.8: usr_platform patch
4369175 4381743

110854-01 : SunOS 5.8: smbusr_ara patch
4369175 4381743

110856-01 : SunOS 5.8: /etc/inet/services patch
4363907

110864-01 : SunOS 5.8: Need to back port fixes for SUNW_PKGLIST for ALC packages
4402062

110867-01 : SunOS 5.8: Need to back port fixes for SUNW_PKGLIST for ALC packages
4399082

110885-01 : SunOS 5.8: JFP Solaris Product Registry 3.0 patch
4405721

110888-01 : SunOS 5.8 : s28u4_06,figgs,New and updated message strings
4406660 4407100

110896-01 : SunOS 5.8: /usr/lib/fs/cachefs/mount patch
4332446

110898-01 : SunOS 5.8: csh/pfsh patch
4384080

110900-01 : SunOS 5.8: /platform/sun4u/kernel/misc/sparcv9/pcicfg.e patch
4393561 4393772 4398474

110901-01 : SunOS 5.8: /kernel/drv/sngen and /kernel/drv/sparcv9/sngen patch
4319695 4325990

110903-01 : SunOS 5.8: edit, ex, vedit, vi and view patch
4059978 4320573

110905-01 : SunOS 5.8: /usr/bin/find patch
4354572

110907-01 : SunOS 5.8: /usr/include/arpa/inet.h patch
4345816

110910-01 : SunOS 5.8: /usr/lib/fs/ufs/fsck patch
4225018

110912-01 : SunOS 5.8: cfgadm patch
4301920 4301922 4301984 4387106

110914-01 : SunOS 5.8: /usr/bin/tr patch

(continued)

4366964

110916-01 : SunOS 5.8: sort patch
4300461 4303258 4304444 4314724 4330831 4334641 4338929 4343080 4351862 4352007
4357085 4366860 4389764

110918-01 : SunOS 5.8: openeepr patch
4334314

110927-01 : SunOS 5.8: Need to backport fixes in SUNW_PKGLIST in s8u4
4399235

110932-01 : SunOS 5.8: /sbin/dhcpagent patch
4344914

110939-01 : SunOS 5.8: /usr/lib/acct/closewtmp patch
4352064

110943-01 : SunOS 5.8: /usr/bin/tcsh patch
4384076

110981-01 : SunOS 5.8: s28_u4 SUNW0wbc update

111008-01 : SunOS 5.8: Incorrect symbolic link for ko_KR.EUC/LC_TIME
4410946

111071-01 : SunOS 5.8: cu patch
4406722

111073-01 : SunOS 5.8: re_comp header patch
4345842

111088-01 : SunOS 5.8: mdb patch
4367773

Intel Platform Patch List

108529-07 : SunOS 5.8_x86: kernel update patch
1231256 4044653 4159348 4178572 4184090 4226443 4233718 4233832 4234426 4235823
4254594 4259051 4259848 4261064 4261322 4262842 4262930 4264390 4265649 4269556 4271378
4271733 4271738 4282158 4282212 4288248 4290073 4293528 4293692 4295776 4296081 4296124
4296770 4298256 4298789 4298790 4298792 4298794 4299504 4299838 4300179 4301683 4302637
4303474 4303649 4304033 4304696 4305365 4305709 4306004 4307475 4307771 4308242 4308245

4308370 4309330 4309719 4309750 4311755 4312278 4312461 4312641 4313746 4313747 4314201
4314488 4316672 4317174 4317476 4317728 4319122 4319440 4320338 4320653 4324244 4324250
4324390 4325075 4325336 4325617 4325626 4325641 4325730 4325934 4325959 4326110 4327330
4328843 4330206 4330301 4331306 4332219 4332484 4332740 4333639 4334198 4334346 4334348
4334505 4335837 4336182 4336443 4336779 4337039 4337295 4337300 4338033 4338148 4339732
4340614 4341008 4341185 4341378 4341714 4343039 4343115 4343237 4343425 4343443 4343991
4345667 4346254 4346976 4347359 4349102 4349272 4349393 4349603 4350574 4351877 4351971
4352611 4354397 4354802 4355205 4355206 4357245 4357919 4359440 4362141 4363678 4363907
4365336 4367625 4368026 4368057 4368921 4369543 4373222 4377012 4380688 4380916 4381900
4382190 4382663 4382693 4383099 4387923 4389685 4391799 4394023 4395736 4404947 4408832
4409089 4363051

108624-02 : SunOS 5.8_x86: Thai Wordbreak Iterator module
4389752

108653-23 : X11 6.4.1_x86: Xsun patch
4281374 4292395 4286682 4300866 1221324 4308554 4306350 4312517 4287741 4297581
4297830 4299495 4306774 4308640 4308661 4308670 4311088 4312780 4312893 4305597 4310813
4293861 4311804 4318777 4311685 4317727 4314304 4310120 4299667 4292075 4310536 4330738
4332966 4107762 4323892 4333070 4185418 4336308 4336246 4346749 4332982 4323164 4338851
4355797 4356265 4345609 4379301 4383751 4296832 4363016 4351928 4357191 4384470 4386513
4379921

108715-05 : CDE 1.4_x86: libDtWidget patch
4289349 4321189 4360030

108724-01 : SunOS 5.8_x86: /kernel/fs/lofs patch
4126922

108726-02 : SunOS 5.8_x86: st driver patch
4180382 4258222 4270641 4319238

108728-04 : SunOS 5.8_x86: /kernel/fs/nfs patch
4193748 4249187 4276984 4293528 4331346

108774-08 : SunOS 5.8_x86: IIIM and X Input & Output Method patch
4409148 4390729 4391701 4379997 4366559 4363883 4306958 4305501 4304989 4301739
4307230 4307224 4295996 4325454 4313845 4342196 4332958 4339874

108782-01 : Solaris 8_x86: Get UDCTool to work for zh_TW
4307173

108809-23 : SunOS 5.8_x86: Manual Page updates for Solaris 8
4401520 4406485 4373372 4396019 4396026 4400590 4195476 4310895 4311279 4311281
4311373 4311374 4312130 4314114 4314390 4317975 4323321 4323394 4325356 4338576 4345255
4345863 4347481 4351085 4352046 4353279 4356775 4358328 4359608 4360350 4360561 4365567
4365858 4367587 4369053 4370464 4372215 4372924 4373372 4375651 4375910 4375911 4375914
4376137 4377107 4377109 4377110 4379281 4379596 4379982 4381797 4381815 4383769 4383792
4384483 4384874 4385712 4385721 4385727 4385769 4386452 4386980 4388637 4388648 4388763
4394740 4398147 4398148 4398152 4398196 4398301 4331001

108821-01 : SunOS 5.8_x86: /usr/lib/nss_compat.so.1 patch
4302441

(continued)

108822-02 : SunOS 5.8_x86: /boot/solaris/boot.bin patch
4300016 4344312 4354815

108824-01 : SunOS 5.8_x86: compress/uncompress/zcat patch
4295877

108826-01 : SunOS 5.8_x86: /usr/lib/fs/cachefs/cfsadmin patch
4207874

108828-07 : SunOS 5.8_x86: libthread patch
4091466 4236427 4288299 4307551 4311948 4336933 4367192 4381908

108836-02 : CDE 1.4_x86: dtcm patch
4285729 4320553

108870-03 : SunOS 5.8_x86: snmpdx/mibiisa/libssasmp/snmplib patch
4299328 4301970 4309416 4333417 4377219 4390382 4368330 4359519 4361619 4330039

108876-08 : SunOS 5.8_x86: c2audit patch
4224166 4290575 4307306 4308525 4322741 4325997 4336689 4336959 4339611 4344275
4353965

108883-02 : SunOS 5.8_x86: mmu32/mmu36 patch
4305696 4307800 4357919

108898-01 : X11 6.4.1_x86: Xprint patch
4305734

108900-01 : SunOS 5.8_x86: /usr/bin/ftp patch
4294697

108902-03 : SunOS 5.8_x86: /kernel/sys/rpcmod and /kernel/strmod/rpcmod patch
4107735 4321293 4330007

108915-01 : SunOS 5.8_x86: localisation updates for different components

108920-07 : CDE 1.4_x86: dtlogin patch
4072784 4293300 4302209 4299160 4346072 4328385 4293551 4379999 4317622

108922-11 : CDE 1.4_x86: dtwm patch
4306589 4311842 4301522 4299651 4300013 4261430 4311753 4330496 4335592 4335971
4332153 4293551 4383544 4389935 4392829 4395985

108924-01 : CDE 1.4_x86: dtwm patch
4261430 4310640 4311753

108934-01 : SunOS 5.8_x86: bugfix for European locales, dtmail, dtcalc, SmartCard
4308864 4304021 4301544

108941-16 : Motif 2.1.1_x86: Runtime library patch for Solaris 8_x86
4299216 4294643 4320106 4322319 4299139 4312519 4322466 4327272 4327592 4336559

(continued)

4327637 4322728 4342603 4343099 4350517 4334155 4367450 4362266 4350828 4383575 4393364
4318757 4400646

108950-05 : CDE 1.4_x86: litDtHelp/libDtSvc patch
4298416 4307660 4345282 1191725 4389935

108955-01 : SunOS 5.8_x86: localisation updates for different components

108957-01 : SunOS 5.8_x86: htt_server dumps core on SCH's cm.so in utf-8 locales
4314242

108963-01 : SunOS 5.8_x86: XmlReader fails on an HTTP stream
4314140

108965-04 : SunOS 5.8_x86: /usr/sbin/snoop patch
1110881 4297326 4297676 4304083 4313760 4315280 4317713 4321696 4321713 4321720
4321721 4321723 4321725 4321726 4322042 4322055 4322058 4322060 4322064 4322200 4322670

108969-05 : SunOS 5.8_x86: vol/vold/rmmount patch
1206000 4108297 4145529 4205437 4211612 4254816 4255049 4285374 4286446 4292408
4292563 4296452 4298451 4298465 4298563 4298567 4303430 4304283 4304289 4305067 4306425
4307495 4307500 4307620 4307634 4312778 4313091 4314778 4355643 4365412 4392241

108971-01 : SunOS 5.8_x86: /usr/lib/fs/pcfs/fsck and /usr/lib/fs/pcfs/mkfs patch
4145536 4210625 4250242 4256652

108973-04 : SunOS 5.8_x86: /sbin/fdisk patch
4221693 4304790 4347145

108976-04 : SunOS 5.8_x86: /usr/bin/rmformat and /usr/sbin/format patch
4242879 4292212 4304790 4308431 4311553 4322206 4328893

108978-01 : SunOS 5.8_x86: libsmedia patch
4292214 4308431 4311553

108980-13 : SunOS 5.8_x86: PCI HotPlug framework and devfsadm patch
4272737 4276021 4303126 4306367 4307062 4307080 4307747 4307827 4309011 4309750
4309802 4309818 4310864 4311126 4311134 4312937 4314121 4314936 4315098 4315100 4315101
4318351 4318747 4319122 4320440 4320471 4321326 4322424 4328067 4329695 4330383 4330429
4330774 4332425 4334198 4335003 4335285 4335935 4336443 4337039 4337674 4338007 4338009
4338633 4338702 4338704 4339732 4341185 4341224 4349603 4357092 4357552 4359294 4363907
4364048 4365270 4367993 4369175 4372712 4381743 4386092 4386544 4387034 4389866 4401837

108986-02 : SunOS 5.8_x86: /usr/sbin/in.rshd patch
4158689 4305888 4335632

108988-04 : SunOS 5.8_x86: Patch for patchadd and patchrm
4115232 4278860 4292990 4299710 4303509 4304640 4311375 4319950 4330590 4350280
4351626 4356028 4379881 4384137 4388023

108990-02 : SunOS 5.8_x86: acctctl & exactsys patch
4305365 4312278 4313746 4313747 4314201

(continued)

108992-10 : SunOS 5.8_x86: libc and watchmalloc patch
4193683 4225913 4291844 4292683 4302592 4303962 4310353 4312278 4314913 4341290
4355205 4355206 4366956 4374039 4375449

108994-02 : SunOS 5.8_x86: nss and ldap patch
4312278 4353601

108996-01 : SunOS 5.8_x86: /usr/lib/libproc.so.1 patch
4312278

108998-03 : SunOS 5.8_x86: libexact and libproject patch
4305365 4312278 4313746 4313747 4314201

109000-01 : SunOS 5.8_x86: PAM patch
4312278

109004-01 : SunOS 5.8_x86: /etc/init.d/acctadm and /usr/sbin/acctadm patch
4312278

109006-01 : SunOS 5.8_x86: /sbin/su.static and /usr/bin/su patch
4312278

109008-05 : SunOS 5.8_x86: at/atrm/batch/cron patch
4261967 4304184 4312278 4368876 4379735

109010-01 : SunOS 5.8_x86: /etc/magic and /usr/bin/file patch
4312278

109012-01 : SunOS 5.8_x86: /usr/bin/id and /usr/xpg4/bin/id patch
4312278

109014-02 : SunOS 5.8_x86: /usr/bin/lastcomm patch
4305365 4312278 4313746 4313747 4314201

109016-01 : SunOS 5.8_x86: /usr/bin/newtask patch
4312278

109018-01 : SunOS 5.8_x86: /usr/bin/pgrep and /usr/bin/pkill patch
4312278

109020-01 : SunOS 5.8_x86: /usr/bin/priocntl patch
4312278

109022-01 : SunOS 5.8_x86: /usr/bin/projects patch
4312278

109024-01 : SunOS 5.8_x86: /usr/bin/i86/ps patch
4312278

109026-03 : SunOS 5.8_x86: /usr/bin/i86/truss patch
4312278 4355205 4355206

(continued)

109028-01 : SunOS 5.8_x86: /usr/bin/wracct patch
4312278

109030-01 : SunOS 5.8_x86: perl patch
4312278

109032-01 : SunOS 5.8_x86: projadd/projdel/projmod patch
4312278

109034-01 : SunOS 5.8_x86: /usr/bin/i86/prstat patch
4312278

109036-01 : SunOS 5.8_x86: useradd/userdel/usermod patch
4312278

109038-01 : SunOS 5.8_x86: /var/yp/Makefile and /var/yp/nicknames patch
4312278

109042-03 : SunOS 5.8_x86: sockfs patch
4224166 4290575 4322741 4337605

109044-02 : SunOS 5.8_x86: sonode adb macro patch
4224166 4290575 4322741

109046-02 : SunOS 5.8_x86: /usr/sbin/i86/crash patch
4224166 4290575 4322741

109069-01 : Japanese CDE 1.4: update CDE help files for _x86
4302904

109071-03 : SunOS 5.8_x86: fix WBEM improper Japanese messages and update
4302909 4380748 4417297

109073-05 : CDE 1.4_x86: (Japanese) New Feature patch
4302027 4305195 4322170 4346025 4365384 4373355 4410646

109078-01 : SunOS 5.8_x86: /usr/lib/inet/in.dhcpd patch
4313817

109088-01 : SunOS 5.8_x86: atok8 terminates "Shell widget modeShell has zero..."
4297016 4301750

109092-04 : SunOS 5.8_x86: /usr/lib/fs/ufs/ufsrestore patch
4132365 4297558 4302943 4339366 4366956 4375449

109095-01 : SunOS 5.8_x86: localisation updates for different components

109119-05 : SunOS 5.8_x86: JFP message files patch
4318917 4345727 4357764 4358930 4380324 4402947

109129-01 : SunOS 5.8_x86: Provide conversion between codepages 1256 and ISO8859-6
4301870

(continued)

109132-06 : SunOS 5.8_x86: JFP manpages patch
4320935 4345069 4302905 4351981 4379437 4405735

109135-16 : SunOS 5.8_x86: WBEM patch
4209330 4297248 4309319 4314792 4318408 4329995 4332540 4333798 4333799 4336708
4336719 4336764 4346486 4346810 4346974 4352831 4355958 4355986 4356000 4357738 4358748
4358807 4358814 4358855 4359098 4359109 4359136 4359580 4359722 4360208 4361147 4362256
4362879 4363471 4363474 4364065 4364250 4364418 4364642 4364742 4364795 4364806 4365026
4365215 4365386 4365462 4365763 4365811 4365940 4366652 4366809 4367110 4367132 4368018
4368410 4368421 4368575 4368608 4368626 4368682 4368756 4368777 4369122 4369554 4370171
4370176 4370212 4370711 4371192 4371214 4371217 4371519 4372191 4372647 4372914 4373672
4374771 4376028 4376259 4377284 4377534 4377870 4377923 4377924 4377935 4377936 4377946
4377957 4377958 4377997 4378011 4378016 4378181 4378271 4378310 4378375 4378523 4378622
4378628 4378636 4378639 4378646 4378763 4378782 4378798 4378801 4379010 4379015 4379045
4379135 4379174 4379554 4379726 4379737 4379936 4380100 4380186 4380380 4380397 4380478
4380481 4380490 4380596 4380882 4380945 4381254 4381266 4381310 4381411 4381431 4382365
4382371 4382812 4383045 4383774 4383837 4385381 4385396 4385564 4387049 4387367 4387991
4388779 4389220 4390236 4391275 4391281 4391370 4391522 4392230 4395633 4396481 4396893
4396895 4396991 4397253 4398656 4400195 4403686 4404301 4407241 4407677 4417342

109138-01 : SunOS 5.8_x86: /usr/sadm/install/bin/pkginstall patch
4318844

109143-07 : CDE 1.4_x86: dtterm libDtTerm patch
4308751 4340259 4355107 4308971 4093503 4387002

109146-01 : SunOS 5.8_x86: /usr/sbin/in.routed patch
4319852

109148-07 : SunOS 5.8_x86: linker patch
4040628 4103449 4187211 4210412 4219652 4235315 4239213 4243097 4248250 4250694
4255943 4287274 4297563 4300018 4303609 4306415 4309212 4310324 4310901 4311226 4312449
4313765 4316531 4318162 4321634 4322528 4322581 4324134 4324324 4324775 4327653 4329785
4334617 4335801 4336102 4336980 4338812 4340878 4341496 4343417 4343801 4344528 4346001
4346144 4346615 4349137 4349563 4351197 4351715 4352233 4352330 4354500 4355795 4356879
4357805 4358751 4358862 4366905 4367118 4367405 4369068

109150-01 : SunOS 5.8_x86: /usr/sbin/mkdevmaps patch
4316613

109155-01 : SunOS 5.8_x86: vgatext and terminal-emulator patch
4307285

109158-15 : SunOS 5.8_x86: WOS Message Update and more bug fix for UR4
4350770 4351383 4332965 4343790 4334002 4337487 4337974 4338505 4341638 4323845
4362981 4413585

109160-01 : SunOS 5.8_x86: the mapping of zh_CN.euc%UTF-8 is consistent
4334099 4337362

109166-09 : CDE 1.4_x86: dtfile patch
4257760 4256612 4256615 4256616 4256617 4297751 4259270 4287012 4292249 4303367

(continued)

4297401 4302856 4305084 4305248 4303443 4291565 4308823 4306243 4291444 4286997 4310115
4302740 4301375 4312545 4314867 4312316 4310827 4292266 4316515 4314491 4317156 4317797
4314870 4322296 4318940 4325417 4335592 4331909 4331578 4339457 4343798 4353856 4346376
4406203

109168-01 : CDE 1.4_x86: Desktop Help Updates Patch
4307183 4319636

109170-11 : CDE 1.4_x86 GWM sdtgwm dumps core after selecting Window->Close Window:
Window Manager Enhancements Patch
4301525 4301229 4303415 4304468 4308078 4310419 4311506 4312315 4311916 4312250
4311992 4312375 4305293 4316508 4299329 4321374 4327961 4321817 4328036 4328268 4327801
4330458 4327967 4332309 4330198 4331955 4328255 4330445 4336342 4360521 4376807 4389935
4384360 4319599 4382452 4391179 4390631 4392829

109180-03 : SunOS 5.8_x86: localisation updates for Removable Media
4313061 4329376 4333754 4329372

109182-03 : SunOS 5.8_x86: /kernel/fs/cachefs patch
4103817 4166371 4292697 4299056 4299427 4308026 4308068 4345825

109190-04 : SunOS 5.8_x86 : Extra Catalan Support required
4305956 4328876 4337258

109191-03 : SunOS 5.8_x86 : ru.RU.KOI8-R Cannot cut/paste cyrillic between dtapps
4325497 4328876 4359095

109192-02 : SunOS 5.8_x86 : Cut/Paste not functioning in ru_RU.KOI8-R
4307614 4328876

109193-02 : SunOS 5.8_x86 : Polish UTF-8 Support Solaris 8
4325497 4328876

109201-03 : SunOS 5.8_x86: l10n updates
4336934 4313061 4327905 4333002

109224-01 : SunOS 5.8_x86: libgss.so.1 and libkadm5clnt.so.1 patch
4308978

109235-03 : SunOS 5.8_x86: Apache/mod_jserv patch
4285881 4294231 4296334 4297125 4297126 4297294 4299951 4300202 4300429 4300836
4301047 4303787 4306793 4307672 4307679 4307683 4308402 4311970 4312075 4312109 4312396
4313734 4316564 4317634 4318360 4318365 4324351 4326195 4326198 4374333

109239-01 : SunOS 5.8_x86: /usr/bin/i86/ipcs patch
4310353

109248-01 : SunOS 5.8_x86: Bad translation causes core dump in German install
4324017

109250-01 : SunOS 5.8_x86: Help not localised for the dhcpmgr
4324311

(continued)

109278-01 : SunOS 5.8_x86: /usr/bin/iostat patch
4313169

109280-10 : SunOS 5.8_x86: /kernel/drv/ip patch
4278842 4291034 4299644 4299951 4302749 4303422 4304991 4305039 4306362 4308728
4310956 4311938 4313189 4317221 4320818 4323647 4323830 4324051 4324430 4333995 4335568
4336478 4337275 4338724 4339375 4347223 4360818 4370123 4375920 4376886 4387783

109319-13 : SunOS 5.8_x86: suninstall patch
4186765 4210386 4245794 4265363 4299103 4302899 4310379 4310705 4313039 4322703
4324404 4325840 4334036 4337779 4338255 4342090 4344764 4350971 4351009 4351486 4355192
4358804 4360631 4372310 4378277 4382446 4384102 4384301 4387795 4389127 4390941 4391651
4392519 4392524 4394060 4400744 4401306 4402955 4403108 4406142 4408096 4410698

109321-01 : SunOS 5.8_x86: LP jumbo patch
4188167 4235953 4260829 4263321 4265529 4281487 4302705 4310991

109323-05 : SunOS 5.8_x86: libnsl patch
4302592 4305859 4320661 4336332 4357266

109325-01 : SunOS 5.8_x86: sh/jsh/rsh/pfsh patch
4313399

109327-02 : SunOS 5.8_x86: libresolv.so.2 patch
4136555 4253123 4284409 4300887 4349983 4365909

109329-01 : SunOS 5.8_x86: ypserv and ypxfr patch
4203989

109355-06 : CDE 1.4_x86: dtsession patch
4239375 4344648 4316439 4335987 4293551 4389935 4392829

109385-01 : SunOS 5.8_x86: libaio patch
4253437

109401-01 : OpenWindows 3.6_x86: Updated X Server video support.
4302368 4302364 4330223 4309613 4326353 4322314 4319297 4286989 4308451 4330423

109412-02 : SunOS 5.8_x86: dtmail prints garbage strings
4326649 4350277

109442-03 : SunOS 5.8_x86: sdtudctool patch
4312994 4342214 4393648

109453-01 : SunOS 5.8_x86: Window List, buttons unlocalised in Options dialog
4329351

109455-01 : SunOS 5.8_x86: /kernel/fs/fifofs patch
4302216

109459-01 : SunOS 5.8_x86: ldterm patch
4250344

(continued)

109462-03 : SunOS 5.8_x86: /usr/lib/lwp/libthread.so.1 patch
4305389 4336933 4371624 4390345 4407002

109471-02 : CDE 1.4_x86: Actions Patch
4326649 4353583

109473-06 : SunOS 5.8_x86: /kernel/drv/tcp patch
4278842 4291034 4299644 4308728 4310189 4311938 4313189 4319441 4319717 4324051
4330074 4332542 4360818 4370123 4375920 4376886

109538-01 : SunOS 5.8_x86: Unlocalised buttons on user-interface of dhcpgmr
4324315

109553-01 : SunOS 5.8_x86: FIGSS-UTF8, Removable media manager unlocalised
4327983

109565-01 : SunOS 5.8_x86: Removable Media Mgr, Missing floppy error unlocalised
4329409

109574-01 : SunOS 5.8_x86: dhcpgmr help graphics not displayed correctly
4330902

109577-01 : SunOS 5.8_x86: mountall and fsckall patch
4260430

109583-01 : CDE 1.4_x86: sdaudio patch
4305400

109588-03 : SunOS 5.8_x86: libspmistore patch
4256556 4345757 4378277

109608-01 : SunOS 5.8_x86: /usr/include/iso/stdlib_iso.h patch
4300780

109610-01 : SunOS 5.8_x86: UTF-8 Korean attached text becomes garbled
4309015

109614-02 : CDE 1.4_x86: dtmail patch
4133950 4362276 4372376 4336922

109619-01 : SunOS 5.8_x86: en_US.UTF-8 locale patch
4311444 4336840

109623-01 : SunOS 5.8_x86: env LANG=zh_TW dtterm doesn't work in zh_TW.UTF-8
4330770

109640-01 : SunOS 5.8_x86: th locale error in / lacks some LC_CTYPE definitions
4314263

109643-01 : SunOS 5.8_x86: /usr/include/sys/dkio.h patch
4304790

109644-02 : SunOS 5.8_x86: /kernel/drv/sd patch

(continued)

4304790 4348075

109668-03 : SunOS 5.8_x86: /usr/lib/inet/xntpd and /usr/sbin/ntpdate patch
4279094 4320855 4330427

109681-01 : SunOS 5.8_x86: /usr/lib/nss_nisplus.so.1 patch
4244731

109693-02 : SunOS 5.8_x86: Information
4339515 4345433 4350242

109705-02 : SunOS 5.8_x86: Japanese iconv patch
4350293 4344163 4344139 4340250 4340245 4227824

109728-01 : SunOS 5.8_x86: /usr/sadm/admin/printmgr/classes/pmclient.jar patch
4326665

109730-01 : SunOS 5.8_x86: /usr/bin/cat patch
4163406

109741-05 : SunOS 5.8_x86: /kernel/drv/udp patch
4278842 4291034 4299644 4302749 4303422 4306362 4308728 4310956 4311938 4313189
4317221 4320818 4324051 4335568 4360818 4370123 4375920 4376886

109743-04 : SunOS 5.8_x86: /kernel/drv/icmp patch
4278842 4291034 4299644 4303422 4306362 4308728 4311938 4313189 4324051 4360818
4370123 4375920 4376886

109749-01 : CDE 1.4_x86: sdtaudiocontrol patch
4324012 4324019 4295904

109751-03 : SunOS 5.8_x86: translation update and sync with base's PDA images
4339505

109753-01 : SunOS 5.8_x86: UI of admintool is lost in partail installation
4347036

109756-01 : OpenWindows 3.6.1 (japanese)_x86: update for power mgt util for s28u2
4345748

109765-02 : SunOS 5.8_x86: /kernel/fs/hsfs patch
4305026 4328133

109767-02 : SunOS 5.8_x86: SUNWjxmft and SUNWjxcft patch for 8/10 dot font.
4345078 4400714

109784-01 : SunOS 5.8_x86: /usr/lib/nfs/nfsd patch
4305333 4325431

109786-01 : SunOS 5.8_x86: /etc/inittab patch
4273366

109798-01 : SunOS 5.8_x86: /platform/i86pc/kernel/drv/ata patch

(continued)

4353406

109804-01 : SunOS 5.8_x86: /usr/bin/du and /usr/xpg4/bin/du patch
4306228

109806-01 : SunOS 5.8_x86: pam_krb5.so.1 patch
4330143

109808-01 : SunOS 5.8_x86: /usr/sbin/dumpadm patch
4340246

109810-01 : SunOS 5.8_x86: timezone data patch for Australasia
4313766

109814-01 : SunOS 5.8_x86: /usr/include/memory.h patch
4313659

109863-01 : X11 6.4.1_x86: Font Server patch
4314299 4323233 4335325 4335328 4336593 4345905

109866-03 : SunOS 5.8_x86: elxl patch
4351739 4355560 4256331 4202169 4292440 4273911

109869-04 : SunOS 5.8_x86: WOS Help File Update
4338011 4350353

109875-01 : SunOS 5.8_x86: /usr/include/sys/ac97.h patch
4271687 4304911 4307415 4329687

109878-01 : SunOS 5.8_x86: /usr/include/sys/dma_i8237A.h patch
4333588

109884-02 : SunOS 5.8_x86: /usr/include/sys/ecppsys.h patch
1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200
4275205 4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631
4301029 4301079 4301556 4309750 4310788 4314412 4314419 4329805 4349418 4364900

109886-02 : SunOS 5.8_x86: pci driver patch
4261567 4262685 4271733 4271738 4278935 4284196 4290532 4302637 4307697 4322734
4324244 4324250 4327135 4334348 4334505 4338033 4357092

109891-01 : SunOS 5.8_x86: pmserver.jar patch
4308951

109895-01 : SunOS 5.8_x86: lp driver patch
4309750

109897-04 : SunOS 5.8_x86: USB patch
4042931 4178572 4179082 4204158 4207634 4257491 4278766 4282084 4284408 4284481
4288456 4290035 4290038 4290048 4295084 4297451 4297991 4298047 4299321 4299711 4300133
4301110 4302435 4303153 4303369 4303371 4304019 4304060 4304250 4304253 4304383 4304968
4305434 4305436 4305437 4305467 4305645 4305649 4305819 4306676 4307085 4307542 4308510
4308511 4309328 4309368 4309566 4309916 4311023 4312163 4312381 4313650 4314164 4314166

(continued)

4315368 4317503 4317522 4317527 4317528 4320410 4323024 4326037 4328542 4328590 4329325
4329560 4330021 4331700 4331710 4332033 4332613 4332707 4333879 4336235 4336592 4337149
4337561 4337816 4338525 4338614 4339292 4341714 4341839 4342024 4342426 4342488 4343230
4343443 4343762 4344107 4344121 4344122 4346254 4346963 4347288 4349013 4349282 4349339
4350113 4350570 4350901 4351268 4351426 4351707 4352101 4352931 4353820 4357035 4357915
4359440 4359658 4359875 4362924 4363252 4364427 4364575 4364748 4365137 4365848 4366523
4366874 4369166 4380154

109899-02 : SunOS 5.8_x86: /kernel/drv/arp patch
4291034 4299644 4302198 4308728 4311938

109901-01 : SunOS 5.8_x86: /etc/init.d/network and /etc/rcS.d/S30network.sh patch
4291034 4299644 4308728 4311938

109903-03 : SunOS 5.8_x86: /usr/lib/inet/in.ndpd patch
4291034 4299644 4308728 4311938 4347223 4386544

109905-04 : SunOS 5.8_x86: /etc/default/mpathd and /sbin/in.mpathd patch
4291034 4299644 4308728 4311938 4314132 4328423 4338258 4338530 4347223 4369240
4386544

109907-05 : SunOS 5.8_x86: /sbin/ifconfig and /usr/sbin/ifconfig patch
4218277 4291034 4299644 4308728 4311938 4347223 4373331 4386544

109909-01 : SunOS 5.8_x86: /kernel/misc/scsi patch
4325730 4328843

109911-01 : SunOS 5.8_x86: CDE help for Winlst, Rem. Media Mgr. & Workspace Mgr.
4329353 4329355 4339080

109921-05 : SunOS 5.8_x86: pcic driver patch
4243709 4286161 4337039 4341224 4347834 4352356 4352663 4367607

109923-02 : SunOS 5.8_x86: pcelx, pcser and cs driver patch
4090692 4243709 4308863 4308870 4320108 4352663

109925-02 : SunOS 5.8_x86: pcata driver patch
4287520 4303758 4352663

109927-02 : SunOS 5.8_x86: /kernel/drv/pem patch
4243709 4303863 4332477 4352663

109929-02 : SunOS 5.8_x86: pcmem and pcmcia patch
4243709 4265532 4280422 4303875 4337357 4352663

109932-01 : CDE 1.4_x86: sdtimage Patch
4345373

109934-01 : SunOS 5.8_x86: mv, cp, ln patch
4264701

109937-01 : SunOS 5.8_x86: /usr/bin/diff patch
4338744

(continued)

109952-01 : SunOS 5.8_x86: jserver buffer overflow
4352777

109955-01 : SunOS 5.8_x86: /kernel/sys/pset patch
4352049

109961-01 : CDE 1.4_x86: sdtperfmer patch
4341412 4290470 4280252

109991-01 : SunOS 5.8_x86: /usr/ccs/bin/dis patch
4015840 4350263

110020-03 : SunOS 5.8_x86: JFP install/sysadm messages patch
4354350 4375794 4405716

110045-01 : SunOS 5.8_x86: iswalph() can't work well in zh.GBK locale
4355229

110064-01 : SunOS 5.8_x86: New features added to install
4357775

110069-01 : CDE 1.4_x86: PDASync patch
4341358

110076-01 : SunOS 5.8_x86: /kernel/drv/devinfo patch
4341354

110078-03 : SunOS 5.8_x86: sysevent framework patch
4336779 4365737 4367650 4378277

110089-02 : CDE 1.4_x86: DtPower patch
4354583 4336307 4370067 4372350 4374505 4374554

110166-01 : SunOS 5.8_x86: /usr/bin/sed patch
4287555

110207-01 : UTF-8 Windows List Application and Windows mgr (sdtgwm) unlocalised:
4352800 4352861 4342970

110270-01 : SunOS 5.8_x86: /usr/lib/libnisdb.so.2 patch
4318294

110273-03 : SunOS 5.8_x86: Figgs Custom install new features and install help
4367029

110284-03 : SunOS 5.8_x86: mkfs and newfs patch
4297460 4333516 4339330 4344221 4380132 4374181

110287-02 : OpenWindows 3.6.2_x86: Tooltalk patch
4334998 4379430 4363822

110323-01 : SunOS 5.8_x86: /usr/lib/netsvc/yp/ypbind patch

(continued)

4362647

110325-01 : SunOS 5.8_x86: /kernel/drv/asy patch
4247612

110327-02 : CDE 1.4_x86: dtstyle patch
4321874 4389935 4384360 4319599 4382452 4392829 4390631

110336-02 : CDE 1.4_x86: dtprintinfo patch
4325603 4380805

110365-02 : SunOS 5.8_x86: Add L10N dttypesbinder files
4366984 4383627

110396-05 : SunOS 5.8_x86: udp ip mipagent
4278842 4302749 4310956 4313189 4317221 4320818 4324051 4335568 4360818 4370123
4370438 4375915 4375920 4376886 4377368 4377693 4377694 4378163 4378727 4379361 4382946
4382996 4382998 4383001 4383007 4386544 4390912 4391040 4392110

110397-01 : SunOS 5.8_x86:
4233832 4326110 4336779 4357245

110398-05 : SunOS 5.8_x86: RCM, libnvpair and sysevent patch
4233832 4326110 4336779 4357245 4363985 4364006 4364129 4373331 4375059 4375416
4379314 4384391 4386436 4386544 4387223

110399-03 : SunOS 5.8_x86: RCM libnvpair serengeti sysevent
4233832 4326110 4336779 4357245 4375059 4375416 4386544

110400-01 : SunOS 5.8_x86:
4311781 4313955

110401-01 : SunOS 5.8_x86:
4311781 4313955

110402-03 : SunOS 5.8_x86: ufsdump patch
4132365 4296770 4339366 4358666

110403-01 : SunOS 5.8_x86:
4296770

110404-01 : SunOS 5.8_x86: file systems should support snapshots for online bkups
4296770

110405-01 : SunOS 5.8_x86: file systems should support snapshots for online bkups
4296770

110406-01 : SunOS 5.8_x86:
4310379

110408-02 : CDE 1.4_x86: Sdttypes patch
4313855 4329990 4357804 4365790 4374350

(continued)

110417-02 : SunOS 5.8_x86: ATOK12 patch
4361738 4372858 4384092

110429-01 : SunOS 5.8_x86: New Turkish UTF-8 locale
4368177

110454-01 : SunOS 5.8_x86: admintool patch
4354306

110459-02 : SunOS 5.8_x86: libcurses patch
4313067 4398331

110462-01 : SunOS 5.8_x86: ttcompat patch
4335144

110500-03 : X11 6.4.1_x86: Xsun patch
4373395 4296832 4363016 4366826 4351398 4351928 4357191 4384470 4386513 4372057
4376452

110504-01 : SunOS 5.8_x86: Polish locale monetary incorrect
4380484

110512-01 : SunOS 5.8_x86: rpc.nisd patch
4280714 4326943

110604-01 : CDE 1.4_x86: sdtname patch
4149628 4235799

110610-01 : SunOS 5.8_x86: cdio.h and commands.h USB patch
4369151

110612-01 : SunOS 5.8_x86: lp.cat postio
4310788 4329805 4349418 4364900

110616-01 : SunOS 5.8_x86: sendmail patch
1119353 1254405 4086468 4304080 4317819 4329124 4329128 4329131 4332599 4344081
4357054

110663-02 : SunOS 5.8_x86: ksh patch
4356624 4379531

110669-01 : SunOS 5.8_x86: /usr/sbin/in.telnetd patch
4366956 4375449

110671-01 : SunOS 5.8_x86: usr/sbin/static/rcp patch
4366956 4375449

110717-02 : SunOS 5.8_x86: Solaris Product Registry 3.0 patch
4366927 4378201 4407526

110725-01 : SunOS 5.8_x86: liblayout patch
4393355

(continued)

110746-01 : SunOS 5.8_x86: toolbox syntax correction
4391812 4391778 4391779 4391781

110753-01 : SunOS 5.8_x86: Uninstaller doesn't come up with error messages
4389792

110755-03 : SunOS 5.8_x86: UR3 new features WBEM updates

110757-02 : SunOS 5.8_x86: UR3 new features DCL updates
4404182

110759-03 : SunOS 5.8_x86: UR3 new features SMC updates
4398894 4404182

110765-02 : SunOS 5.8_x86: UR3 new features MGP updates
4398893 4404182

110767-03 : SunOS 5.8_x86: s28_u4 SUNW0mp update

110798-01 : SunOS 5.8_x86: UR4 New msgs and bug fixes
4389039 4384498 4399740 4420102

110812-01 : SunOS 5.8_x86: libnls patch
4346460

110814-01 : SunOS 5.8_x86: libxfr patch
4346471

110816-01 : SunOS 5.8_x86: libmp patch
4346496

110818-01 : SunOS 5.8_x86: appttrace and interceptors patch
4307470 4344373

110855-02 : SunOS 5.8_x86: /usr/lib/rcm/modules/SUNW_ip_rcm.so
4373331

110865-01 : SunOS 5.8_x86: Need to back port fixes for SUNW_PKGLIST
4402062

110886-01 : SunOS 5.8_x86: JFP Solaris Product Registry 3.0 patch
4405721

110889-01 : SunOS 5.8_x86: s28u4_06,figgs,New and updated message strings
4406660 4407100

110897-01 : SunOS 5.8_x86: /usr/lib/fs/cachefs/mount patch
4332446

110899-01 : SunOS 5.8_x86: csh/pfcsh patch
4384080

(continued)

110902-01 : SunOS 5.8_x86: /kernel/drv/sgen patch
4319695 4325990

110904-01 : SunOS 5.8_x86: edit, ex, vedit, vi and view patch
4059978 4320573

110906-01 : SunOS 5.8_x86: /usr/bin/find patch
4354572

110908-01 : SunOS 5.8_x86: /usr/include/arpa/inet.h patch
4345816

110911-01 : SunOS 5.8_x86: /usr/lib/fs/ufs/fsck patch
4225018

110913-01 : SunOS 5.8_x86: cfgadm patch
4301920 4301922 4301984 4387106

110915-01 : SunOS 5.8_x86: /usr/bin/tr patch
4366964

110917-01 : SunOS 5.8_x86: /usr/bin/i86/sort and /usr/xpg4/bin/sort patch
4300461 4303258 4304444 4314724 4330831 4334641 4338929 4343080 4351862 4352007
4357085 4366860 4389764

110919-01 : SunOS 5.8_x86: /kernel/drv/openeep patch
4334314

110933-01 : SunOS 5.8_x86: /sbin/dhcpagent patch
4344914

110940-01 : SunOS 5.8_x86: /usr/lib/acct/closewtmp patch
4352064

110944-01 : SunOS 5.8_x86: /usr/bin/tcsh patch
4384076

110982-01 : SunOS 5.8_x86: s28_u4 SUNW0wbc update

111009-01 : SunOS 5.8_x86: Incorrect symbolic link for ko_KR.EUC/LC_TIME
4410946

111072-01 : SunOS 5.8_x86: cu patch
4406722

111074-01 : SunOS 5.8_x86: re_comp header patch
4345842

