

System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Tape Drives

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

									OEM Server System and Software Compatibility Information																
									SUN		HP		IBM		SGI	INTEL					Alpha	NCR			
									Solaris		HP-UX		AIX		IRIX	Windows			Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4	
Vendor	Model	Media Type	Media Format	Interface	Cartidge Capacity	Capacity (GB) Native/Cmprsd	Minimum Firmware	Cleaning Tape Support	2.5.x	2.6, 7, 8	10.20	11.XX	4.2 4.3	5.0 5.1L	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7,8	4.2	2.1.3 - 7	4.0b-f, v5	MP-RAS R03	
Benchmark	VS Tape 80	DLT	DLT Tape IV	SCSI	1	40 - 80	5032	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Compaq	SDLT	SDLT	SDLT	SCSI	1	110	v35		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Compaq	DLT 40/80	1/2 inch	DLTape III-IV	SCSI	1	40	v80	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Compaq	DLT 35/70	1/2 inch	DLTape III-IV	SCSI	1	35	v97	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Compaq	AIT-35	8MM	AIT-1	SCSI	1	35	n/a	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Compaq	AIT-50	8MM	AIT-2	SCSI	1	50	1.30	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Dell	VS 80	DLT	DLT Tape IV	SCSI	1	40 - 80	5032	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	8505	8mm	8200c / 8500c	SCSI	1	2.5-10	v3.1.8	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	8505 XL	8mm	8200c / 8500c	SCSI	1	2.5-14	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	8900	8mm	170 AME	SCSI	1	20-40	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	Mammoth-2	8mm	225 AME	SCSI	1	60-150	V0C	S*	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Ecrix	VXA-1	8mm	V17 / V10 / V6	SCSI	1	33 / 20 / 12	1008	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Hitachi	GF-2050	optical	DVD- ROM, DVD-R, DVD-RAM	SCSI	1	4.7/ 2.6	E006		S	S	S	S			S	S	S			S	S	S	S	S	S
HP	DLT vs80	DLT1	DLT1	SCSI	1	40 - 80	482A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
HP	230	Ultrium	LTO	SCSI	1	100-200	E15D	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
HP	215	Ultrium	LTO	SCSI	1	100-200	N16D	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Tape Drives

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

									OEM Server System and Software Compatibility Information																
									SUN		HP		IBM		SGI	INTEL						Alpha	NCR		
									Solaris		HP-UX		AIX		IRIX	Windows		Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4		
Vendor	Model	Media Type	Media Format	Interface	Cartidge Capacity	Capacity (GB) Native/Cmprsd	Minimum Firmware	Cleaning Tape Support	2.5.x	2.6, 7, 8	10.20	11.XX	4.2 4.3	5.0 5.1L	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7,8	4.2	2.1.3 - 7	4.0b-f, v5	MP-RAS R03	
IBM	ULT3580-TD1 / ULTRIUM -TD1	Ultrium	LTO	SCSI	1	100-200	12U5		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
				FC			16E0		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
IBM	Magstar 3590	3590	1/2 inch	SCSI	1	10-20	B88C		S*	S*			S*	S*			S*								
IBM	Magstar 3570	3570	1/2 inch	SCSI	1	10-20	5466		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Quantum	DLT4000	1/2-Inch	DLTtape III-IV	SCSI	1	20-40	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Quantum	DLT7000	1/2-Inch	DLTtape III-IV	SCSI	1	35-70	101	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Quantum	DLT8000	1/2-Inch	DLTtape III-IV	SCSI	1	40-80	0118	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Quantum	SuperDLT	1/2-Inch	SuperDLTape 1	SCSI	1	110 - 220	050F	N/A	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Quantum	SuperDLT320	1/2-Inch	SuperDLTape 1	SCSI	1	160 - 320	2E2E		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Seagate	STD1401LW	4mm	DDS-4	SCSI	1	20-40	06240-XXX8110		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Seagate	STU42001LW	Ultrium	LTO	SCSI	1	100-200	1230		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	SDT-10000	4mm	DDS-4	SCSI	1	20-40	1.05	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	SDT-11000	4mm	DDS-4	SCSI	1	20-40	L0u6	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	SDX-300C	8mm	AIT-1	SCSI	1	35-70	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	SDX-400C	8mm	AIT-1	SCSI	1	35-70	0702	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	SDX-500C (1)	8mm	AIT-2	SCSI	1	50-130	0107	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	SDX-700C (1)	8mm	AIT-3	SCSI	1	25-100	0102		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	GY-2120	1/2 Inch	DTF-1	SCSI	1	42-108 / 12-31	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Sony	GY-8240	1/2 Inch	DTF-2	SCSI	1	200-518	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
				FC			1.35		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
Note 1- SONY WORM support capable, requires minimum firmware levels of 0200																									

System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Tape Drives

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

									OEM Server System and Software Compatibility Information																	
									SUN		HP		IBM		SGI	INTEL						Alpha	NCR			
									Solaris		HP-UX		AIX		IRIX	Windows			Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4		
Vendor	Model	Media Type	Media Format	Interface	Cartridge Capacity	Capacity (GB) Native/Cmprsd	Minimum Firmware	Cleaning Tape Support	2.5.x	2.6, 7, 8	10.20	11.XX	4.2 4.3	5.0 5.1L	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7,8	4.2	2.1.3 - 7	4.0b-f, v5	MP-RAS R03		
StorageTek	9840	1/2-Inch	9840	SCSI	1	20-80	1.28.108s	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
				FC			1.28.122f	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
StorageTek	T9840B	1/2-Inch	9840	SCSI	1	20-80	R1.29.314s	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
StorageTek	T9940A	1/2-Inch	T9940	SCSI	1	20-80	R1.29.208s		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
StorageTek	T9940B	1/2-Inch	T9940	FC	1	200-400	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Tandberg	SLR7	SLRtape7	SLR7	SCSI	1	20-40	0481		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	SLR24	1/4-Inch	SLR24	SCSI	1	12-24	TBD				S	S														
Tandberg	SLR32	1/4-Inch	MLR1	SCSI	1	16-32	TBD				S	S														
Tandberg	SLR50	1/4-Inch	MLR3	SCSI	1	25-50	TBD				S	S														
Tandberg	SLR60	SLRtape60	ALRF-1	SCSI	1	30-60	0482		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	SLR100	1/4-Inch	MLR5	SCSI	1	50-100	0482		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	DLT4000	1/2-Inch	DLTtape III-IV	SCSI	1	20-40	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	DLT7000	1/2-Inch	DLTtape IIIXT-IV	SCSI	1	35-70	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	DLT1	1/2-Inch	DLTtape IV	SCSI	1	40-80	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	DLT8000	1/2-Inch	DLTtape IIIXT-IV	SCSI	1	40-80	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	SDLT220	1/2-Inch	SuperDLTtape 1	SCSI	1	110 - 220	050F	N/A	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tandberg	SDLT320	1/2-Inch	SuperDLTtape 1	SCSI	1	160 - 320	2E2E		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	
Tecmar	TS9400	4mm	DDS-4	SCSI	1	20-40	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	