



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information

Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	OEM Server System and Software Compatibility Information															
								SUN		IBM		HP		SGI	INTEL					Alpha	NCR		
								Solaris	AIX	HP-UX	IRIX	Windows	Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4					
2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x								
ADIC	Scalar 100	SCSI	LTO	6	72	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
		SCSI	AIT - 2	8	96	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
		SCSI	AIT - 3	8	96	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
		SCSI	DLT7000	6	60	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
		SCSI	DLT8000	6	60	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
ADIC	Scalar 210	SCSI	AIT -1	2	22	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
ADIC	Scalar 218	SCSI	DLT7000	2	18	0106	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
		FC	DLT7000	2	18	0106	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
ADIC	Scalar 220	SCSI	AIT-2	2		TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S		
ADIC	Scalar 1000	SCSI	LTO	48	938	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
		SCSI	DLT7000	48	788	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
		SCSI	DLT8000	48	788	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
		SCSI	SDLT	48	788	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
		SCSI	AIT - 2	48	1182	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
		SCSI	AIT - 3	48	1182	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
ADIC	FastStor7	SCSI	DLT4000	1	7	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			LTO			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			DLT4000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
ADIC	FastStor22	SCSI	DLT4000	1	23	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S				
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S				
Benchmark	VS640	SCSI	VS Tape 80	1	8	5032	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted.
Specific Model numbers and manufacturer's information may vary.



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																									
				SUN	IBM	HP	SGI	INTEL							Alpha	NCR									
				Solaris	AIX	HP-UX	IRIX	Windows			Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4									
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x		
BreeceHill	Q2.15	SCSI	DLT7000	2	15	1.71	S	S	S							S	S								
			DLT8000			1.71	S	S	S						S	S									
			SDLT			TBD	N/A	S	S						S	S									
			DLT1			TBD		S	S						S	S									
BreeceHill	Q7	SCSI	DLT4000	2	28	4.53	S	S	S							S	S								
			DLT7000			TBD	S	S	S						S	S									
BreeceHill	Q47	SCSI	DLT4000	4	60	4.53	S	S	S							S	S								
			DLT7000			TBD	S	S	S						S	S									
BreeceHill / MaxOptix	4.30	SCSI	DLT7000	4	30	4.04	S	S	S							S	S								
			DLT8000			4.04	S	S	S					S	S										
			SDLT			TBD	N/A	S	S					S	S										
			LTO			TBD		S	S					S	S										
BreeceHill / MaxOptix	4.50	SCSI	DLT7000	4	50	4.04	S	S	S							S	S								
			DLT8000			4.04	S	S	S					S	S										
			SDLT			TBD	N/A	S	S					S	S										
			LTO			TBD		S	S					S	S										
BreeceHill / MaxOptix	6.100	SCSI	DLT7000	6	100	4.04	S	S	S							S	S								
			DLT8000			4.04	S	S	S					S	S										
			SDLT			TBD	N/A	S	S					S	S										
			LTO			TBD		S	S					S	S										
BreeceHill / MaxOptix	8PAC-1	SCSI	AIT-1	1	8	TBD		S	S							S	S								
	8PAC-2	SCSI	AIT-2	1	8	1.71		S	S							S	S								
Compaq	ESL9198 DLX	SCSI/FC*	DLT 40/80	8	198	3.20p5	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
Compaq	ESL9198 SL	SCSI/FC*	SDLT	8	198	3.20p5		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
Compaq	ESL9326 D	SCSI/FC*	DLT 35/70	16	326	3.20p5	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
Compaq	ESL9326 DX	SCSI/FC*	DLT 40/80	16	326	3.20p5	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																										
								SUN		IBM		HP		SGI		INTEL						Alpha		NCR		
								Solaris		AIX		HP-UX		IRIX		Windows			Linux		Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4	
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x			
Compaq	ESL9326 SL	SCSI/FC*	SDLT	16	326	3.20p5		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Compaq	ESL9595 SL	SCSI/FC*	SDLT	16	595	3.20p5		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Compaq	MSL5026 DLX	SCSI/FC*	DLT 40/80	2	26	3.11	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Compaq	MSL5026 SL	SCSI/FC*	SDLT	2	26	3.11		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Compaq	MSL5052 SL	SCSI/FC*	SDLT	4	52	3.11		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Compaq	SSL2020 TL	SCSI	AIT-2	2	20	4.15	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Compaq	TL891 DLX	SCSI	DLT 40/80	2	10	5.25	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Compaq	TL895 DLT	SCSI	DLT 35/70	7	96	2.40p2	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
* NOTE: Compaq FC support requires optional Modular Data Router																										
Dell	PowerVault 120T	SCSI	DDS4	1	8	L0u6	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Dell	PowerVault 122T	SCSI	DLT vs80	1	8	5032	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
Exabyte	440 / 480	SCSI	820	4	40 / 80	TBD	S	S	S	S	S	S	S	S		S	S		S	S	S	S	S	S		
			Mammoth			TBD	S	S	S	S	S	S	S	S	S		S	S		S	S	S	S	S	S	
Exabyte	EZ17	SCSI	Mammoth	1	7	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S		
			Mammoth-LT			TBD	S	S	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S
			Mammoth-2			1.7.4	S*	S	S	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																										
				SUN	IBM	HP	SGI	INTEL							Alpha	NCR										
				Solaris	AIX	HP-UX	IRIX	Windows			Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4										
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x			
Exabyte	X80	SCSI	Mammoth	8	80	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			Mammoth-2			2.6.1	S*	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	X200	SCSI	Mammoth	10	200	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			Mammoth-2			TBD	S*	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	430M	SCSI	Mammoth	4	30	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			Mammoth-2			2.4.5	S*	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	215M	SCSI	Mammoth	2	15	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			Mammoth-2			TBD	S*	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exabyte	221L	SCSI	LTO	2	21	2.4.5		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Exabyte	110L	SCSI	LTO	1	10	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Exabyte	230D	SCSI	Quantum DLT7000	2	30	2.6.3	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Ecrix	AutoPak VXA-1	SCSI	VXA-1	1	15	2848	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Hitachi	DL121-10	SCSI	GF-2050	2	100	Z019		S	S			S	S	S		S	S	S	S	S	S	S	S	S	S	
HP	Surestore 1/8	SCSI	DLT vs80	1	8	482A	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	
HP	Surestore 1/9	SCSI	DLT1	1	8	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	
			DLT8000			2260	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			LTO			TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
HP	Surestore 418, 718, 818	SCSI	DLT4000	1	8	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
HP	Surestore DAT24x6 C1557A	SCSI	DDS-3	1	6	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	
HP	Surestore DAT40x6 C5713A	SCSI	DDS-4	1	6	H910	S*	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted.
Specific Model numbers and manufacturer's information may vary.



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																									
								SUN		IBM		HP		SGI		INTEL						Alpha		NCR	
								Solaris		AIX		HP-UX		IRIX		Windows			Linux		Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x		
IBM	Magstar 3590 B11/E11	SCSI	3590	1	10	B88C		S*	S*	S*	S*							S*							
IBM	3575	SCSI	3570C/A	6	324	2.19		S	S	S	S	S	S	S				S	S	S	S	S	S	S	S
IBM	3581	SCSI	LTO	1	7	TBD		S	S	S	S	S	S	S				S	S	S	S	S	S	S	S
IBM	3583	SCSI	LTO	6	72	2.05.0003		S	S	S	S	S	S	S				S	S	S	S	S	S	S	S
IBM	3584	SCSI	LTO	72	2481	0BN1 v1200		S	S	S	S	S	S	S				S	S	S	S	S	S	S	S
		FC				v2140		S	S	S	S	S	S	S	S				S	S	S	S	S	S	S
NEC	TL620	SCSI	TRAVAN	1	6	TBD		S	S									S	S						
NEC	Compact Autoloader (DL0101H)	SCSI	DLT8000	1	10	0002	S	S	S	S	S	S	S	S				S	S	S	S	S	S	S	S
NEC	Compact Autoloader (LL0101H)	SCSI	LTO	1	10	0002		S	S	S	S	S	S	S				S	S	S	S	S	S	S	S
NEC	Compact Autoloader (SL0101H)	SCSI	SDLT	1	10	0003	N/A	S	S	S	S	S	S	S				S	S	S	S	S	S	S	S
NEC	iStorage T180	SCSI	LTO	10	174	TBD						S	S					S	S						
NEC	iStorage T700	SCSI	LTO	20	678	TBD						S	S					S	S						
NEC	iStorage T40	SCSI	LTO	4	40	TBD						S	S					S	S						
NEC	iStorage T80	SCSI	LTO	8	80	TBD						S	S					S	S						

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted.
Specific Model numbers and manufacturer's information may vary.



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																													
								SUN		IBM		HP		SGI		INTEL					Alpha	NCR							
								Solaris		AIX		HP-UX		IRIX		Windows			Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4					
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x						
Overland Storage	Loader-Xpress	SCSI	DLT4000	1	10	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S					
			DLT1			0517	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			LTO			1.18	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Overland Storage	Power - Loader	SCSI	DLT1	2	15	5.24	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S				
			DLT8000			5.24	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			SDLT			1.04	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			LTO			v1.00	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Overland Storage	Library-Xpress	SCSI	DLT4000	8	120	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S				
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			DLT8000			022B	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Overland Storage	Neo Series	SCSI	DLT8000	16	208	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S				
			LTO			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
		FC	DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			LTO			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Overland Storage	LibraryPro	SCSI	AIT-1	8	171	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S				
		SCSI	AIT-2	8	171	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
		SCSI	AIT-3	8	171	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information

Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	OEM Server System and Software Compatibility Information																	
								SUN		IBM		HP		SGI	INTEL					Alpha	NCR				
								Solaris	AIX	HP-UX	IRIX	Windows	Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4							
2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x										
Plasmon	V10 (LTO 10.1)	SCSI	LTO	1	10	2.4.5		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Plasmon	V15	SCSI	AIT-2	2	15	12.11.5		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Plasmon	V21 (LTO 21.2)	SCSI	LTO	2	21	2.4.7		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Plasmon	V30	SCSI	AIT-2	4	30	12.11.5		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Plasmon	V40	SCSI	LTO	4	40	1.04		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Plasmon	V60	SCSI	LTO	4	60	1.04		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Plasmon	V68	SCSI	LTO	6	68	1.04		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Plasmon	V102 (LTO 100.6)	SCSI	LTO	6	102	1.03		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Qualstar	TLS 4 series	SCSI	AIT-1	2 - 12	12 - 600	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			AIT-2			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Qualstar	TLS 6 series	SCSI	DLT 8000	1 - 8	10 - 240	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Qualstar	TLS 8 series	SCSI	LTO	1 - 8	11 - 264	TBD	S	S*	S*	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Quantum	DLT4700	SCSI	DLT4000	1	7	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Quantum	ATL SuperLoader 1280L	SCSI	DLT1	1	8 / 16	V 13.0		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Quantum	ATL SuperLoader 3520L	SCSI	SDLT	1	8 / 16	V 13.0		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Quantum	ATL M1500	SCSI	DLT8000	20	200	2.02	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			SDLT			2.02	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			LTO			2.02	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted.
Specific Model numbers and manufacturer's information may vary.



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information

Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	OEM Server System and Software Compatibility Information																	
								SUN		IBM		HP		SGI	INTEL					Alpha	NCR				
								Solaris	AIX	HP-UX	IRIX	Windows	Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4							
2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x										
Quantum	ATL M2500	SCSI	DLT8000	18	252	2.02	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			SDLT			2.02		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			LTO		2.02		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Quantum	ATL P1000	SCSI	DLT4000	4	30	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Quantum	ATL 7100	SCSI	DLT7000	7	68 / 100	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Quantum	ATL P2000	SCSI/FC	DLT7000	10	198	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			LTO			TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Quantum	ATL P3000	SCSI/FC	DLT7000	16	326	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			LTO			TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Quantum	ATL P4000	SCSI/FC	DLT8000	10	322	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			LTO			TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Quantum	ATL P6000	SCSI/FC	DLT7000	32	652	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			LTO			TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Quantum	ATL P7000	SCSI/FC	DLT8000	17	679	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			SDLT			TBD	N/A	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			LTO			TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted.
Specific Model numbers and manufacturer's information may vary.



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information

Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	OEM Server System and Software Compatibility Information																
								SUN		IBM		HP		SGI	INTEL					Alpha	NCR			
								Solaris	AIX	HP-UX	IRIX	Windows	Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4						
2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x									
Seagate	DDS4 Autoloader	SCSI	DDS4	1	6	8110		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Seagate	Viper 2000	SCSI	LTO	1	11	1.17		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Sony	TSL-A300C	SCSI	AIT	1	4	TBD		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Sony	TSL-A500C	SCSI	AIT	1				S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Sony	TSL-11000 Autoloader	SCSI	DDS-4	1	8	L0u6	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Sony	LIB-81	SCSI	AIT-1	1	8	0100	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	
			AIT-2			0100	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	S
			AIT-3			0100	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	S
Sony	LIB-152 / E	SCSI	AIT-1	2	15 / 30	1019	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			AIT-2			1019	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			AIT-3			1019	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Sony	LIB-162	SCSI	AIT-1	2	16	0102	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	
			AIT-2			0102	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	S
			AIT-3			0102	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	S
Sony	LIB-302	SCSI	AIT-1	2	30	S019	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	
			AIT-2			S019	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	S
			AIT-3			S019	S	S	S	S	S	S*	S*	S	S	S	S	S	S	S	S	S	S	S
Sony	LIB-304	SCSI	AIT-2	4	30	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
Sony	DMS-B9	SCSI	DTF2	1	9	1.20		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Sony	DMS-B80L	SCSI	DTF2 (GY 8240)	2 - 4	81	1.10		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Sony	DMS-B150L	SCSI	DTF2 (GY 8240)	3 - 6	150 + with ext. units	1.10		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted.
Specific Model numbers and manufacturer's information may vary.



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																										
				SUN	IBM	HP	SGI	INTEL							Alpha	NCR										
				Solaris	AIX	HP-UX	IRIX	Windows			Linux	Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4										
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x			
Spectra Logic	Treefrog 2000	SCSI	AIT-1	2	15 / 30	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
			AIT-2			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
		FC	AIT-1	2	15 / 30	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
			AIT-2			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Spectra Logic	BullFrog 10000	SCSI	AIT-2	4	40	5.00.15	S	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
		FC	AIT-2	4	40	5.00.15	S	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
Spectra Logic	Spectra 12K	SCSI	AIT-2	8	30 / 120	0126		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
		FC	AIT-2			0126		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
		GBE	AIT-2			4.1.16		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	
Spectra Logic	Spectra 20K	SCSI	AIT-3	8	80 / 200	0126		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
		FC	AIT-3			0126		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
		GBE	AIT-3			4.1.16		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	
Spectra Logic	Spectra 64K	SCSI	AIT-2	32	100 / 640	0126		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
		FC	AIT-2			0126		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*		
		GBE	AIT-2			4.1.16		S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	S*	
StorageTek	9310 PowerHorn	Requires ACSLS APM	9840	960	144,000	ACSLS 6.0.1		See vendor for ACSLS supported platforms																		
			9940																							
StorageTek	9710	SCSI & ACSLS	DLT4000	10	252 / 420 / 588	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			DLT8000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			9840			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S		
StorageTek	9730	SCSI & ACSLS	DLT4000	4	18 / 30	TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
			DLT7000			TBD	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S			
StorageTek	9738 TimberWolf	Requires ACSLS APM	9840	3	30	ACSLS 6.0.1		See vendor for ACSLS supported platforms																		
StorageTek	L5500	Requires ACSLS APM	9840	960	132,000	ACSLS 6.0.1		See vendor for ACSLS supported platforms																		
			9940																							
			LTO																							

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted.
Specific Model numbers and manufacturer's information may vary.



System Compatability Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																												
								SUN		IBM		HP		SGI		INTEL						Alpha		NCR				
								Solaris		AIX		HP-UX		IRIX		Windows			Linux	Solaris		Free BSD	SCO Unixware	Tru64	UNIX SVR5.4			
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x					
StorageTek	L700	SCSI & ACCLS	9840	20	678	TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S				
			LTO			TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S		
			DLT7000			TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S
			DLT8000			TBD	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S
StorageTek	L180	SCSI & ACCLS	9840	10	174	2.00.00	S	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S			
			LTO			TBD		S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT7000			TBD	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			DLT8000			TBD	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
StorageTek	L80	SCSI	LTO	8	80	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S			
			DLT7000			TBD	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT8000			1.20.00	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			DLT7000			TBD	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
StorageTek	L40	SCSI	LTO	4	40	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S			
			DLT7000			TBD	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT8000			1.20.00	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			DLT7000			TBD	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
StorageTek	L20	SCSI	LTO	2	20	TBD		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S			
			DLT7000			0110	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	
			DLT8000			TBD	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			SDLT			TBD	N/A	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
			DLT7000			TBD	S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	S
Sun StorEdge	L1000	SCSI	DLT7000	4	30	245F		S	S	S	S	S	S	S		S	S	S	S	S	S	S	S	S				
			DLT8000			TBD		S	S	S	S	S	S		S	S	S	S	S	S	S	S	S	S	S	S	S	



System Compatibility Legend	
S	Supported
S*	Supported, please see App Notes

Hardware Compatibility Matrix

NETVAULT 6

Libraries and Autoloaders

Green Color Indicates Testing at Third Party Labs or OEM Equivalent

OEM Server System and Software Compatibility Information																									
								SUN		IBM		HP		SGI		INTEL						Alpha		NCR	
								Solaris		AIX		HP-UX		IRIX		Windows			Linux		Solaris	Free BSD	SCO Unixware	Tru64	UNIX SVR5.4
Vendor	Model	Interface	Drive Type	Max No. of Drives	Max Number Of Slots	Minimum Firmware Level	Cleaning Tape Support	2.5.X	2.6, 7, 8	4.2 4.3	5.0 5.1L	10.20	11.XX	6.X	95 / 98	NT 4.0	2000	Kernel 2.2 / 2.4	7, 8	4.2	2.1.3 - 7	4.0b-f, v5.0a	MP-RAS R3.0x		
Tandberg	SLR Autoloader	SCSI	SLR7	1	8	v2.07		S	S	S	S	S	S	S		S	S		S	S	S	S	S	S	
		SCSI	SLR60	1	8	v2.07		S	S	S	S	S	S	S		S	S		S	S	S	S	S	S	
		SCSI	SLR100	1	8	v2.07		S	S	S	S	S	S	S		S	S		S	S	S	S	S	S	S
Tandberg	LTO Autoloader	SCSI	LTO	1	10	0002		S	S	S	S	S	S		S	S		S	S	S	S	S	S	S	
Tandberg	DLT Autoloader	SCSI	DLT8000	1	10	0002	S	S	S	S	S	S	S		S	S		S	S	S	S	S	S	S	
Tandberg	SDLT Autoloader	SCSI	SDLT220	1	10	TBD	N/A	S	S	S	S	S	S		S	S		S	S	S	S	S	S	S	
Tandberg	SuperLoader 1280L	SCSI	DLT1	1	8 / 16	V 13.0		S	S	S	S	S	S		S	S		S	S	S	S	S	S	S	
Tandberg	SuperLoader 3520L	SCSI	SDLT	1	8 / 16	V 13.0		S	S	S	S	S	S		S	S		S	S	S	S	S	S	S	
Tandberg	TDS 1210	SCSI	SLR100	2	10	2.10B										S	S	S							
Tandberg	TDS 1420	SCSI	SLR100	4	20	2.10										S	S	S							
Tandberg	TDS 1440	SCSI	SLR100	4	40	2.10										S	S	S							

Certified in a controlled environment at BakBone Software's Interoperability Labs unless otherwise noted. Specific Model numbers and manufacturer's information may vary.