

HP OpenView Operations Administrator's Reference

Software Version: A.08.10

UNIX



Manufacturing Part Number: None

October 2004

© Copyright 1996-2004 Hewlett-Packard Development Company, L.P.

Legal Notices

Warranty.

Hewlett-Packard makes no warranty of any kind with regard to this document, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be held liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

A copy of the specific warranty terms applicable to your Hewlett-Packard product can be obtained from your local Sales and Service Office.

Restricted Rights Legend.

Use, duplication or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013.

Hewlett-Packard Company
United States of America

Rights for non-DOD U.S. Government Departments and Agencies are as set forth in FAR 52.227-19(c)(1,2).

Copyright Notices.

©Copyright 1996-2004 Hewlett-Packard Development Company, L.P., all rights reserved.

No part of this document may be copied, reproduced, or translated to another language without the prior written consent of Hewlett-Packard Company. The information contained in this material is subject to change without notice.

Trademark Notices.

Adobe® is a trademark of Adobe Systems Incorporated.

HP-UX Release 10.20 and later and HP-UX Release 11.00 and later (in both 32 and 64-bit configurations) on all HP 9000 computers are Open Group UNIX 95 branded products.

Intel386, Intel80386, Intel486, and Intel80486 are U.S. trademarks of Intel Corporation.

Intel Itanium™ Logo: Intel, Intel Inside and Itanium are trademarks or registered trademarks of Intel Corporation in the U.S. and other countries and are used under license.

Java™ is a U.S. trademark of Sun Microsystems, Inc.

Microsoft® is a U.S. registered trademark of Microsoft Corporation.

MS-DOS® is a U.S. registered trademark of Microsoft Corporation.

Netscape™ and Netscape Navigator™ are U.S. trademarks of Netscape Communications Corporation.

OpenView® is a registered U.S. trademark of Hewlett-Packard Company.

Oracle® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

OSF, OSF/1, OSF/Motif, Motif, and Open Software Foundation are trademarks of the Open Software Foundation in the U.S. and other countries.

Pentium® is a U.S. registered trademark of Intel Corporation.

SQL*Plus® is a registered U.S. trademark of Oracle Corporation, Redwood City, California.

UNIX® is a registered trademark of the Open Group.

Windows NT® is a U.S. registered trademark of Microsoft Corporation.

Windows® and MS Windows® are U.S. registered trademarks of Microsoft Corporation.

All other product names are the property of their respective trademark or service mark holders and are hereby acknowledged.

1. Installing OVO Agents on the Managed Nodes

In this Chapter	36
Installation Requirements	37
Operating System Requirements	37
Hardware and Software Requirements	37
Setting Kernel Parameters	38
Types of Communication Software	39
Installation Tips	41
Tips for Installing on Managed Nodes	41
Tips for Installing on the Management Server	45
Tips for UNIX Installations	46
Installing or Updating OVO Software Automatically	48
Before You Begin	48
Installing OVO Software Automatically	51
To Install or Update OVO Software Automatically	52
To Change the Communication Type	54
Secure Shell Installation Method	57
Hardware and Software Requirements	57
To Install OVO Agent Software Using SSH Installation Method	59
De-installing OVO Software from the Managed Nodes	62
To De-install OVO Software Automatically	62
To De-install the OVO Agent Software Manually	63
Managing OVO Agent Software	64
Managing Different Versions of Agent Software	64
To Display Versions of Available Agent Packages	65
To Display Versions of Installed Agent Packages	65
To Remove an Older Agent Package	66
Debugging Software (De-)Installation on Managed Nodes	67
Facilities for Debugging (De-)Installation	67
To Enable (De-)Installation Debugging	68
To Disable (De-)Installation Debugging	68

2. Configuring OVO

In this Chapter	70
About Preconfigured Elements	71
About Default Node Groups	71
About Default Message Groups	71
About the Message Browser Window	73

Contents

About Message Ownership	78
About Template Groups	82
About Default Users	83
About Default Applications and Application Groups	93
Correlating Events	102
Encapsulating Logfiles	103
Intercepting SNMP Traps and Events	103
Intercepting OVO Messages	106
Intercepting MPE/iX Console Messages	106
Monitoring Objects	107
Monitoring MIB Objects from Other Communities	107
Templates for External Interfaces	108
About Database Reports	109
Defining a Printer for Reports	109
Configuring Timeouts for Report Generation	109
Generating Reports for the Internet	109
Types of Preconfigured Administrator Reports	110
Defining Customized Administrator Reports	113
Types of Preconfigured Operator Reports	114
Defining Customized Operator Reports	115
Generating Statistical and Trend-analysis Reports	115
About Report Security	116
Configuring Flexible Management Templates	117
Locations of Flexible Management Templates	117
Types of Flexible Management Templates	117
Keywords for Flexible Management Templates	119
Syntax for Flexible Management Templates	124
About Scheduling Templates	130
About the Template for Message Forwarding	137
About Time Templates	140
Examples of Flexible Management Templates	146
About Variables	154
Types of Variables Supported by OVO	154
About Environment Variables	155
About Variables in All Message Source Templates	155
Variables to be Used in Instruction Text Interface Calls	170

Variables in Application Calls and the User Interface	171
---	-----

3. Installing and Updating the OVO Configuration on the Managed Nodes

In this Chapter	188
Distributing the OVO Agent Configuration to the Managed Nodes	189
Distributing Scripts and Programs to the Managed Nodes	190
Before You Distribute Scripts and Programs	190
To Distribute Scripts and Programs	194
Selective Distribution of User-selected Files to Managed Nodes	195
How Does Selective Distribution Work?	196
The seldist Configuration File	197
The opcseldist Utility	200
Enabling Selective Distribution Using the Supplied SPI Configuration File	201
Disabling Selective Distribution	203
To Configure Custom Selective Distribution	203

4. HP OpenView Performance Agent

In this Chapter	206
About Other Platforms	207
What OVPA Does	208
Integrating Data with OVPA	208
Analyzing Data with OVPA	208
Logging Data with OVPA	208
Customizing OVPA	209
Installation Requirements	210
Hardware and Software Requirements	210
Installing and De-installing OVPA	212
Installing OVPA	212
De-installing OVPA	216
Preconfigured Elements	218
Types of Applications	218
Types of Templates	220
Documentation	223
Downloading and Viewing Documentation	223

Contents

5. About OVO Interoperability

In this Chapter	226
Interoperability between OVO and HP OpenView Operations for Windows	227
Configuring OVO Agents for an OpenView Operations for Windows Management Server	228
Configuring HP OpenView Operations for Windows Agents for an OVO Management Server	232
Configuring HP OpenView Operations for Windows Management Servers to Forward Messages to OVO	235
Importing OVO Templates into HP OpenView Operations for Windows	241
Importing HP OpenView Operations for Windows Policies into OVO	242

6. Integrating Applications into OVO

In this Chapter	244
About Application Integration.	245
Assigning Applications to Operators	245
Integrating HP Applications into OVO	245
Integrating Applications into OVO Components	245
Integrating Applications into the Application Desktop	246
Integrating OVO Applications	246
About the Plug-in for Integrated OpenView Applications	246
Integrating NNM into OVO	247
Integrating NNM Applications into OVO	248
Limitations of NNM Integration	248
To Enable Operators to Manage IP Networks in the IP Map	249
To Integrate “Ethernet Traffic HP” as an OV Application	250
To Integrate “IP Activity Monitoring - Tables” as an OV Service	251
To Enable Operators to Control OVO Agents	252
Integrating Applications as Broadcast Commands	254
Requirements for Integrating Applications as Broadcast Commands	254
Distributing Application to Managed Nodes	254
Integrating Applications as Actions	255
About the Action Agent	255
Requirements for Integrating Applications as Actions	256
Distributing Actions to Managed Nodes	256
Integrating Monitoring Applications	257

Requirements for Integrating Monitored Applications	257
Distributing Monitored Applications to Managed Nodes	257
Monitoring Application Logfiles	258
Intercepting Application Messages	259
About the Message Stream Interface API	260
Starting Applications and Broadcasts on Managed Nodes	261
Restrictions on Applications and Broadcasts	261
Guidelines for Setting Up User Profiles	262

7. About Notification Services and Trouble Ticket Systems

In this Chapter	264
What is a Notification Service or Trouble Ticket System?	265
Notification Services	265
Trouble Ticket Systems	265
HP OpenView Service Desk	265
Writing Scripts and Programs	266
Example Script	266
Guidelines for Writing Scripts and Programs	266
Configuring Notification Services and Trouble Ticket Systems	268
Configuring Notification Services	268
Configuring Trouble Ticket Systems	269
Parameters for Notification Services and Trouble Ticket Systems	270

8. About OVO Language Support

In this Chapter	274
About Language Support on the Management Server	275
Setting the Language on the Management Server	275
Setting the Character Set on the Management Server	276
Setting the Language of the OVO Motif GUI	277
About Language Support on Managed Nodes	284
Setting the Language of Messages on Managed Nodes	286
Setting the Character Set on the Managed Nodes	287
About the ASCII Character Set	291
About External Character Sets on Managed Nodes	291
Character Sets Supported by the Logfile Encapsulator	295
About Character Code Conversion in OVO	298
Configuring an English-language Management Server	298
Configuring a Japanese-language Management Server	302

Contents

About Flexible Management in a Japanese-language Environment	305
Converting the Management Server to EUC	305
Converting the Managed Nodes to Shift JIS.	306
About the Localized OVO.	307
Scope of Localization.	307
Configuration Upload in International Environments	308
Configuration Upload in ASCII Mode	308
Default Directory for Configuration Upload	310
Troubleshooting Other Language Environments.	312
About Windows NT/2000 Managed Nodes	312
About the PC Virtual Terminal Application	312
About Broadcast Command Output.	312
Localizing Object Names	313
Use ASCII Characters Only	313
Localize Labels, Not Objects	313

9. About the OVO Java-based Operator GUI

In this Chapter.	316
What is the OVO Java-based Operator GUI?	317
Comparison of the Java and Motif GUIs	318
Comparison of Applications	318
Comparison of Message Browsers	318
Comparison of General Features	320
About the ito_op Startup Options	321
About the itooprc Resource File	323
Accessing NNM from the Java GUI	328
Accessing NNM on a Local System (Java GUI only)	328
Accessing NNM from a Remote System	329
About OV Applications Available from the OVO GUI	330
Configuring NNM Access with Command-line Tools	332
About the Controller Tool.	333
About the Node Mapping Tool	334
Accessing Jovw.	336
To Access the Default IP Map with Jovw	336
To Access Other IP Maps with Jovw	337
Operating with Java GUI From Other Java Applications.	339

Assigning Java GUI Operator Defaults	340
To Assign Operator Defaults	340
Tips for Improved Performance	342
Identifying Logged-on Java GUI Users	343
About Security Exception Warnings	343

10. About OVO Processes

In this Chapter	346
About Communication in OVO	347
About Management Server Processes	349
Types of Processes on the Management Server	349
Types of Process Files on the Management Server	353
About Managed Node Processes	355
Types of Processes on the Managed Node	355
Types of Process Files on the Managed Node	358
Location of Process Files on the Managed Node	360
Types of OVO Agent Configuration Files	361
Location of OVO Agent Configuration Files	362
About Process Security	363
About Process Authentication	363
Example of Process Authentication	364
About Process Authentication Requirements	364

11. Tuning and Troubleshooting OVO

In this Chapter	368
Getting More Information	369
Troubleshooting HP OpenView	369
Troubleshooting HP OpenView Performance Agent	369
Troubleshooting on the Management Server	369
Tuning Performance	370
Improving the Performance of the SNMP Management Platform	370
Improving the Performance of the Database	371
Improving the Performance of OVO	372
Improving the Startup Performance of the Motif GUI	374
Troubleshooting Problems	375
About General Issues	375
Preventing Problems	375
Identifying the Installed Version of OVO	376

Contents

Tracing Problems	378
Analyzing Symptoms	379
Reporting Errors	380
Solving Oracle Database Problems	385
If opcdbinst or opcdbinit Fails	385
If You Cannot Start an OVO Process	386
If You Cannot Start an Oracle Database	387
If You Cannot Create an Oracle Database	387
Solving OVO Server Problems	388
If the OVO Management Server Status is Corrupted	388
If Old Messages are Sent to the External Trouble Ticket System	389
If HP OpenView Cannot Resolve a Hostname	389
Solving OVO GUI Problems on the Management Server	390
If HP OpenView Help Processes are Still Running after OVO GUI Shutdown ...	390
HP OpenView Window Objects are Hidden	390
If HP OpenView Icon Labels are Not Updated	391
If “Set User ID” Error Messages Display at OVO GUI Startup	391
If OVO GUI Processes are Still Running after OVO GUI Shutdown	392
Solving OVO Installation Problems on UNIX Managed Nodes	393
If You are Prompted for a Password after Entering a Valid Password	393
Solving Problems with Mixed-case Node Names	394
Solving Installation Problems on MPE/iX Managed Nodes	395
If an Installation Aborts Because the MPE/iX System Name is Unknown	395
If an Installation Aborts Because of Interactive Login/Logout UDC	396
If Starting an X-Application Causes an Unknown Node Error	396
If You Cannot Install Agent Software on the Managed Node	397
If an OVO Configuration is Not Installed on the Managed Node	397
Solving Installation Problems on Windows Managed Nodes	399
When Windows Managed Nodes Generate Authorization Errors	399
Solving Runtime Problems on All Managed Nodes	401
If OVO Does Not Work as Expected After an Operating System Upgrade	401
If an OVO Configuration is Not Installed on the Managed Node	402
If OVO Does Not Work as Expected After Application Upgrade	403
If You Cannot Start an X-Application on a Managed Node	403
If You Cannot Start an Application from the Application Desktop	404
If You Cannot Broadcast a Command or Start an Application	406

If You Cannot Call I/O Applications from the Virtual Terminal	408
If OVO Agents are Corrupted.	409
Solving Runtime Problems on UNIX Managed Nodes	416
If Actions Do Not Terminate	416
If You Cannot Distribute Action Scripts or Programs	417
If a User's Profile is Not Executed as Expected	418
If You Cannot Execute Scripts or Actions on the Managed Nodes.	418
If Semaphores are Not Set Up Properly in the Kernel.	419
Solving Runtime Problems on MPE/iX Managed Nodes	420
If Command Broadcasting and Application Startup are Slow.	420
If You Cannot Replace Current Commands when Distributing Scripts or Programs.	421
If a Command Broadcast and Application Startup Do Not Terminate	422
If Operator-initiated Actions Return Invalid Status	423
If an Action Does Not Terminate	423
If a Critical Error Message 30-511 Displays During Scheduled Actions.	424
If Setting the Port Range for MPE/iX Managed Nodes Has No Effect	424
If Errors Occur When Executing vt3k Applications	425
Solving Problems with RPC Daemons or Local Location Brokers	427
If a Control Agent Does Not Come up on a Node	427
Solving Problems with the Embedded Performance Component	428
Enabling and Disabling	428
Starting and Stopping	430
Database Storage	431
Status Logs	432
Accessing the MIB of the Managed Node	433
Setting the Community Name in opcinfo	433
Setting the Community Name in the Configuration File for the SNMP Daemon .	434
Solving OVO Installation Problems with Multi-homed Hosts.	435
Specifying an IP Address	435
Example Output for the netstat(1) Command	435
About Point-to-Point and Ethernet Problems	436
If Your Name Service Configuration is Incomplete.	437
If You Have IP Connectivity Problems	441
Solving NFS Problems	443

Contents

12. About OVO Security

In this Chapter	446
Types of Security	447
About System Security	448
Guidelines for System Security	448
About Network Security	450
About HTTPS Security	451
About DCE Security	451
About RPC Authentication	457
About OVO Process Security	459
About Secure Shell (SSH)	461
About Security in OVO Operations	462
Accessing OVO	462
About File Access and Permissions	463
About GUI Permissions	464
About Program Security	465
About Database Security	465
Starting Applications	466
About PAM Authentication	466
About Remote Access	467
About Passwords on DCE Managed Nodes	467
Assigning Passwords on Managed Nodes	468
Protecting Configuration Distribution	470
Protecting Automatic and Operator-initiated Actions	471
Protecting Remote Actions	471
About Queue Files	474
About Security in OVO Auditing	475
Types of Audit Modes	475
Types of Audit Levels	475
Creating the OVO GUI Startup Message	479
OVO GUI Startup Message Prerequisites	480
To Create the OVO GUI Startup Message	480

13. Maintaining OVO

In this Chapter	484
Maintaining the Management Server	484

Maintaining the Managed Nodes	484
Maintaining Licenses and Hostnames	484
Downloading Configuration Data	485
Methods for Downloading Configuration Data	485
Parts of the Configuration to be Downloaded	485
About the Download Configuration Data Window	486
Backing up Data on the Management Server	488
Redistributing Scripts to All Managed Nodes	488
About Backup and Recover Tools	488
About Archive Log Mode in Oracle	488
About Offline Backups	489
About Automatic Backups	490
Recovering Configuration Data after an Automatic Backup	498
Maintaining a Database	501
Configuring a Database on Multiple Disks	502
To Move Oracle Control Files to the Second Disk	502
To Create Another Set of Mirrored Online Redo Logs	503
Maintaining the HP OpenView Platform	504
Maintaining OVO Directories and Files	505
Maintaining the Managed Nodes	506
About Managed Node Directories with Runtime Data	507
Location of Local Logfiles	508
Maintaining Licenses	510
Advantages of OVKey Licenses	510
Replacing Instant On Licenses with OVKey Licenses	510
Types of Licenses	510
About the Command-line License Maintenance Tool	512
Changing Hostnames and IP Addresses	514
To Change the Hostname or IP Address of the Management Server	515
To Reconfigure the OVO Management Server After Changing its Hostname or IP Address	518
To Change the Hostname or IP Address of a Managed Node	522
Changing Hostnames and IP Addresses in a Cluster Environment	526
To Change the Virtual Hostname or IP Address of the Management Server	527
To Reconfigure the OVO Management Server After Changing its Virtual Hostname or IP Address	531
To Change the Hostname or IP Address of a Managed Node	538

Contents

A. About OVO Managed Node APIs and Libraries

In this Appendix.	542
About OVO APIs on Managed Nodes	543
About OVO Managed Node Libraries	544

B. About OVO Tables and Tablespaces in the Database

In this Appendix.	546
About OVO Tables and Tablespaces in an Oracle Database	547
About non-OVO Tables and Tablespaces	552

C. About OVO Man Pages

In this Appendix.	556
Accessing and Printing Man Pages	557
To Access an OVO Man Page from the Command Line	557
To Print a Man Page from the Command Line	557
To Access the Man Pages in HTML Format	557
Man Pages in OVO.	558
Man Pages for OVO APIs.	562
Man Pages for HP OpenView Service Navigator	563
Man Pages for the OVO Developer's Kit APIs	564

Printing History

The printing date and part number of the manual indicate the edition of the manual. The printing date will change when a new edition is printed. Minor changes may be made at reprint without changing the printing date. The part number of the manual will change when extensive changes are made.

Manual updates may be issued between editions to correct errors or document product changes. To ensure that you receive the updated or new editions, you should subscribe to the appropriate product support service. See your HP sales representative for details.

First Edition:	June 1996
Second Edition:	August 1997
Third Edition:	February 1999
Fourth Edition:	September 1999
Fifth Edition:	June 2000
Sixth Edition:	January 2002
Seventh Edition	April 2002
Eighth Edition	June 2004
Ninth Edition	October 2004

Preface

This guide explains HP OpenView Operations (OVO) for UNIX to the OVO administrator who installs, administers, and troubleshoots OVO systems.

What this Guide Does

This guide explains agent installation, first-time configuration, agent de-installation, tuning, and troubleshooting to OVO administrators.

Who Should Read this Guide

This guide is for the OVO administrator who installs OVO on the managed nodes, and is responsible for administering and troubleshooting the OVO system. The guide assumes you have a sound knowledge of HP-UX or Sun Solaris system, as well as network administration and troubleshooting.

Authority Required to Use this Guide

To use this guide, you should have authority to do the following:

- Update the system with new software
- Perform remote logins to other systems
- Search, locate, and edit ASCII files

Knowledge Required to Use this Guide

To use this guide, you should be thoroughly familiar with the following:

- File system organization
- X applications
- HP OpenView NNM platform user interface and services
- Database administration
- OVO concepts

About Related Documents

For information about how to install OVO on the management server or upgrade an earlier version of OVO, see the *OVO Installation Guide for the Management Server*. For information about OVO concepts, see the *OVO Concepts Guide*.

Conventions

The following typographical conventions are used in this manual.

Table 1 **Typographical Conventions**

Font	Meaning	Example
<i>Italic</i>	Book or manual titles, and man page names	Refer to the <i>OVO Administrator's Reference</i> and the <i>opc(1M)</i> manpage for more information.
	Emphasis	You <i>must</i> follow these steps.
	Variable that you must supply when entering a command	At the prompt, enter rlogin <i>username</i> .
	Parameters to a function	The <i>oper_name</i> parameter returns an integer response.
Bold	New terms	The HTTPS agent observes...
Computer	Text and other items on the computer screen	The following system message displays: Are you sure you want to remove current group?
	Command names	Use the <code>grep</code> command ...
	Function names	Use the <code>opc_connect()</code> function to connect ...
	File and directory names	<code>/opt/OV/bin/OpC/</code>
	Process names	Check to see if <code>opcmona</code> is running.
	Window/dialog-box names	In the Add Logfile window ...
	Menu name followed by a colon (:) means that you select the menu, then the item. When the item is followed by an arrow (->), a cascading menu follows.	Select Actions: Filtering -> All Active Messages from the menu bar.

Table 1 **Typographical Conventions (Continued)**

Font	Meaning	Example
Computer Bold	Text that you enter	At the prompt, enter ls -l
Keycap	Keyboard keys	Press Return .
[Button]	Buttons in the user interface	Click [OK].

OVO Documentation Map

HP OpenView Operations (OVO) provides a set of manuals and online help that help you to use the product and to understand the concepts underlying the product. This section describes what information is available and where you can find it.

Electronic Versions of the Manuals

All the manuals are available as Adobe Portable Document Format (PDF) files in the documentation directory on the OVO product CD-ROM.

With the exception of the *OVO Software Release Notes*, all the manuals are also available in the following OVO web-server directory:

`http://<management_server>:3443/ITO_DOC/<lang>/manuals/*.pdf`

In this URL, `<management_server>` is the fully-qualified hostname of your management server, and `<lang>` stands for your system language, for example, `C` for the English environment and `japanese` for the Japanese environment.

Alternatively, you can download the manuals from the following website:

`http://ovweb.external.hp.com/lpe/doc_serv`

Watch this website regularly for the latest edition of the OVO Software Release Notes, which gets updated every 2-3 months with the latest news such as additionally supported OS versions, latest patches and so on.

OVO Manuals

This section provides an overview of the OVO manuals and their contents.

Table 2 **OVO Manuals**

Manual	Description	Media
<i>OVO Installation Guide for the Management Server</i>	<p>Designed for administrators who install OVO software on the management server and perform the initial configuration.</p> <p>This manual describes:</p> <ul style="list-style-type: none">• Software and hardware requirements• Software installation and de-installation instructions• Configuration defaults	Hardcopy PDF
<i>OVO Concepts Guide</i>	<p>Provides you with an understanding of OVO on two levels. As an operator, you learn about the basic structure of OVO. As an administrator, you gain an insight into the setup and configuration of OVO in your own environment.</p>	Hardcopy PDF
<i>OVO Administrator's Reference</i>	<p>Designed for administrators who install OVO on the managed nodes and are responsible for OVO administration and troubleshooting. Contains conceptual and general information about the OVO DCE/NCS-based managed nodes.</p>	PDF only
<i>OVO DCE Agent Concepts and Configuration Guide</i>	<p>Provides platform-specific information about each DCE/NCS-based managed-node platform.</p>	PDF only
<i>OVO HTTPS Agent Concepts and Configuration Guide</i>	<p>Provides platform-specific information about each HTTPS-based managed-node platform.</p>	PDF only
<i>OVO Reporting and Database Schema</i>	<p>Provides a detailed description of the OVO database tables, as well as examples for generating reports from the OVO database.</p>	PDF only
<i>OVO Entity Relationship Diagrams</i>	<p>Provides you with an overview of the relationships between the tables and the OVO database.</p>	PDF only

Table 2 **OVO Manuals (Continued)**

Manual	Description	Media
<i>OVO Java GUI Operator's Guide</i>	Provides you with a detailed description of the OVO Java-based operator GUI and the Service Navigator. This manual contains detailed information about general OVO and Service Navigator concepts and tasks for OVO operators, as well as reference and troubleshooting information.	PDF only
<i>Service Navigator Concepts and Configuration Guide</i>	Provides information for administrators who are responsible for installing, configuring, maintaining, and troubleshooting the HP OpenView Service Navigator. This manual also contains a high-level overview of the concepts behind service management.	Hardcopy PDF
<i>OVO Software Release Notes</i>	Describes new features and helps you: <ul style="list-style-type: none">• Compare features of the current software with features of previous versions.• Determine system and software compatibility.• Solve known problems.	PDF only
<i>OVO Supplementary Guide to MPE/iX Templates</i>	Describes the message source templates that are available for the MPE/iX managed nodes. This guide is not available for OVO on Solaris.	PDF only
<i>Managing Your Network with HP OpenView Network Node Manager</i>	Designed for administrators and operators. This manual describes the basic functionality of the HP OpenView Network Node Manager, which is an embedded part of OVO.	Hardcopy PDF
<i>OVO Database Tuning</i>	This ASCII file is located on the OVO management server at the following location: /opt/OV/ReleaseNotes/opc_db.tuning	ASCII

Additional OVO-related Products

This section provides an overview of the OVO-related manuals and their contents.

Table 3 Additional OVO-related Manuals

Manual	Description	Media
<p>HP OpenView Operations for UNIX Developer's Toolkit</p> <p>If you purchase the HP OpenView Operations for UNIX Developer's Toolkit, you receive the full OVO documentation set, as well as the following manuals:</p>		
<p><i>OVO Application Integration Guide</i></p>	<p>Suggests several ways in which external applications can be integrated into OVO.</p>	<p>Hardcopy PDF</p>
<p><i>OVO Developer's Reference</i></p>	<p>Provides an overview of all the available application programming interfaces (APIs).</p>	<p>Hardcopy PDF</p>
<p>HP OpenView Event Correlation Designer for NNM and OVO</p> <p>If you purchase HP OpenView Event Correlation Designer for NNM and OVO, you receive the following additional documentation. Note that HP OpenView Event Correlation Composer is an integral part of NNM and OVO. OV Composer usage in the OVO context is described in the OS-SPI documentation.</p>		
<p><i>HP OpenView ECS Configuring Circuits for NNM and OVO</i></p>	<p>Explains how to use the ECS Designer product in the NNM and OVO environments.</p>	<p>Hardcopy PDF</p>

OVO Online Information

The following information is available online.

Table 4 **OVO Online Information**

Online Information	Description
HP OpenView Operations Administrator's Guide to Online Information	Context-sensitive help system contains detailed help for each window of the OVO administrator Motif GUI, as well as step-by-step instructions for performing administrative tasks.
HP OpenView Operations Operator's Guide to Online Information	Context-sensitive help system contains detailed help for each window of the OVO operator Motif GUI, as well as step-by-step instructions for operator tasks.
HP OpenView Operations Java GUI Online Information	HTML-based help system for the OVO Java-based operator GUI and Service Navigator. This help system contains detailed information about general OVO and Service Navigator concepts and tasks for OVO operators, as well as reference and troubleshooting information.
HP OpenView Operations Man Pages	<p>Manual pages available online for OVO. These manual pages are also available in HTML format.</p> <p>To access these pages, go to the following location (URL) with your web browser:</p> <p><code>http://<management_server>:3443/ITO_MAN</code></p> <p>In this URL, the variable <code><management_server></code> is the fully-qualified hostname of your management server. Note that the man pages for the OVO HTTPS-agent are installed on each managed node.</p>

About OVO Online Help

This preface describes online documentation for the HP OpenView Operations (OVO) Motif and the Java operator graphical user interfaces (GUIs).

Online Help for the Motif GUI

Online information for the HP OpenView Operations (OVO) Motif graphical user interface (GUI) consists of two separate volumes, one for operators and one for administrators. In the operator's volume you will find the HP OpenView OVO Quick Start, describing the main operator windows.

Types of Online Help

The operator and administrator volumes include the following types of online help:

Task Information

Information you need to perform tasks, whether you are an operator or an administrator.

Icon Information

Popup menus and reference information about OVO icons. You access this information with a right-click of your mouse button.

Error Information

Information about errors displayed in the OVO Error Information window. You can access context-sensitive help when an error occurs. Or you can use the number provided in an error message to perform a keyword search within the help system.

Search Utility

Index search utility that takes you directly to topics by name.

Glossary

Glossary of OVO terminology.

Help Instructions

Instructions about the online help system itself for new users.

❑ **Printing Facility**

Printing facility, which enables you to print any or all topics in the help system. (An HP LaserJet printer or a compatible printer device is required to print graphics.)

To Access Online Help

You can access the help system in any of the following ways:

❑ **F1 Key**

Press **F1** while the cursor is in any active text field or on any active button.

❑ **Help Button**

Click [Help] at the bottom of any window.

❑ **Help Menu**

Open the drop-down Help menu from the menu bar.

❑ **Right Mouse Click**

Click a symbol, then right-click the mouse button to access the Help menu.

You can then select task lists, which are arranged by activity, or window and field lists. You can access any topic in the help volume from every help screen. Hyperlinks provide related information on other help topics.

You can also access context-sensitive help in the Message Browser and Message Source Templates window. After selecting Help: On Context from the menu, the cursor changes into a question mark, which you can then position over the area about which you want help. When you click the mouse button, the corresponding help page is displayed in its help window.

Online Help for the Java GUI and Service Navigator

The online help for the HP OpenView Operations (OVO) Java graphical user interface (GUI), including Service Navigator, helps operators to become familiar with and use the OVO product.

Types of Online Help

The online help for the OVO Java GUI includes the following information:

- ❑ **Tasks**

Step-by-step instructions.

- ❑ **Concepts**

Introduction to the key concepts and features.

- ❑ **References**

Detailed information about the product.

- ❑ **Troubleshooting**

Solutions to common problems you might encounter while using the product.

- ❑ **Index**

Alphabetized list of topics to help you find the information you need, quickly and easily.

Viewing a Topic

To view any topic, open a folder in the left frame of the online documentation window, then click the topic title. Hyperlinks provide access to related help topics.

Accessing the Online Help

To access the help system, select `Help: Contents` from the menu bar of the Java GUI. A web browser opens and displays the help contents.

NOTE

To access online help for the Java GUI, you must first configure OVO to use your preferred browser.

1 Installing OVO Agents on the Managed Nodes

In this Chapter

This chapter gives general instructions on how to install the HP OpenView Operations (OVO) agent software on the supported managed nodes.

The installation procedures assume that you have already installed and configured the database and OVO on the management server, as described in the *OVO Installation Guide for the Management Server*.

Installation Requirements

This section describes the operating system, hardware, and software requirements for installing OVO agents on the managed nodes.

Operating System Requirements

For a detailed list of the specific versions of the various agent operating systems that are supported by OVO, see the *OVO Installation Guide for the Management Server*.

Hardware and Software Requirements

For details about the hardware and software requirements for each supported managed node platform, see the *OVO DCE Agent Concepts and Configuration Guide*.

Setting Kernel Parameters

Before installing OVO on UNIX systems, make sure the kernel parameters are set correctly. Although system default values are normally sufficient, the logfile encapsulator sometimes requires that the number of open files be increased.

Table 1-1 gives values for kernel parameters on HP-UX managed nodes. Other UNIX-based agent platforms generally require similar values.

NOTE

For information about recommended kernel parameters for Sun Solaris managed nodes, refer to the Chapter "About Sun Solaris Managed Nodes" of the *OVO DCE Agent Concepts and Configuration Guide*.

Table 1-1 Important Kernel Parameters for Managed Nodes

Parameter	Description	Minimum Value
<i>nfile</i>	Maximum number of open files.	20 ^a
<i>semms</i>	Required semaphores.	20
<i>shmmax</i>	Maximum shared memory.	None required.
<i>msgmni</i>	Message queues.	None required.
<i>nlocks</i>	File locks.	10

- a. This number depends on several factors. Normally a value of 20 per process is sufficient. However, the more logfiles that are configured for the logfile encapsulator, the more file descriptors are needed. Normally, one logfile requires about one file descriptor. Any actions that result in processes being started on the managed node need additional file descriptors.

Types of Communication Software

To communicate between the management server and the client nodes, OVO can use one of the following mechanisms:

- ❑ HTTPS
- ❑ Distributed Computing Environment (DCE)
- ❑ Network Computing System (NCS)
- ❑ SunRPC

By default, processes running on the OVO management server communicate using DCE. However, processes on the agents can communicate with the management server using either DCE or NCS. Wherever possible, use DCE. Novell NetWare managed nodes always use SunRPC.

About HTTPS

HTTPS 1.1 based communications is the latest communication technology used by HP for OpenView products and allows applications to exchange data between heterogeneous systems. HTTP/SSL is the default communication type for new OVO nodes.

About DCE

For more information about the required version of DCE for your managed node platform, see the *OVO DCE Agent Concepts and Configuration Guide*.

If DCE runtime is not available with your other agent platforms, you will need to use NCS 1.5.1 with the Local Location Broker Daemon (llbd) instead of `dced/rpcd` running on the managed node.

NOTE

HP-UX only: Beginning with DCE version 1.4.1, the DCE daemon (`dced`) replaces the RPC daemon (`rpcd`).

About NCS

For platforms that support the NCS communication type, if NCS runtime is not found on the managed node during installation, OVO automatically installs the needed NCS components (the `llbd` and `lb_admin` programs) on NCS nodes.

About SunRPC

SunRPC is automatically installed on HP-UX and Solaris management servers to enable communication with Novell NetWare managed nodes. OVO installs SunRPC on Novell NetWare nodes, if it is not already installed.

Installation Tips

This section describes tips for installing OVO agents on managed nodes, on the management server, and on UNIX managed nodes.

Tips for Installing on Managed Nodes

When installing on the managed nodes, follow these guidelines:

Install on All Managed Nodes

Whenever possible, install the latest OVO agent software version on all managed nodes. Installing the latest version enables the latest OVO features to be used on those nodes.

Do Not Use Internal OVO Names

You may not use the names `bin`, `conf`, `distrib`, `unknown`, and `mgmt_sv` for managed nodes. These names are used internally by OVO, and therefore may not be used as names of other systems.

Do Not Use Host Aliases

Avoid using host aliases. Identical host aliases cause system problems.

Make Sure Daemons Are Already Running

When you install or update the OVO software on the management server, the DCE RPC daemon (`dcled` or `rpcd`) must be running. When you install or update the OVO software on the managed node, either the DCE RPC daemon (`dcled` or `rpcd`) or the NCS Local Location Broker daemon (`llbd`) must be running, depending on the communication type. If one of these daemons is not running, the OVO services cannot be started. OVO performs the automatic startup and integration of the startup functionality in the boot procedure only for the `dcled/rpcd` or `llbd` daemon, and only if you have selected the Automatic Update of System Resource Files option. For details, see the Add/Modify Node window in the OVO administrator GUI.

For Sun RPC, the portmapper must be running.

Examples of system resource files include the following:

Installation Tips

- 11.x and Sun Solaris

`/etc/rc.config.d`

For more information, see the corresponding man pages (for example: *dced(1M)*, *rpcd(1M)*, or *llbd(1M)*).

- MPE/iX

`SYSSTART.PUB.SYS`

For more information, see the NCS online documentation located at `ncsman.pub.hpncs` and `manual.pub.hpncs`.

❑ **Specify One IP Address**

Identify managed nodes having more than one IP address. Specify the most appropriate address (for example, the IP address of a fast network connection) in the OVO configuration. Verify that all other IP addresses of that managed node are also identified on the management server. Otherwise, messages from multiple IP address systems might not be forwarded by OVO.

❑ **Reserve Extra Disk Space**

During installation on managed nodes, twice the amount of disk space normally required by OVO is needed. This extra disk space is needed because the tape image is transferred to the managed node before it is uncompressed and unpacked.

❑ **Use Long Host Names for Actions Only**

Use long host names in your templates only when performing automatic actions or operator-initiated actions.

❑ **Use Operating System Versions Supported by OVO**

Do not upgrade or downgrade the operating system version of the management server or managed node to a version not supported by OVO. For a list of supported operating system versions on the management server and on the managed nodes, see the *OVO Installation Guide for the Management Server*.

You can also get a list of supported operating systems by running the following script on the management server:

```
/opt/OV/bin/OpC/agtinstall/opcversion
```

❑ **Synchronize System Times**

Verify that the system times of the management server and the managed nodes are synchronized. By synchronizing system times, you ensure that the time at which the message is generated on the managed node is earlier than the time at which the message is received on the management server.

❑ **Learn All Root Passwords**

Before you install the OVO agent software, make sure you know all the root passwords of all the managed nodes.

On UNIX managed nodes, passwords are not required if an `.rhosts` entry exists for the root or if the management server is included in `/etc/hosts.equiv` (HP-UX 11.x, Solaris).

❑ **Work Around Disk Space Limitations**

If you do not have enough disk space for OVO in your UNIX file system, apply one or both of the following solutions:

- Use a symbolic link.

For example, for Solaris, enter the following:

```
ln -s /mt1/OV /opt/OV
```

- Mount a dedicated volume.

❑ **Network Path to Management Server**

There must be an existing route (network path) to and from the management server from and to the managed nodes.

❑ **De-install Software Before Moving Management Server**

If you want to move the management server to some other system, you must first de-install the OVO managed node software from all managed nodes. See also “Changing Hostnames and IP Addresses” on page 514 for more information.

❑ **Purge the Functionality of the OVO Default Operator**

If you do not need the functionality of the OVO default operator on your managed nodes (except for the management server), you can purge the related information. This information will be recreated when you re-install the OVO agent software.

UNIX:

- Erase the home directory of the user `opc_op`.
- Remove the `opc_op` entry from `/etc/passwd`.
- Remove the `opcgrp` entry from `/etc/group`.

MPE/iX:

- Purge the account `OVOPR`.

NOTE

You may not remove the OVO default operator from Windows NT/2000 managed nodes because the agents run under the operator's account.

❑ **Stop All Programs and Applications Using “opcmsg” APIs**

When you upgrade or re-install OVO software on managed nodes, make sure that all programs and applications that use the `opcmsg(3)` or `opcmon(3)` API are stopped.

These APIs as well as other APIs are stored in the OVO shared library, which is overwritten during OVO software upgrade or reinstallation. For more information, see the *OVO Developer's Reference*.

Tips for Installing on the Management Server

When installing on the management server, follow these guidelines:

❑ Clean the “distrib” Directory

If you want to stop the configuration and script or program distribution (for example, if the configuration is invalid), clean the `distrib` directory:

```
/var/opt/OV/share/tmp/OpC/distrib
```

You should clean this directory only in an emergency, and only after the OVO management server processes have been stopped.

❑ Do Not Interrupt Installation or De-Installation

Avoid interrupting the software installation or de-installation process on managed nodes. Interrupting either process causes a semaphore file to be left on the management server. As a result, you will not be able to re-invoke the installation.

If a semaphore file is created on the management server, remove the file manually by entering:

```
/var/opt/OV/share/tmp/OpC/mgmt_sv/inst.lock
```

If you interrupt the software installation or de-installation on the managed nodes at the time you are asked for a password, your terminal settings will be corrupted, and any commands that you type will not be echoed in the terminal.

If your terminal settings are corrupted, you can reset the terminal by entering the following:

```
stty echo
```

❑ Do Not De-install Bits

If any managed node is still configured and has the OVO bits, do not de-install any of the management server bits (for example `OVOPC-ORA` or `OVOPC`).

❑ Do Not De-install the Tape Image

If another managed node of the type you are de-installing is still configured and has the OVO bits installed on it, do not de-install the managed node tape images (for example `OVOPC-CLT-ENG`) from the management server. If you de-install the tape image, you will be unable to de-install the OVO agent software using the OVO GUI.

Tips for UNIX Installations

When installing on UNIX managed nodes, follow these general guidelines:

❑ Short System Name

Make sure that `uname (1M)` (HP-UX) or `uname (1)` (Sun Solaris) returns the short system name.

❑ Fully Qualified System Name

Configure the name service (`/etc/hosts` or DNS) so *all* name-service operations (for example, `nslookup`) are consistently resolved to the fully qualified system name. For example, `hostname` is not name-service related and may return the short hostname.

❑ Same Log Directory

During de-installation of OVO, the non-default log directory on UNIX systems is erased.

The following rules apply to this directory:

- *Directories for Managed Nodes*

Do not use the same directory for more than one managed node. Using the same directory could cause problems if the directory is NFS-mounted across several systems.

- *Directories for Other Applications*

Do not use the same log directory for OVO and other applications.

- *Subdirectories for Other Applications or Managed Nodes*

Do not create subdirectories other than the OVO log directory for use by other applications or managed nodes.

❑ Security File

Make sure that the security file for `inetd` on the managed nodes allows `remshd` or `ftpd` for the management server.

If managing Novell NetWare nodes, `echo` service must be allowed as well.

For example, for HP-UX 11.x, use the following:

```
/var/adm/inetd.sec
```

❑ **Root**

If no `.rhosts` entry for `root` and no `/etc/hosts.equiv` entry for the management server are available, make sure the `root` is *not* registered in `/etc/ftpusers` on the managed node.

❑ **User IDs and Group IDs**

For consistency, make sure that the user ID and group ID are identical on all your managed nodes.

❑ **NIS Clients**

If the managed node is a Network Information Service (NIS or NIS+) client, you must add the OVO default operator `opc_op` on the NIS server before installing the OVO software on a managed node. By doing so, you ensure that the OVO default operator `opc_op` is used by OVO and is consistent on all systems. Make sure that you adapt the user registration of adapted system resources accordingly.

Installing or Updating OVO Software Automatically

This section describes how to install or update OVO software automatically using the installation script.

Before You Begin

Before you install or update OVO, you need to understand how to work with the installation script, root passwords, and managed nodes.

About the Installation Script

When you install, update, or de-install OVO software, you use functionality provided by the OVO administrator GUI, as well as the `inst.sh(1M)` script.

To avoid the verbose output of this script, you can set a shell variable for the user `root`:

```
Bourne/Korn    OPC_SILENT=1; export OPC_SILENT
C              setenv OPC_SILENT
```

About Root Passwords

Before you can begin software maintenance, you need to know either the root passwords of the managed nodes, or you must make `.rhosts` entries available for user `root` (UNIX only). Failing that, make sure the local `/etc/hosts.equiv` (on the UNIX managed nodes) contains an entry for the management server.

About Managed Nodes

Before installing or de-installing OVO software on the managed nodes, read the section “Installation Tips” on page 41.

Adding a Managed Node to the Node Bank Window


NOTE

Make sure that the SNMP agent is running before adding a managed node to the OVO Node Bank window.

Before you can install OVO on a managed node, you must add the managed node to the OVO Node Bank window from the Add Node window. To access the Add Node window, select `Actions:Node->Add...` from the menu bar of the OVO Node Bank window (see Figure 1-1).

Alternatively, you can add nodes to the OVO Node Bank window by copying and pasting or dragging and dropping them from the IP submaps.

Figure 1-1 Adding a Managed Node to the Node Bank Window



NOTE

You can also access the Add Node window from the OVO Node Certificate Requests window.

For detailed information about how to set the managed node attributes, see the online help.

Installing OVO Software Automatically

To install the OVO software automatically, select the `Automatic (De-) Installation` option in the `Add Node` window when adding a managed node to the OVO environment. See “Adding a Managed Node to the Node Bank Window” on page 49.

When you invoke the installation in the `Install/Update OVO Software and Configuration` window as described in this section, the OVO software is automatically installed onto the managed node. If you want to manually install the OVO agent software on the managed node, deselect the option before adding the node to the OVO Node Bank.

To Install or Update OVO Software Automatically

NOTE


OVO agent software installation does not include configuration distribution.

To install or update the OVO software automatically, follow these steps:

1. Select installation options.

Select the options from the Install/Update OVO Software and Configuration window of the OVO administrator GUI. See Figure 1-2 on page 52

Figure 1-2 Install/Update OVO Software and Configuration Window



For detailed information about the Install/Update OVO Software and Configuration window, see the [online help](#).

For a software installation or update, the Agent Software component is the minimum selection.

You can either update the old configuration or install a new configuration:

- *Update the old configuration.*

If you leave the `Force Update` checkbox unselected (default), only the changes to the previous configuration are distributed to the managed nodes. This reduces the amount of data being transferred, thereby reducing the load on the network.

- *Install a new configuration.*

If the `Force Update` checkbox is selected, the OVO agent software is re-installed and all of the OVO configuration is distributed. If the OVO agent has been pre-installed on the node, selecting this option will overwrite the pre-installed agent.

2. Click the [OK] button.

An additional terminal window opens, running the installation script, `inst.sh(1M)`.

3. Review the messages carefully.

The installation script `inst.sh(1M)` verifies that all specified systems are reachable and accessible by the super user. (If a password is missing, you are asked to supply one before installation is done.)

Watch the script execution carefully. Your interaction might be required if any errors or warnings occur. Then, when the script is finished, verify the overall result of the script run.

4. Press Return.

The terminal window closes.

5. Review the local installation logfile.

Check the local (managed node) installation logfile for any problems.

If necessary (for example, if you could not review the installation process in a terminal window), check the following logfile on the management server for errors or warnings:

```
/var/opt/OV/log/OpC/mgmt_sv/install.log
```

To Change the Communication Type

For managed node platforms that support them, you can choose between NCS RPC, DCE RPC, and HTTP/SSL-Based.

If you decide to change the communication type from NCS RPC to DCE, or vice versa, you must update the OVO agent software. If you are changing from DCE RPC (UDP) to DCE RPC (TCP), or vice versa, you do not need to update the OVO agent software.

To change the communication type, follow these steps:

1. Verify software requirements.

Make that your managed nodes meet the software requirements described in the corresponding chapter of the *OVO DCE Agent Concepts and Configuration Guide*. In particular, ensure that the required DCE RPC software is installed and that the DCE daemon is running if you switch to DCE RPC.

2. Stop all OVO agent processes.

Enter:

```
/opt/OV/bin/OpC/opcragt -stop <node>
```

3. Change the communication type.

Depending on the number of managed nodes you want to modify, choose between the following methods:

- *Small number of nodes*

If you want to change the communication type for only a small number of nodes, follow these steps:

- a. In the OVO administrator GUI, select the managed node in the OVO Node Bank for which you want to change the communication type.
- b. Select Actions: Node -> Modify....

The Modify Node window opens.

- c. Click [Communication Options...], and change the communication type in the Node Communication Options window.

Select one of the following options:

- DCE RPC (UDP) (recommended)
 - DCE RPC (TCP) (useful when communicating over a WAN)
 - NCS RPC
 - HTTPS/SSL-Based (TCP)
- d. Click [OK] in the Node Communication Options and in the Modify Node window.

NOTE

Switching between communication type "HTTP/SSL-Based (TCP)" and another communication type changes the platform for the node and removes all values for this node.

- *Large number of nodes*

If you want to change the communication type for a large number of managed nodes, you can use the OVO tool `opcnode`.

Add the OVO tool `opcnode` as an OVO application to the OVO Application Bank:

- a. In the OVO Application Bank window, select Actions: Add OVO Application.
- b. Enter a name in the Application Name field.
- c. Enter the following in the Application Call field:

```
/opt/OV/bin/OpC/Utils/opcnode -chg_commtype \  
comm_type=COMM_DCE_UDP node_list="$OPC_NODES"
```

Although you can also choose `COMM_DCE_TCP`, `COMM_DCE_UDP` is recommended.

- d. Select Start on Management Server.
- e. Specify user **root** to execute the application because `opcnode` must be called with root permissions.
- f. Click the [OK] button.

The OVO tool `opcnode` is added as an application to the OVO Application Bank.

- g. Select the nodes for which you want to change the communication type in the OVO Node Bank or any other node hierarchy.
- h. In the OVO Application Bank, double-click the `opnode` symbol to execute the application.

The communication type changes for all selected nodes. Verify this by opening the Node Communication Options window, or calling `opnode -list -nodes`. For more information, see the man page *opnode(1M)*.

4. Update the OVO agent software.

Use the Install / Update OVO Software and Configuration window to update the OVO agent software.

Depending on the communication type you have selected in the previous step, OVO automatically selects the agent fileset during the agent software installation.

Secure Shell Installation Method

This section describes how to use Secure Shell (SSH) software for installing OVO agent software on managed nodes.

The SSH installation method provides enhanced security for installations that are performed over unsecure lines (for example, over the Internet).

NOTE

OVO does *not* provide the SSH software. If you want to use SSH for the OVO agent installation, you must first install and configure the SSH software on the management server and the managed node.

There are two SSH protocol versions available: **SSHv1** and **SSHv2**. The OVO agent installation uses whichever version of the SSH protocol that is available on the management server and the managed node.

Hardware and Software Requirements

This section describes the hardware and software requirements for installing OVO agents on the managed nodes using the SSH installation method.

See the *OVO Installation Guide for the Management Server* for a list of managed node platforms and operating system versions on which the SSH installation method is supported.

Hardware Requirements

For details about the hardware requirements for each supported managed node platform, see the *OVO DCE Agent Concepts and Configuration Guide*.

Software Requirements

- ❑ Basic software requirements:
 - *Management Server*
Software requirements as described in the *OVO Installation Guide for the Management Server*.
 - *Managed Nodes*
Software requirements for the OVO managed node as described in *OVO DCE Agent Concepts and Configuration Guide*.
- ❑ Installed and fully configured SSH client and server (daemon) on both the management server and the managed nodes.
- ❑ Passwordless login for the user `root` from the management server must be enabled on both the management server and the managed nodes. See “To Install OVO Agent Software Using SSH Installation Method” on page 59.

NOTE

The passwordless login is only required during the OVO agent installation and upgrade. You can disable it afterwards.

To Install OVO Agent Software Using SSH Installation Method

To install OVO agent software using the SSH installation method, follow these steps:

1. Configure passwordless login for user root.

The recommended method to configure passwordless login is RSA authentication, based on the user's public/private key pair and the ssh agent utility.

To configure a passwordless login using the provided utilities, follow these steps:

- a. If you are setting up HP-UX managed node, make sure that the sshd configuration options in `/usr/local/etc/sshd_config` are set as follows:

```
AllowTcpForwarding yes
X11Forwarding yes
X11DisplayOffset 10
X11UseLocalhost no
```

- b. Run the `ssh-keygen`.

```
[username@local ~]$ssh-keygen

Initializing random number generator...
Generating p: .....++ (distance 186)
Generating q: .....++
(distance 498)
Computing the keys...
Testing the keys...
Key generation complete.
Enter file in which to save the key
(/home/username/.ssh/identity): <press Enter>
```

NOTE

Make sure *not* to provide a passphrase. This way, no private key is needed when establishing a connection.

```
Enter passphrase: <press Enter>
Enter the same passphrase again: <press Enter>
Identification has been saved in
```

```
/home/username/.ssh/identity.  
Your public key is:  
1024 35 718535638573954[...] username@local  
  
Public key has been saved in  
/home/username/.ssh/identity.pub
```

- c. Use `ssh` to connect to the managed node, and from there connect back to the management server.

This step creates the `$HOME/.ssh` directory on the managed node, as well as some files in that directory. After the directory is created, log out from the managed node.

- d. Copy the local public key to the managed node using one of the following methods:

- **`scp .ssh/identity.pub user@managednode:~/.ssh/authorized_keys`**
- **`ssh user@managednode 'cat >> ~/.ssh/authorized_keys' < ~/.ssh/identity.pub`**

NOTE

Since the file `~/.ssh/authorized_keys` can contain many keys, it is important that it is not overwritten during the preparations for the installation on a new system. The second method for transferring public key mentioned above, will not overwrite the file.

- e. During the OVO agent installation, `ssh` and `scp` executables must reside at one of the following recommended locations:

- `/usr/bin/`
- `/usr/sbin/`

Create a soft link to the `ssh` executable. For example:

```
ln -s /usr/local/bin/ssh /usr/bin/ssh  
ln -s /usr/local/bin/scp /usr/bin/scp  
ln -s /usr/local/sbin/sshd /usr/sbin/sshd
```

2. Set up managed nodes for OVO agent installation using SSH.

a. Change the default settings for all or individual nodes:

- *All Nodes*

Change the default setting for all nodes:

Actions:Node->Set Defaults->Communication Options

- *Individual Node*

Change the default setting for an individual node:

Actions:Node->Modify->Communication Options

b. In the Node Communication Options window, select the following option:

Use SSH (Secure SHell) during installation

c. Click [OK] in the Node Communication Options.

d. To install the OVO software automatically, select Actions:Agents->Install/Update SW & Config... item in the menu bar from the Install/Update OVO Software and Configuration window.

De-installing OVO Software from the Managed Nodes

You de-install the OVO software from the managed nodes automatically or manually:

Automatically

Remove the node and de-install the OVO software.

Manually

De-install only the OVO software from the managed node.

To De-install OVO Software Automatically

OVO software is automatically de-installed from managed nodes if they are configured with the `Automatic (De-)Installation` option.

To de-install the OVO software automatically, follow these steps:

1. Delete the manage node.

- a. Delete the managed node symbol from the `Node Bank` window.

For example, select `Actions:Node->Delete`. Or use the right-click popup menu.

- b. Click the `[Yes]` button to confirm the `OVO Question Dialog` window.

If the node is referenced in a template, application, or message, you receive a warning and are asked to remove the reference to the node before continuing. To help you identify all references, generate the `Node Reference Report` in the `OVO Reports` window.

Another `OVO Question Dialog` window displays, asking about automatically de-installing software from the managed nodes.

- c. Click the **Yes** button.

The software de-installation script, `inst.sh(1M)`, is run in an additional terminal window. This script verifies that all deleted managed nodes are accessible by root. If passwords are missing, you will be prompted to enter them. During script execution, errors or warnings requiring your attention may occur.

Verify the overall result of the script.

- d. Press the **Return** key.

The terminal window closes.

2. Check the local de-installation logfile.

Check the local (managed node) de-installation logfile for any problems.

For the location of the logfile on your managed node, see the *OVO DCE Agent Concepts and Configuration Guide*.

To De-install the OVO Agent Software Manually

Note that you can also manually de-install the OVO agent software which is, however, only supported on selected managed node platforms.

To de-install the OVO agent software manually, follow these steps:

1. Stop all OVO agents running on the managed node.
2. Enter commands to de-install the software.

To find out which command to enter for to the platform from which you are de-installing the software, see the *OVO DCE Agent Concepts and Configuration Guide*.

NOTE

After manually de-installing the OVO software from a managed node, you must enter the following command on the management server:

```
opcswh -de_installed <node>
```

Managing OVO Agent Software

Frequently, managed nodes, including those with the same architecture, do not run the same operating system versions. Different operating systems are used for different purposes.

For example:

❑ **Production Systems**

Run approved operating systems versions where all required applications are available.

❑ **Development Systems**

Run the approved or latest operating systems versions.

❑ **Test Systems**

Run approved or latest operating system versions.

Managing Different Versions of Agent Software

Because different operating systems are used for different purposes, OVO has to support a growing list of operating system versions. Because of technical limitations and new technologies, it is possible that not all future versions of OVO may be able to support the entire spectrum of operating system versions. Nevertheless, OVO does provide internal management of the OVO agent software version.

If you install a new OVO agent version (with the same fileset name) on a management server supporting the same set (or a superset) of operating system versions as the previously installed OVO agent version, the previous OVO agent version is erased. However, if you install a new OVO agent version on a management server supporting only some of the previously supported operating system versions, then both OVO agent versions are kept on the management server.

To Display Versions of Available Agent Packages

To display a summary of all OVO agent packages including the supported operating system versions that are currently available on the management server, run the following script on the management server:

```
/opt/OV/bin/OpC/agtinstall/opcversion -a
```

The latest possible OVO agent version supporting the operating system version of the managed node is probably installed on that node. See “To Display Versions of Installed Agent Packages” on page 65 for information about how to query the version of the installed agent software.

The related OVO software for each supported architecture is available in:

```
/var/opt/OV/share/databases/OpC/mgd_node/vendor/\  
<platform_selector>/<ovo_version>/<package_type>
```

Where:

<code><platform_selector></code>	One of the selectors for your platform. For more information, see the <i>OVO DCE Agent Concepts and Configuration Guide</i> .
<code><ovo_version></code>	Version of OVO that supports this agent platform (for example, A.08.00).
<code><package_type></code>	Type of RPC communication used by that platform (that is, DCE, NCS, or Sun).

To Display Versions of Installed Agent Packages

To display the version number of the OVO agent software that is currently installed on a managed node, run the following command on the management server:

```
/opt/OV/bin/OpC/opcragt -agent_version <node>...
```

See the man page *opcragt(1M)* for more information about possible restrictions of this command.

To Remove an Older Agent Package

If you no longer need an older OVO agent package, and that package is not installed on any managed node, you can remove it by running:

```
/opt/OV/bin/OpC/install/rm_opc.sh <platform_selector> \  
<vpo_version>
```

Where:

<platform_selector>.

One of the selectors for your platform. For more information, see the *OVO DCE Agent Concepts and Configuration Guide*.

<vpo_version>.

Version of OVO that supports this agent platform (for example, A.08.00).

NOTE

Do not use `swremove` to de-install an OVO agent package that you no longer need. Running `swremove` is useful only if you want to de-install *all* OVO agent packages of a particular architecture. In addition, remove the managed nodes from the OVO Node Bank *before* performing a complete de-installation of all managed nodes of a given architecture. Otherwise, the managed nodes cannot be removed easily using the administrator GUI.

Debugging Software (De-)Installation on Managed Nodes

OVO provides facilities for debugging the installation and de-installation of the OVO software on the managed nodes. These tools help developers when testing OVO installation scripts for new platforms, and assist users in examining errors that occur during the installation of the OVO agent software.

Facilities for Debugging (De-)Installation

The following facilities are available:

Command Tracing

Prints shell commands and their arguments from installation programs into a file specified in the file `inst_debug.conf` as argument of the environment variable `OPC_DEBUG_FILE`.

Event Tracing

Can be used in addition to command tracing to record important events of the installation process into the existing installation logfile:

```
/var/opt/OV/log/OpC/mgmt_sv/install.log
```

You can debug the installation or de-installation process locally (on the management server) and remotely (on the managed node). A debug definition file `inst_debug.conf` is provided to force debugging and to specify debug options. The debug facility is, therefore, available regardless of whether the script `inst.sh` is invoked manually or called by the OVO GUI.

To Enable (De-)Installation Debugging

The file `inst_debug.conf` must be edited before starting the installation process. It can only be edited by user `root`.

To enable installation and de-installation debugging, follow these steps:

1. Copy the file `inst_debug.conf` by entering:

```
cp /etc/opt/OV/share/tmp/OpC/mgmt_sv/inst_debug.conf \  
/var/opt/OV/share/tmp/OpC/mgmt_sv/inst_debug.conf
```

2. Edit your copy of the file `inst_debug.conf` by uncommenting the desired environment variables and by changing the values.

NOTE

The syntax of the file `inst_debug.conf` is not checked. Be careful when editing this file. If there are any syntax errors in the file, the installation process will abort.

For a detailed description of the (de-)installation debug facilities, as well as examples of the file `inst_debug.conf`, see the man page *inst_debug(5)*.

To Disable (De-)Installation Debugging

To disable debugging, remove the following file:

```
/var/opt/OV/share/tmp/OpC/mgmt_sv/inst_debug.conf
```

2 **Configuring OVO**

In this Chapter

This chapter describes the preconfigured elements for HP OpenView Operations (OVO). It also describes how to distribute the OVO configuration to managed nodes, and how to integrate applications into OVO. To better understand the elements and windows you can use to customize these preconfigured elements, see the *OVO Concepts Guide*.

IMPORTANT

The information in this chapter is applicable *only* for RPC-based managed nodes. For details about configuring OVO on HTTPS-based managed nodes, refer to *OVO HTTPS Agent Concepts and Configuration Guide*. See also *ovconfget* and *ovconfchg* man pages for more information.

About Preconfigured Elements

This section describes defaults for managed nodes, message groups, and message ownership.

By default, the management server is configured as a managed node with the default templates for SNMP event interception, OVO message interception, logfile encapsulation and monitoring.

About Default Node Groups

OVO provides default node groups for the management server. You can add, modify, delete, and hide these default node groups, as needed.

Node Groups for the Management Server

The management server belongs to one of the following node groups:

- **hp_ux**
OVO management server on HP-UX
- **solaris**
OVO management server on Sun Solaris

Adding, Modifying, Deleting, or Hidding Node Groups

As an OVO administrator, you can add, modify, and delete node groups using the Node Group Bank window of the OVO GUI.

About Default Message Groups

OVO provides default message groups. You can display, add, modify, and delete these default message groups.

Displaying Default Message Groups

The Message Group Bank window displays the default Message Groups provided with OVO. Details about individual message groups are shown in Table 2-1.

Table 2-1 OVO Default Message Groups

Message Group	Description
Backup	Messages about backing up, restoring, and restoring OVO (for example, <code>fbackup(1)</code> , HP OpenView Omniback II, HP OmniStorage, Turbo-Store).
Database	Messages about database problems
HA	Messages about high-availability problems.
Hardware	Messages about hardware problems
Job	Messages about job streaming.
Misc	Messages that cannot be assigned to any other message group. If a message does not have a message group assigned, or if the message group is not configured, the message automatically belongs to the Misc message group. This message group cannot be deleted.
NetWare	Messages generated by Novell NetWare managed nodes.
Network	Messages about network or connectivity problems.
OpC	Messages generated by OVO itself. This message group should not be used by <code>opcmsg(1 3)</code> . The OVO message group cannot be deleted.
OS	Messages about malfunctions in the operating system, I/O, and so on.
Output	Messages about print spooling and hardcopy functionality (for example, <code>lp(1)</code> , <code>lpr(1)</code>).

Table 2-1 OVO Default Message Groups (Continued)

Message Group	Description
Performance	Messages about hardware malfunctions (that is, CPU, disk, or process malfunctions) and software malfunctions (for example, HP OpenView Performance malfunctions).
Security	Messages about security violations or attempts to break into a system.
SNMP	Messages generated by SNMP traps.
SSP	Messages generated by SSP templates.


Adding, Modifying, and Deleting Message Groups

You can add, modify, or delete message groups with the Message Group Bank window on the OVO GUI, while working as an OVO administrator.

About the Message Browser Window

As shown in See Figure 2-1, the Message Browser window contains key information about incoming messages.

Figure 2-1 Message Attributes and Values



Each line of the `Message Browser` window displays a single message and its attributes. In addition, it displays a value beneath each attribute for each message. A dash indicates that the message does not have a value matching the attribute (for example, a dash in the **A** column indicates that no **automatic action** has been configured for this message).

Levels of Message Severity

The first column in the `Message Browser` window headline is **Sev.** (that is, severity). This column shows you at a glance the severity status of the message. The OVO administrator assigns a severity level to a message based on its importance in a given operator's environment. To comply with telecom standards, OVO recognizes six severity levels. These severity levels are described in Table 2-2.

Table 2-2 **Message Severity Levels**

Severity Level	Color Code	Meaning
Critical	Red	Condition that affects service has occurred. Immediate corrective action is required
Major	Orange	Problem with a relatively high severity level has occurred. It is <i>likely</i> that normal use of the object will be impeded.
Minor	Yellow	Problem with a relatively low severity level has occurred. It is <i>unlikely</i> that normal use of the object will be impeded.
Warning	Cyan	Problem that affects service will or could occur. Diagnostic and corrective action is recommended.
Normal	Green	Message output is normal (that is, what was expected). For example, a process begins, a process finishes, or status information is displayed.
? Unknown	Blue	Severity level cannot be determined.

NOTE

The severity column of the Message Browser window provides a maximum of four characters to indicate a message's severity level. Table 2-2 on page 74 shows this abbreviated form in bold, underlined text.

Types of Message Attributes

Message attributes that display in the Message Browser headline are shown in Figure 2-1 on page 73 and described in the following list.

S Owned/Marked Message State

Either a user has read (Marked) or taken ownership of (Owned) a message. Or the message is a **notification** message.

Four types of flags can display in this column:

O Message is owned by the user of the browser.

X Message is owned (and therefore restricted in terms of access) by someone other than the user of the browser.

M Message is marked by the user of the browser.

N Message is a notification message.

Only OVO users can own or mark messages. A message may only be disowned or unmarked by its owner or by the administrator. For details, see “About Message Ownership” on page 78.

U Unmatched Message

Message does not match any of the filters defined for a message source. Filters are sets of conditions that determine whether OVO accepts or suppresses messages.

Unmatched messages require your special attention because they can represent problems for which no preconfigured action exists. In general, you should inform the OVO administrator of unmatched messages. The OVO administrator can either improve the corresponding message or suppress the message conditions.

I Help Instructions

Instructions help you resolve the problem. If available, these instructions are displayed in the `Message Details` window.

A Automatic Action

Automatic action has been configured for the message, and gives the status of the action.

The value of the attribute tells you the following:

S Action was successful.

F Action has failed.

R Action is running

O Operator-initiated Action

Operator-initiated action has been configured for the message. The status of the action is also provided. You start operator-initiated actions after reviewing the message.

The value of the attribute tells you the following:

X Action is available.

S Action was successful.

F Action has failed.

R Action is running.

N Annotations

Annotations exist for this message. You can review annotations for procedures used to resolve similar problems by using the `History Browser` window.

E	Escalations Message has been escalated to or from another OVO server. The value of the attribute tells you the following: E Message has been escalated to you from another server. T Message has been escalated by you to another server.
Date	Date the message was received on the OVO management server.
Time	Time the message was received on the OVO management server.
Node	Node that issued the message.
Application	Application that detected or was affected by the message.
MsgGroup	Message group to which the message belongs.
Object	Object that was detected by the message, affected by the message, or caused the message. This can be, for example, a printer which sent a message when it stopped accepting requests, or a backup device that sent a message when a backup stopped.
Description	Displays the text of the message. You can review this original message text the <code>Original Message</code> window, accessible from the <code>Message Details</code> window.

About Message Ownership

OVO message ownership enables users to **mark** or **own** messages.

Marking or Owning a Message

By marking or owning a message, you restrict access to the message, as follows:

Marking a Message

Operator or administrator has taken note of a message.

Owning a Message

Operator or administrator either chooses to take charge of a message or is forced to take charge of a message, Depending on how your environment has been configured. The operator or administrator must take charge of the message to carry out actions associated with that message.

Types of Ownership Display Modes

OVO provides different ways to configure the way message ownership is displayed and enforced.

OVO provides two **ownership-display modes**:

No Status Propagation (default)

Uses the option `OPC_OWN_DISPLAY NO_STATUS_PROPAGATE`.

Status Propagation

Uses the option `OPC_OWN_DISPLAY STATUS_PROPAGATE`.

About the “No Status Propagation” Display Mode

If the display mode is set to `No Status Propagation`, the severity color of a message changes when the message is owned or marked.

OVO uses the following default colors to indicate ownership:

Pink	Message is owned by you
Beige	Message is owned by someone else.

In addition, a flag indicating ownership displays in the own-state column (S) of the Message Browser window. And the own-state color bar at the bottom of the Message Browser window reflects the new number of messages owned. For the purposes of status propagation, the status of a message that is owned or marked is ignored in the Managed Nodes window; the operator Message Group, Node Bank and Node Group Bank windows; and the administrator Message Group Bank window. In addition, the status of the message is not indicated by the OVO Alarm symbol in the Node Submap.

About the “Status Propagation” Display Mode

If the ownership-display mode is set to status propagation, then the status of all messages whether they are owned or not is used in reflecting status propagation in the related symbols of other submap windows. In this display mode, the only indication that the a message is owned is a flag in the own-state column in the Message Browser window.

For more information on which flags you might expect to find in the own-state column and what they mean, see “Levels of Message Severity” on page 74. For information on how to go about setting the ownership and ownership-display modes, see the OVO Administrator’s Guide to Online Information.

Changing Ownership Display Modes

To change to an alternative ownership display mode, follow these steps:

1. To use the required display mode, use the command line tool `ovconfchg` on the OVO management server. For example, to change to the status propagation display mode, use the option `OPC_OWN_DISPLAY STATUS_PROPAGATE`. See “Types of Ownership Display Modes” on page 78 for the available options.
2. Restart the OVO GUI.
3. Reload the configuration of any connected Java GUI. (See the OVO Java GUI Operator’s Guide.)

Types of Default Ownership Modes

The administrator sets ownership policy by selecting one of the following default ownership modes:

Optional User *may* take ownership of a message. Use the option `OPC_OWN_MODE OPTIONAL`.

- Enforced** User *must* take ownership of messages. Use the option `OPC_OWN_MODE ENFORCED`.
- Informational** Concept of ownership is replaced with that of marking and unmarking. A marked message indicates that an operator has taken note of a message. Use the option `OPC_OWN_MODE INFORM`.

About the “Optional” Ownership Mode

In **optional** mode, the owner of a message has exclusive read-write access to the message. All other users who can view the message in their browsers have only limited access to it.

In optional mode, only the owner of a message may do the following:

Actions

Perform operator-initiated actions related to the message.

Escalation

Escalate the message.

Acknowledgement

Acknowledge the message (that is, move the message to the history database).

About the “Enforced” Ownership Mode

In **enforced** ownership mode, either an operator chooses explicitly to take ownership of a message, or the operator is assigned the message automatically. A message can be assigned to an operator if the operator attempts to perform operations on a message that is not owned by any other operator.

In **enforced** mode, ownership of a message is assigned to any operator who attempts to do the following with the message:

Actions

Perform operator-initiated actions relating to the message.

Escalation

Escalate the message.

Unacknowledgement

Unacknowledge the message (that is, move the message from the history database to the active database).

About the “Informational” Ownership Mode

In **informational** mode, a **marked** message indicates that an operator has taken note of a message. Marking a message is for informational purposes only. Unlike optional and enforced modes, informational mode does not restrict or alter operations on the message. Operator may unmark only those messages they themselves have marked.

About Template Groups

The template administrator uses the Message Source Templates window to add, modify, or delete templates and template groups.

Types of Default Template Groups

Default template groups are provided with the OS-SPI for the following platforms: AIX, HP-UX, Linux, Sun Solaris, Tru64 UNIX, and Windows. For more information on default template groups provided with the OS-SPI, refer to the OS-SPI documentation.

NOTE

OVO templates are available for reference but no longer as default for the specified agent platforms.

Default template groups are still provided with OVO for some of the DCE/NCS/SunRPC-based platforms that are not supported by the OS-SPI: NetWare, MPE/iX, IBM (Sequent) ptx, Sinix RM/Reliant, and SGI Irix.

NOTE

The matching OS-SPI configuration and software that supports OVO 7 agents and is supplied together with OVO 08.00, can also be installed and used on RPC-based platforms.

Table 2-3 lists some of default template groups, other than template groups for DCE/NCS/SunRPC-based platforms, that are provided with OVO. It also describes briefly what each group does.

Table 2-3 OVO Default Template Groups

Template Group	Description
RPC-Based Agents	Default template groups delivered with OVO
ECS Agent	Event correlation templates for the OVO agent ^a
MC/ServiceGuard	Templates for MC/ServiceGuard support ^b
Management Server	Templates for the OVO Management Server
SSP	Templates for SSP nodes
HA Management Server	Templates for the High Availability Management Server

- a. For more information on supported platforms for ECS, see the *OVO Installation Guide for the Management Server*.
- b. MC/ServiceGuard is not supported on Sun Solaris.

NOTE

A template group for each individual agent platform exists. For details about your agent platform, see the *OVO DCE Agent Concepts and Configuration Guide*.

Adding, Modifying, and Deleting Template Groups

You can add, modify, or delete template groups with the Message Source Templates window in the OVO GUI.

About Default Users

OVO provides a number of user configurations. You can customize these default settings to match the specific requirements of your organization.

Types of Default Users

Standard OVO user configurations include the following:

- ❑ **opc_adm**
OVO administrator.
- ❑ **opc_op**
OVO operator.
- ❑ **netop**
Network operator.
- ❑ **itop**
IT operator.

To Start the OVO GUI from the Command Line

To start the OVO GUI from the command line, follow these steps:

1. Enter the following command:

opc

The `User Login` dialog box opens.

2. Enter your user name and password.

For a list of default user names and passwords for all preconfigured users, see Table 2-4 on page 85.

Table 2-4

OVO User Names and Passwords

Default User	Default User Name	Default Password
OVO administrator	opc_adm	OpC_adm
Template Administrator	Configurable	Configurable
opc_op operator	opc_op	OpC_op
netop operator	netop	NeT_op
itop operator	itop	ItO_op

NOTE

In the interest of security, after logging in to OVO for the first time, set up a new password using the `Change Password` window. The administrator can also use the `Modify User` window to change the password of each configured user.

To Start the OVO GUI from the Management Server

To start the OVO from the management server, do one of the following, depending on your platform:

❑ **HP-UX**

On HP-UX systems running the HP VUE GUI, you can start the OVO GUI by opening the `System_Admin` folder in the `Application Manager` window and double-clicking the OVO GUI symbol.

A short introduction to OVO is also available by clicking the OVO symbol in the `System_Info` folder of the general toolbox.

❑ **Sun Solaris**

On Solaris systems you can start the OVO GUI by opening the OVO folder in the `Application Manager` window, and double clicking the OVO GUI icon.

A short introduction to OVO is also available by clicking the OVO symbol in the `System_Info` folder of the general toolbox.

When you start an OVO operator GUI session, the working directory is defined by the environment variable `$OPC_HOME` or `$HOME`, if they are set. If neither `$OPC_HOME` nor `$HOME` is set, then `/tmp` is the default working directory. For more information on access to files and file permissions in OVO, see “About File Access and Permissions” on page 463; for more information on common OVO variables, see “About Variables” on page 154.

About the OVO Administrator

OVO supports only one OVO administrator, whose responsibility it is to set up and maintain the OVO software. The OVO administrator’s login name, `opc_adm`, cannot be modified.

Multiple template administrators may be configured using the `Add User` window to manage message-source templates. Template administrators are set up by the OVO administrator in the GUI: their administrative responsibility is limited to template management.

Types of Default Operators

OVO provides three default operators:

- `opc_op`
- `netop`
- `itop`

These default operators are preconfigured with distinct areas of responsibility. For more information on the scope of each default operator, see the *OVO Concepts Guide*.

OS-SPI, which is automatically installed by default, will add its user profiles to the default operator `opc_op`.

NOTE

Types of Default Node Groups

Table 2-5 shows which node groups are assigned by default to each OVO operator.

Table 2-5 Default Node Groups for Operators

Node Group	<code>opc_op</code>	<code>netop</code>	<code>itop</code>
HP-UX	✓		✓
Solaris	✓		✓
Net Devices		✓	✓

Types of Default Message Groups

Table 2-6 shows which message groups are assigned by default to each OVO operator.

Table 2-6 Default Message Groups for Operators

Message Group	<code>opc_op</code>	<code>netop</code>	<code>itop</code>
Backup	✓		✓

Table 2-6 **Default Message Groups for Operators (Continued)**

Message Group	opc_op	netop	itop
Databases	✓		✓
HA	✓		✓
Hardware	✓		✓
Job	✓		✓
Misc.	✓		✓
NetWare	✓		✓
Network	✓	✓	✓
OpC	✓		✓
OS	✓		✓
Output	✓		✓
Performance	✓		✓
Security	✓		✓
SNMP	✓	✓	✓
SSP	✓	✓	✓

NOTE

Although the various operators may have the same message group icon in their respective *Message Groups* windows, the messages each operator receives and the nodes those messages come from are not necessarily the same. The responsibility matrix chosen by the administrator for a given operator determines which node group sends which messages to which operator.

For example, by default, all OVO operators have the *Network* message-group icon in their respective *Message Groups* windows. However, the node groups that send messages associated with the

Network message group vary according to the operator. The origin of the messages depends on the selection the administrator makes in a given operator's responsibility matrix.

Types of Default Application Groups

Table 2-7 shows which application groups are assigned by default to each OVO operator.

Table 2-7

Default Application Groups for Operators

Application Groups	opc_op	netop	itop
Net. Activity		✓	✓
Net. Config		✓	✓
Net. Diag.			✓
NNM Tools			✓
OV Services		✓	✓
SNMP Data		✓	✓
X-OVw		✓	✓

Types of Default Applications

The applications and application groups assigned by default to the OVO users reflect the responsibility given to them by the administrator.

Table 2-8 on page 90 shows you which applications are assigned by default to each user. OVO allows you to add, delete, and move applications (by dragging and dropping applications, or by copying and pasting applications). In this way, the administrator can use the default settings as a base for configuring users and responsibilities that match the needs of individual environments.

Table 2-8 **Default Applications for Operators**

Applications	opc_op	netop	itop
Broadcast	✓		✓
Demand Poll		✓	
Disk Space	✓		
EMS Resources			✓
Highlight Message Node in OVw	✓		
Highlight Selected Node in OVw	✓		
IP Map		✓	✓
Locate Route via SNMP		✓	
MIB Browser	✓	✓	
Motif Sam ^a	✓		
Physical Terminal	✓		✓
Ping		✓	
Print Status	✓		
Processes	✓		
Remote Ping		✓	

Table 2-8 Default Applications for Operators (Continued)

Applications	opc_op	netop	itop
Start OVw	✓		
Telnet (xterm)		✓	
Test IP		✓	
Virtual Terminal	✓		✓
OVO Status	✓		✓
OVO Templates			✓

a. **Motif Sam** application is not available on Solaris.

Enabling UNIX Users to Log into to the Managed Node Directly

By default, the UNIX user `opc_op` cannot log into the managed node directly. This inability is indicated by an asterisk (*) in the password field of `/etc/passwd`. Access to the OVO Virtual Terminal application, as well as to other applications in the Application Desktop, is possible only if the user is allowed to log into the managed node on which the application is to be run.

To enable an operator to log into the managed node directly, you can use one of the following methods:

❑ **Create a Home Directory**

Provide a `$HOME/.rhosts` entry on the managed node for every UNIX user logged into the management server. `$HOME` is the home directory of the executing user on the managed node.

❑ **Create a Host Equivalent**

On the managed node, provide a `/etc/hosts.equiv` entry for the management server. This solution is preferable to the method above if you log in or run applications on the managed node as many different users.

❑ **Create a Password**

Set a password for the executing user on the managed node, if not yet done. Use this password in the corresponding OVO windows.

Enabling UNIX Users to Access Windows Nodes

The UNIX user has only limited access to Windows managed nodes, most notably through OVO **virtual terminal** application. This application is a part of the Windows agent, and is not available unless the agent is running on the Windows node.

NOTE

The virtual terminal application will not work for HTTPS-based Windows nodes.

It is not possible to direct the display of a Windows terminal to a UNIX terminal. For this reason, access through the virtual terminal is restricted to command-line actions. Any programs that invoke a graphical user interface cannot be used.

About Default Applications and Application Groups

Default applications and application groups are provided with the OS-SPI for the following platforms: AIX, HP-UX, Linux, Sun Solaris, Tru64 UNIX, and Windows. For more information on default application groups provided with the OS-SPI, see the *OS-SPI documentation*.

NOTE

OVO applications are available for reference but no longer as default for the specified agent platforms.

Default application groups are still provided with OVO for some of the DCE/NCS/SunRPC-based platforms that are not supported by the OS-SPI: NetWare, MPE/iX, IBM (Sequent) ptx, Sinix RM/Reliant, and SGI Irix.

NOTE

The matching OS-SPI configuration and software that supports OVO 7 agents and is supplied together with OVO 08.00, can also be installed and used on RPC-based platforms.

Table 2-9 show the default applications and application groups provided by OVO.

Table 2-9

Default Applications and Application Groups

Name	Application	Application Group
Broadcast	✓	
Net Activity		✓
Net Config		✓
Net Diag		✓
NNM Tools		✓
OV Services		✓
Physical Terminal	✓	
SNMP Data		✓
Virtual Terminal	✓	

Table 2-9 **Default Applications and Application Groups (Continued)**

Name	Application	Application Group
OVO Status	✓	
Certificate Tools		✓
MPE Tools		✓
OV Composer		✓
OVO Licence Tools		✓
SSP Tools		✓
NNM Admin Tools		✓
NNM Views		✓
NNM-ET Views		✓

About the “Broadcast” Application

The Broadcast application enables you to issue the same command on multiple systems in parallel:

UNIX

Default

User: **opc_op**

Default

Password: None is required because the application is started through the OVO action agent.

Windows

Default

User: **opc_op**

Default

Password: None is required because the application is started through the OVO action agent.

NOTE For both UNIX and Windows, if the default user has been changed by the operator, you must supply a password.

About the “Disk Space” Application

The `Disk Space` application shows the current disk usage:

❑ UNIX

Command

Issued: **opcdf**

This command is a script calling `bdf` on HP-UX, as well as `df` on Solaris, AIX, Linux, SGI IRIX, Tru64 UNIX, IBM/ptx, and SINIX/Reliant.

Default

User: **opc_op**

NOTE

If the default user has been changed by the operator, you must supply a password.

❑ Windows

Returns information about all drives on the system, including floppy drives, CD-ROM drives, and network drives

Default

User: **HP ITO account**

About the “MIB Browser” Application

The `MIB Browser` application is the standard OpenView browser `xnmbrowser`.

About the “OV Services” and “OV Applications” Groups

NOTE

See “About the “X-OVw” Application Group” on page 101 for more information about the OV application group `X-OVw`.

Depending on the integration mechanism you use for HP OpenView applications, OVO logically distinguishes between **OV Services** and **OV Applications**. OV Services are accessed from the menu bar. Some OV Services only start daemons.

The administrator can see OV Service symbols in the administrator Application Bank window. These symbols can be copied to the operator Application Desktop window, as needed. For details about OV Services, see the *OVO Administrator's Guide to Online Information*.

NOTE

You always start **OV Services** and **OV Applications** under the UNIX account that started the OVO GUI.

About the “Physical Terminal” Application

When starting the physical terminal application, you call the script defined as the `Physical Terminal` command in the `Node Advanced Options` window:

UNIX

Default

User: **root**

Default

Password: None is configured.

Windows

Default

User: **administrator**

Default

Password: None is configured.

About the “Print Status” Application

The Print Status application shows the current status of spooling systems:

❑ UNIX

Command

Issued: **lpstat -t**

Default

User: **opc_op**

Default

Password: None is required because the application is started through the OVO action agent.

NOTE

If the default user has been changed by the operator, you must supply a password.

❑ Windows

Print status is unavailable for Windows managed nodes.

About the “Processes” Application

The Processes application displays the status of the running processes:

❑ **UNIX**

Command

Issued: **opcps**

This command is a script calling **ps -eaf** on HP-UX, AIX, Solaris, Linux, SGI IRIX, Tru64 UNIX, IBM/ptx, and SINIX/Reliant.

Default

User: **opc_op**

NOTE

If the default user has been changed by the operator, you must supply a password.

❑ **Windows**

Command

Issued: **itodiag.exe /processes**

Default

User: **HP ITO account**

About the “Virtual Terminal” Application (UNIX Only)

The Virtual Terminal application provides virtual terminal connection to UNIX systems using `rlogin` (remote login).

CAUTION

Make sure that the `rlogind` has *not* been configured with the `-B` (for banner file) option in the `inetd.conf` file. This option causes problems with the remote login procedure for Window (Input/Output) applications.

If an `.rhosts` (or `/etc/hosts.equiv`) entry is available for the specified user, or if the default or configured password fits, a remote login is performed. For details, see “Enabling UNIX Users to Log into to the Managed Node Directly” on page 91.

Default

User: **opc_op**

Default

User: None is configured.

For information about a Virtual Terminal on a Windows managed node, see the *OVO DCE Agent Concepts and Configuration Guide*.

About the “OVO Status” Application

The OVO Status application issues the `opcragt` command. This application enables you to remotely generate a current status report about all OVO agents on all nodes.

The OVO Control Agent must always run on the managed nodes. Otherwise, the agents cannot remotely be accessed from the OVO management server.

Default

User: **root** (user must be **root**)

Default

Password: None is required because the application is started through the OVO action agent.

NOTE

If the default user has been changed by the operator, you must supply a password.

About the “X-OVw” Application Group

The X-OVw application group contains the following applications:

- ❑ **Highlight Message Node in OVw**
Maps the node related to a selected message to an NNM system, and highlights the node in an ovw session of that NNM system.
- ❑ **Highlight Selected Node in OVw**
Maps the selected node to man NNM system, and highlights the node in an ovw session of that NNM system.
- ❑ **Start OVw**
This application starts an ovw session on a remote NNM system.

These application provide the basis for the default integration of OVO with the Network Node Manager.

Correlating Events

The runtime engine for OVO event-correlation is available for the OVO management server and the OVO agent. See the *OVO Installation Guide for the Management Server* for a list of platforms on which the runtime engine currently runs.

For more information about the concepts behind event correlation, as well as the way event correlation works in OVO, see the *OVO Concepts Guide*. For help in setting up event correlation in OVO, see the *OVO Administrator's Guide to Online Information*.

Encapsulating Logfiles

For detailed information about encapsulated logfiles, see the template in the OVO GUI.

NOTE

The templates are configured to collect information from logfiles that are produced by standard installations. If you are monitoring a non-standard installation, you should modify the templates to suit your particular needs.

Intercepting SNMP Traps and Events

For details about which traps are intercepted by default, see the SNMP trap templates in the `Message Source Templates` window of the OVO administrator GUI. By default, OVO intercepts SNMP traps from any application sending traps to the `opctrapi` daemon running on the management server. OVO also intercepts SNMP traps on all managed nodes where the OV trap daemon (`ovtrapd`) is running, or where port 162 can be accessed directly.

See the *OVO Installation Guide for the Management Server* for a list of platforms on which the SNMP event interceptor is currently supported.

Types of Traps that Can Be Intercepted

The following kinds of traps can be intercepted:

Well-defined Traps

Example: system coldstart, network interface up/down, and so on

Internal HP OpenView Traps

Example: traps originating from netmon

Resolving Localhost IP Addresses

By default, intercepted traps whose source address is the localhost address (127.0.0.1) are forwarded to the management server with that address. If you want intercepted traps of this type to be forwarded to the management server with the localhost address replaced by the resolved IP address of the node processing the trap, add the following line to the `opcinfo` file on that node:

```
OPC_RESOLVE_TRAP_LOCALHOST TRUE
```

For the location of the `opcinfo` file on all platforms, see Table 11-1 on page 377.

Intercepting Distributed Events

OVO Distributed Event Interception enables you to intercept SNMP traps on systems other than the OVO management server. Intercepting these SNMP traps provides performance benefits by allowing the local processing of messages. Automatic actions, for example, can be triggered and executed directly on the node or in the subnet, instead of being first forwarded to the management server.

Configuring OVO Distributed Event Interception

OVO Distributed Event Interception has two configurations:

❑ Basic Configuration

To set up the basic configuration, follow these steps:

1. Configure SNMP destinations or NNM collection stations.

Make sure that SNMP devices have only one SNMP destination, or that there is only one system serving as the NNM collection station for the management server (preferably, the collection station connected through the fastest network).

Set the destination systems for SNMP devices on HP-UX and Solaris nodes in the `/etc/SnmpAgent.d/snmpd.conf` file with the following statement:

```
trap_dest : <nodename>
```

2. Modify the `opcinfo` file.

If NNM is not running on the node where you want to intercept events, add the following line to the `opcinfo` file on that node:

```
SNMP_SESSION_MODE NO_TRAPD
```

3. Assign and distribute the trap template to the node.

❑ Configuration to Avoid Duplicate Messages

Make certain that an OVO agent (and thus, an OVO event interceptor) runs on all NNM collection stations. Use the Print Collection Station application in the NNM Tools application group to verify which managed nodes are set up as NNM collection stations.

Intercepting Events with Event Correlation Services

By default, `opctrapi` connects to the correlated event flow of `pmd`.

You can change this behavior by adding a statement to the `opcinfo` file on the managed node using the following syntax:

```
SNMP_EVENT_FLOW [CORR|RAW|ALL]
```

where:

CORR	Correlated event flow (the default).
RAW	Uncorrelated event flow. This flow does not contain events created by correlations.
ALL	CORR plus RAW minus any duplicates.

The correlated event flow (CORR) is further divided into streams

`opctrapi` connects to the default Event Correlation Services (ECS) stream of `pmd` (default). If necessary, you can configure `opctrapi` to connect to a specific ECS stream of `pmd` by specifying the ECS stream in the `opcinfo` file:

```
SNMP_STREAM_NAME <stream_name>
```

For more information about ECS, see *HP OpenView ECS Configuring Circuits for NNM and OVO*.

Intercepting OVO Messages

By default, any message submitted through the `opcmsg(1)` command or through the `opcmsg(3)` API is intercepted. For message attribute defaults, logging options and so forth, see the template, `opcmsg(1|3)`.

OVO internal error messages can also be intercepted by the OVO message interceptor; see the *OVO Error Message Reference* for more information.

Intercepting MPE/iX Console Messages

To find out how to intercept MPE/iX console messages, see the *OVO DCE Agent Concepts and Configuration Guide* for more information.

Monitoring Objects

Table 2-10 shows how OVO monitors object thresholds on the management server.

Table 2-10 Object Thresholds on the Management Server

Object	Description	Threshold	Polling Interval
disk_util	Monitors disk space utilization on the root disk.	90%	10m
distrib_mon	Monitors the software distribution process. Generates a message for each pending distribution.	1	10m
mondbfile	Monitors free space on disk, as well as the remaining space available for Oracle autoextend datafiles.	0%	10m
proc_util	Monitors process table utilization.	75%	5m
swap_util	Monitors SWAP utilization.	80%	5m

For a detailed list of object thresholds on your managed node platform, see the *OVO DCE Agent Concepts and Configuration Guide*.

Monitoring MIB Objects from Other Communities

You can monitor MIB objects from communities other than public. To monitor these communities, add the following line to the `opcinfo` file on the managed node:

```
SNMP_COMMUNITY <community>
```

In this instance, <community> is the community for which the `snmpd` is configured.

For the location of the `opcinfo` file on all platforms, see Table 11-1 on page 377.

If `SNMP_COMMUNITY` is not set, the default community `public` is used. To find out how to determine the configuration of `snmpd`, see the documentation supplied with the SNMP daemon.

Templates for External Interfaces

By default, no notification is configured. Notification maintenance is available under the `Actions:Utilities->Notification Service...` menu of the OVO Node Bank. **No trouble ticket system interface is configured. You can set up one using the `Actions:Utilities->Trouble Ticket...` menu.**

About Database Reports

OVO provides preconfigured reports for the administrator and the operators. In addition, you can create customized reports using the report writer supplied with the installed database or any other report-writing tool.

You can do the following with database reports:

- Display in a window
- Save to a file
- Print

Defining a Printer for Reports

You can define a printer for reports using the X resource, `Opc.printCommand`, in the general application defaults file:

```
/opt/OV/lib/X11/app-defaults/<language>/Opc
```

Or you can use `Opc.printCommand` in your private file:

```
$HOME/.Xdefaults
```

Configuring Timeouts for Report Generation

If you expect that generating a report may take longer than five minutes, set the keyword `OPC_REPORT_TIMEOUT` using the command-line tool `ovconfchg` on the OVO management server. By default, this keyword assumes a value of 300 seconds. To increase the timeout, set the keyword using the `ovconfchg`, specify the desired value in seconds, and restart your GUI session.

Generating Reports for the Internet

You can retrieve specific information directly from the database and publish and view the resulting reports in graphically rich formats on the Internet. To generate these Internet-ready reports, use enhanced reporting features of OVO in conjunction with OpenView Service Reporter. For more information, see the documentation supplied with the OpenView Service Reporter and the *OVO Concepts Guide*.

Types of Preconfigured Administrator Reports

Table 2-11 describes various reports configured for the OVO administrator. You can access these reports by selecting Actions:Utilities->Reports... in the OVO GUI.

NOTE

If you are in any of the administrator's browser windows, you can access only operator reports.

Table 2-11 Preconfigured Reports for the OVO Administrator

Report Name	Description
Action Report	Action audit report for all operators. Shows the OVO user, UNIX user, source (for example, GUI, API, CLI), date, time, report area, and action (that is, successful or unsuccessful). Available only for audit level Administrator Audit.
All Active Messages	Report on the number of active messages per message group.
Audit Report	Report on all user areas. Shows the OVO users, source (for example, GUI, API, CLI), date, time, report area, and any associated actions. The audit-level setting determines which areas are included in the report.
Logon Report	Logon audit report for all OVO users. Shows the UNIX user, source (for example, GUI, API, CLI), date, time, report area (that is, logon or logoff), and actions (that is, successful or unsuccessful). Available only if auditing is enabled.
Node Config Report	Report on all resulting template to node assignments.

Table 2-11 Preconfigured Reports for the OVO Administrator (Continued)

Report Name	Description
Node Group Report	Detailed report on a selected Node Group. Same as “Nodes Overview” except it adds user and message-group assignments for the given node group.
Node Groups Overview	Report on all configured Node Groups indicating which nodes and external nodes belong to which node groups.
Node Reference Report	Report on referenced nodes that are not in the Node Bank.
Node Report	Detailed report on a selected managed node.
Nodes Overview	Report on all configured nodes. Shows the node name, machine type, node type (for example, message-allowed, controlled), license, and heartbeat polling settings.
Oper. Active Details	Report on all active messages for an operator (detailed description).
Oper. Active Message	Report on all active messages for an operator (short description).
Operator History Messages	Short history of the (acknowledged) messages for a given operator.
Operator Overview	Short description of all configured operators, including real and logon names, role, rights, and responsibilities.
Operator Pending Messages	Short description of pending messages for a given operator.
Operator Report	Detailed report on a selected operator. Includes a responsibility matrix (node and message groups), available applications, and assigned user profiles.
Template Detail	Detailed report on one selected template.

Table 2-11 Preconfigured Reports for the OVO Administrator (Continued)

Report Name	Description
Templates Overview	Lists all templates. Shows which template groups the various templates belong to.
Templates Summary	Report about <i>all</i> aspects of <i>all</i> templates. Might take a long time to generate.
Unmonitored	Report on configured but currently unmonitored objects. Indicates, for example, the unassigned node group or message group combinations.
User Action Report	Same as “Action Report” except it is for only one selected user.
User Audit Report	Same as “Audit Report” except it is for only one selected user.
Cert. State Overview	Report about Cert. States for all configured nodes.
CE Audit Report	Audit Report for Certificate Events.
Licence Overview	OVO licence status and report.
User Logon Report	Same as “Logon Report” except it is for only one selected user.
User Profile Overview	Report on all configured user profiles.
User Profile Report	Detailed report on one selected user profile.
OVO Error Report	Review of the OVO error logfile on the management server: <code>/var/opt/usr/OV/log/OpC/mgmt_sv/\</code> <code>opcerror^a</code>
Working OVO Users	Report on all OVO users who are currently logged on. Shows, for example, the IP addresses of their machines.

a. For more information about the logfiles containing the errors, see “Reporting Errors” on page 380.

Defining Customized Administrator Reports

You can define customized administrator reports by modifying the following file:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/reports/<lang>/\  
admin.rpts
```

If no absolute path is specified, the output of all OVO administrator reports is saved by default in the directory of the UNIX user that started the OVO administrator session. This directory is defined by \$OPC_HOME, if set, \$HOME, or /tmp in that order. All files that are created when the administrator saves report output are owned by the administrator's UNIX user, which may be but does not need to be the root.

Types of Preconfigured Operator Reports

Table 2-12 shows the types of reports that are preconfigured for OVO operators. To access operator reports, select Actions:Utilities->Reports... from the menu bar of the Message Browser window.

Table 2-12 Preconfigured Reports for OVO Operators

Report Name	Description
All Active Details	Detailed report on <i>all</i> active messages seen by the user who runs the report.
All Active Messages	Short report on <i>all</i> active messages seen by the user who runs the report.
All History Messages	Brief report on <i>all</i> history messages seen by the user who runs the report.
All History Details	Detailed report on <i>all</i> history messages seen by the user who runs the report.
All Pending Details	Detailed report on <i>all</i> pending messages seen by the user who runs the report.
All Pending Messages	Brief report on <i>all</i> pending messages see by the user who runs the report.
Sel. Active Details	Detailed report on selected active messages.
Sel. Active Message	Report on selected active messages.
Sel. History Details	Detailed history of selected (acknowledged) messages.
Sel. History Message	History of selected (acknowledged) messages.
Sel. Pending Details	Detailed report on selected pending messages.
Sel. Pending Messages	Brief report on selected pending messages.
OVO Error Report	Review of the OVO error logfile on the management server: <code>/var/opt/OV/log/OpC/mgmt_sv/opccerror^a</code>

- a. For more information about the logfiles, see “Reporting Errors” on page 380.

Defining Customized Operator Reports

You can define customized operator reports by modifying the following file:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/reports/<lang>/\  
oper.rpts
```

Whenever an operator saves report output to a file without specifying an absolute path (starting with “/”), the file is stored in the operator’s UNIX working directory, which is defined by \$OPC_HOME (if set), \$HOME, or /tmp, in that order. In addition, the file is owned by the operator’s UNIX user, not by opc_op, unless the operator logged in as UNIX user opc_op. The permissions of the file are determined by the umask as it was set before the OVO Operator GUI was started.

Generating Statistical and Trend-analysis Reports

OVO enables you to generate statistical and trend-analysis reports over a defined period of time. These reports can be configured to cover periods from as little as a few days to as much as weeks or even months.

NOTE

The tool `/opt/OV/bin/OpC/opcdbmsgmv` moves all messages that are marked as acknowledged to the history-message tables in the database, where they are retained with little or no negative effect on operational tasks. Although automatically started every two hours by the OVO control manager, `opcdbmsgmv` may also be called manually for troubleshooting purposes.

About Report Security

To enhance report security, OVO restricts database access, Net8 access, and web reporting capabilities. You can customize these security measures to match the particular needs of your organization.

Restricting Database Access

For report-writing tools, OVO restricts database access to a single database user, **opc_report**. This user has read-only access. The `opc_report` user makes use of the Oracle report role **opc_report_role**. This report role is a kind of database user profile. You can use the role to enable additional users to access to the database so they can create reports using information in the OVO database tables.

Restricting Net8 Access

To accept net connections, Net8 requires a listener process running on the database node. The listener process accepts connection requests from any legal database user. If you want to tighten security still further, there are products available (for example, from Oracle) that help improve general communication security in this area. For more information, see the Oracle product documentation.

Restricting Web Reporting

To restrict web reporting, OVO requires you to place the web-reporting server on the same side of your firewall as the OVO database server. Any other configuration is not supported.

Configuring Flexible Management Templates

This section describes the conventions you use to set up flexible management with the example templates provided by OVO. For more information about the tasks involved in setting up flexible management in OVO, see the *OVO Administrator's Guide to Online Information*.

Locations of Flexible Management Templates

OVO provides a set of ASCII templates you use to define the OVO to configure and implement flexible management in a widely-distributed environment.

The ASCII templates are located in the following directory:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/tmpl_respmgrs
```

Types of Flexible Management Templates

Table 2-13 provides a brief description of each template.

Table 2-13

Example Templates for OVO Flexible Management

Template Name	Description
backup-server	Defines the responsible managers for an OVO backup server . If the OVO primary server fails, management responsibility can be switched to a backup server. The template defines two management servers: M1 and M2. Management server M2 can act as a backup server for management server M1.
escmgr	Defines the responsible managers for message escalation . The template defines two management servers: M1 and M2. Management server M2 has permission to escalate messages, at any time, to management server M1.
example.m2	Combines follow-the-sun and service-oriented message distribution functions.

Table 2-13 Example Templates for OVO Flexible Management (Continued)

Template Name	Description
example.m3	Additional example template for follow-the-sun functions.
followthesun	Defines the time templates and responsible managers for OVO follow-the-sun responsibility switching. The template defines three management servers: M1, (M2, and M3. These management servers can switch responsibility at different times of the day and week.
hier.specmgr	Provides an example of hierarchical management responsibility. SNMP traps are sent to the local management server. All other messages are sent to the primary management server.
hier.time.all	Provides an example of hierarchical management responsibility. Responsibility is switched between two servers according to a follow-the-sun time template.
hier.time.spec	Provides an example of hierarchical management responsibility. SNMP traps are sent to the local management server. All other messages are sent to the primary management server according to a follow-the-sun time template.
hierarchy	Defines the target management server (MC) to which messages can be escalated.
hierarchy.agt	Defines the responsible managers for hierarchical management responsibility switching for all nodes . The template defines two management servers: M1 and MC. M1 is configured as the primary manager for all nodes. MC is configured as an action-allowed manager for all nodes.
hierarchy.sv	Defines the responsible managers for hierarchical management responsibility switching for regional management servers .

Table 2-13 Example Templates for OVO Flexible Management (Continued)

Template Name	Description
msgforw	Defines the responsible managers for manager-to-manager message forwarding . The template defines the message-forwarding target rules.
outage	Defines the period of time in which a service is to be provided, or in which a system (for example, a database server) or service is scheduled to be unavailable.
service	Defines the responsible managers for service-related message distribution (for example, competence centers). The template defines a local management server: M1. The template also defines two examples of service centers: a database service center (DBSVC) and an application service center (ASVC).

Keywords for Flexible Management Templates

To define the various elements required in a flexible management configuration, OVO uses the following keywords and definitions:

CONDSTATUSVARS

Conditions status variables. For details, see “About Status Variables for Conditions” on page 133.

RESPMGRCONFIG

Responsible manager configuration.

DESCRIPTION

Short description of the manager.

SECONDARYMANAGERS

Secondary OVO managers of an agent. Each of these management servers have permission to take over responsibility and become the primary OVO manager for an agent.

- SECONDARYMANAGER Name of the secondary manager.
- NODE *<node>* Node name of the secondary manager.
- DESCRIPTION Description of the secondary manager.

ACTIONALLOWMANAGERS

OVO managers that are allowed to execute actions on the managed node. The action response (for example, command broadcast) is sent to this manager. Only the primary OVO manager can configure action-allowed managers for an agent.

- ACTIONALLOWMANAGER Name of the manager allowed to execute actions on the managed node.
- NODE Node name of the action-allowed manager. You can use the variable \$OPC_PRIMARY_MGR to specify that this node name is always the node name of the primary manager.
- DESCRIPTION Short description of the action-allowed manager.

MSGTARGETRULES

Message target rules.

- MSGTARGETRULE Rule to configure the message target conditions and the message target manager.
- DESCRIPTION Description of the message target rule.

MSGTARGETMANAGERS

Message target managers. OVO manager to which the agents send OVO messages, as well as the action responses to those OVO messages. The result of an OVO message is sent to only one OVO manager. The keyword is also used to escalate messages from one manager to another.

MSGTARGETMANAGER	Message target manager. Management server to which you forward a message. Always specify the IP address of the target management server as 0.0.0.0 . The real IP address is then resolved by the domain name server (DNS).
TIMETEMPLATE	Time template. Name of the time template corresponding to the target manager. If the time condition is always true, you can use the variable <code>\$OPC_ALWAYS</code> . If you use this keyword, message transfers to the target manager will <i>not</i> depend on the time.
OPCMGR	OPC manager. Node name of the target manager. You can use the keyword <code>\$OPC_PRIMARY_MGR</code> to indicate that this will always be the primary manager.
MSGCONTROLLINGMGR	Message-controlling manager. Enables message target manager to switch control of a message.
NOTIFYMGR	Notify manager. Enables the message target manager to notify itself. This attribute is set by default if no attribute is defined for the message target manager.
ACKNONLOCALMGR	Enables a message rule to force a direct acknowledgment of a notification message on a source management server.

MSGTARGETRULECONDS

Message target rule conditions.

MSGTARGETRULECOND	Condition that tells the agent to which management server to send specific messages. Messages are sent based on message attributes or time. The message agent evaluates the message target conditions by reading the file <code>mgrconf</code> . If the <code>mgrconf</code> file does not exist, the messages are sent to the management server name stored in the <code>primmgr</code> file. If the <code>primmgr</code> file does <i>not</i> exist, messages are sent according to instructions set using the <code>ovconfchg</code> command-line tool.
DESCRIPTION	Description of the message target rule condition.
SEVERITY	Severity level of the message. Can be Unknown, Normal, Warning, Minor, Major, Critical.
NODE <i><node></i>	One or more node names, separated by spaces. A node can be specified in different ways (for example, <code>NODE IP 0.0.0.0 hpbbn</code>). If the node is defined using the format <code>IP <ipaddress></code> or <code>IP <ipaddress> <string></code> , you should use the IP address “0.0.0.0”. The real IP address is then resolved by the domain name server (DNS).
APPLICATION	Application name.
MSGGRP	Message group name.
OBJECT	Object name.
MSGTYPE	Description of the message type.

MSGCONDTYPE	<p>Message condition type:</p> <ul style="list-style-type: none">• <i>Match</i> Condition is true if the specified attributes are matched.• <i>Suppress</i> Condition is true if the specified attributes are <i>not</i> matched.
TEXT	<p>A string containing all or part of the message text. Pattern-matching may be used.</p>
SERVICE_NAME	<p>A string containing the unique identifier of the service. Pattern-matching may be used.</p>
MSGOPERATION	<p>Message operation:</p> <ul style="list-style-type: none">• Suppress• Log-only• Inservice <p>For details, see Table 2-14.</p>

Syntax for Flexible Management Templates

You can use the syntax described in the following sections as a basis for configuring flexible management features (for example, the switching of responsibility between managers) in the template files provided.

More Information about Syntax Examples

For more information about the template syntax for flexible management templates, see the man pages `opcmom(4)` and `opcmomchk(1m)`, as well as the `README` file in the template directory:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/tmpl_respmgrs
```

Special Characters in Flexible Management Templates

The syntax examples below use the following special characters:

e Empty string. If you want to include an empty string in a template, simply enter `e`.

Example: `e`

Comment. If you want to include a comment in a template, include a pound sign (`#`) before every line of the comment. Every character in the line is treated as part of the comment by OVO.

Example: `# This is a comment`

**** Escape character. If you want to use quotation marks in a syntax string, escape the quotation marks with a backslash (`\`).

Example: `\ "quotation\"`

Syntax for Responsible Manager Configuration Templates

Use the following syntax for responsible manager configuration templates:

```

respmgrconfigs ::= <respmgrconfigs> RESPMGRCONFIG DESCRIPTION
                <string> <respmgrconds> | e
respmgrconds  ::= SECONDARYMANAGERS <secondmgrs>
                ACTIONALLOWMANAGERS <actallowmgrs>
                [MSGTARGETRULES <msgtargetrules>]
secondmgrs    ::= <secondmgrs> SECONDARYMANAGER NODE <node>
                [DESCRIPTION <string>] | e
actallowmgrs ::= <actallowmgrs> ACTIONALLOWMANGER
                NODE <node>
                [DESCRIPTION <string>] | e
msgtargetrules ::= <msgtargetrules> MSGTARGETRULE DESCRIPTION
                <string> <msgtargetrule> | e
msgtargetrule ::= MSGTARGETRULECONDS <mtrconditions>
                MSGTARGETMANAGERS <msgtargetmgrs>
                | MSGTARGETRULECONDS <mtrconditions>
                MSGTARGETMANAGERS <msgtargetmgrs>
                ACKNONLOCALMGR
mtrconditions ::= <mtrconditions> MSGTARGETRULECOND
                DESCRIPTION
                <string> <mtrcond> | e
mtrcond       ::= <mtrcond> SEVERITY <severity> |
                <mtrcond> NODE <nodelist> |
                <mtrcond> APPLICATION <string> |
                <mtrcond> MSGGRP <string> |
                <mtrcond> OBJECT <string> |
                <mtrcond> MSGTYPE <string> |
                <mtrcond> TEXT <string>1 |
                <mtrcond> SERVICE_NAME <string> 1|
                <mtrcond> MSGCONDTYPE <msgcondtype> | e
severity      ::= Unknown | Normal | Warning | Critical |
                Minor | Major
msgcondtype   ::= Match | Suppress
nodelist      ::= <node> | <nodelist> <node>
node          ::= IP <ipaddress> | IP <ipaddress> <string>
string        ::= "any alphanumeric string"
ipaddress     ::= <digits>.<digits>.<digits>.<digits>

```

1. Pattern-matching is only available with TEXT and SERVICE_NAME.

Syntax for Time Templates

Use the following syntax for time templates:

```
timetmpls      ::= <timetmpls> TIMETEMPLATE <string>
                DESCRIPTION
                <string> <conditions> | e
conditions     ::= TIMETMPLCONDS <timetmplconds> | e
timetmplconds  ::= <timetmplconds> TIMETMPLCOND <timetmplcond>
timetmplcond   ::= [TIMECONDTYPE <timecondtype>] [TIME FROM
                <time> TO <time>] [WEEKDAY <weekday>]
                [DATE <exact_date>] | e
timecondtype  ::= Match | Suppress
time           ::= <hh>:<mm>
weekday        ::= ON <day> | FROM <day> TO <day>
exact_date     ::= ON <date> | FROM <date> TO <date>
day            ::= Monday | Tuesday | Wednesday | Thursday
                | Friday | Saturday | Sunday
date           ::= <mm>/<dd>/<yyyy> |<mm>/<dd>/*
```

NOTE

The time template is compared with the creation time of the message on the managed node. Message creation time is always defined in GMT.

Syntax for Management Responsibility Switching Templates

Use the following syntax for templates that switch management server responsibility:

```
configfile := [TIMETEMPLATES <timetmpls>] RESPMGRCONFIGS
            <respmgrconfigs>
```

Syntax for Message Target Rules Templates

Use the following syntax for templates that define message target rules:

```
msgtargetmgrs ::= <msgtargetmgrs> MSGTARGETMANAGER  
                TIMETEMPLATE <string> OPCMGR <node> |  
                <msgtargetmgrs> MSGTARGETMANAGER  
                TIMETEMPLATE <string> OPCMGR <node>  
                MSGCONTROLLINGMGR | <msgtargetmgrs>  
                MSGTARGETMANAGER TIMETEMPLATE <string>  
                OPCMGR <node> NOTIFYMGR | e
```

NOTE

You can replace the *<string>* variable with \$OPC_ALWAYS to specify that the time condition is always true. To specify that the current primary manager is always used as the message target server, replace the *<node>* variable with \$OPC_PRIMARY_MGR.

Syntax for Message Operations Templates

Use the following syntax for message operations templates:

```
msgoperations ::= <msgoperations> MSGOPERATION TIMETEMPLATE  
                 <string> <msgoperation> |  
                 <msgoperations> MSGOPERATION  
                 <msgoperation> | e  
msgoperation  ::= INSERVICE|SUPPRESS|LOGONLY
```

Syntax for Service Hours and Scheduled Outages Templates

Use the following syntax for templates that define service hours and scheduled outages:

```
configfile := [TIMETEMPLATES <timetmpls>]
             [CONDSTATUSVARS <statusvarsdef>]
             RESPMGRCONFIGS <respmgrconfigs>
```

Syntax for the declaration of condition status variables:

```
statusvarsdef ::= <statusvarsdef> CONDSTATUSVAR
                <string> <bool> | e
```

Syntax for the Time Template:

```
timetmpls      ::= <timetmpls> TIMETEMPLATE <string>
                  DESCRIPTION <string> <timetmpldefs>
                  <conditions> | e
timetmpldefs   ::= TIMEZONETYPE <timezonetype>
                  TIMEZONEVALUE <string> | e
timezonetype   ::= Fix | Local
conditions     ::= TIMETMPLCONDS <timetmplconds> | e
timetmplconds1 ::= <timetmplconds> TIMETMPLCOND <timetmplcond>
timetmplcond   ::= [TIMECONDTYPE <timecondtype>] [TIME FROM
                  <time> TO <time>] [WEEKDAY <weekday>]
                  [DATE <exact_date>] | e
timecondtype   ::= Match | Unmatch
time           ::= <hh>:<mm>
weekday        ::= ON <day> | FROM <day> TO <day>
exact_date     ::= ON <date> | FROM <date> TO <date>
day            ::= Monday | Tuesday | Wednesday | Thursday
                | Friday | Saturday | Sunday
date           ::= <mm>/<dd>/<yyyy> | <mm>/<dd>/*
```

1. Outages only.

Syntax for service hours and scheduled outages:

```

respmgrconfigs ::= <respmgrconfigs> RESPMGRCONFIG1
                DESCRIPTION
                <string> <respmgrconds> | e
respmgrconds   ::= MSGTARGETRULES <msgtargetrules>
msgtargetrules ::= <msgtargetrules> MSGTARGETRULE
                DESCRIPTION <string>
                <msgtargetrule> | e
msgtargetrule  ::= MSGTARGETRULECONDS <mtrconditions>
                MSGOPERATIONS <msgoperations>
mtrconditions  ::= <mtrconditions> MSGTARGETRULECOND
                DESCRIPTION <string> <mtrcond> | e
mtrcond        ::= <mtrcond> CONDSTATUSVAR <string> |
                <mtrcond> SEVERITY <severity> |
                <mtrcond> NODE <nodelist> |
                <mtrcond> APPLICATION <string> |
                <mtrcond> MSGGRP <string> |
                <mtrcond> OBJECT <string> |
                <mtrcond> MSGTYPE <string> |
                <mtrcond> TEXT <string>2 |
                <mtrcond> SERVICE_NAME <string>1 |
                <mtrcond> MSGCONDTYPE
                <msgcondtype> | e
bool           ::= True | False
severity       ::= Unknown | Normal | Warning
                | Critical | Minor | Major
msgcondtype    ::= Match | Unmatch
nodelist       ::= <node> | <nodelist> <node>
node           ::= IP <ipaddress> | IP <ipaddress>
                <string>
string         ::= "any alphanumeric string"
ipaddress      ::= <digits>.<digits>.<digits>.<digits>

```

NOTE

You can replace the *<string>* variable with \$OPC_ALWAYS to specify that the time condition is always true.

1. Only one RESPMGRCONFIG (responsible manager configuration) is supported in scheduled outage configuration files.
2. Pattern-matching is only available with TEXT and SERVICE_NAME.

About Scheduling Templates

The template for service hours and scheduled outages allows you to **suppress, log only**, or buffer (**inservice**) messages that match certain conditions for defined time periods. The OVO administrator configures service hours and scheduled outages on the management server with a template similar to the one used to configure flexible management.

Syntax for Service Hours and Scheduled Outages Templates

The syntax used to configure service hours and scheduled outages is the same as that used to configure flexible management. The syntax for both may be checked with the `opcmonchk` tool. For more information about template syntax, see “Syntax for Time Templates” on page 126 and “Syntax for Service Hours and Scheduled Outages Templates” on page 128.

Location of Service Hours and Scheduled Outages Templates

The template for service hours and scheduled outages is located in the following directory:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/tmpl_respmgrs/outage
```

Before making any changes, copy the file to the working directory:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/work_respmgrs
```

After the template file is ready for use, move it to the following directory:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/respmgrs
```

Then start a new OVO session so the new configuration can be read and implemented.

NOTE

You may not change templates names. OVO looks for specific template file names. To find out more about how to set up templates for service hours and scheduled outages, see the *s OVO Administrator's Guide to Online Information*.

Parameters for Service Hours and Scheduled Outages Templates

Table 2-14 on page 131 describes the parameters in the template used to define service hours and scheduled outages.

Table 2-14

Parameters for Service Hours and Scheduled Templates

Parameter	Description
INSERVICE	If the message condition matches, and the time template condition does <i>not</i> match, OVO sends messages to the Pending Messages Browser, where they remain until the unbuffer time condition is matched or until the message is unbuffered manually.
LOGONLY	Send a matching messages to the history browser.
SUPPRESS	<i>Deletes</i> messages. Message-related actions triggered by the OVO management server are <i>not</i> started if the SUPPRESS option is defined.

NOTE

Scheduled outages and service hours may be configured by an external application. However, the designated external application must create the template for outages and service hours and use the `opccfgout (1M)` command to control outages.

Parameters for Buffering Messages

Messages buffered in the Pending Messages Browser window are automatically moved to the Message Browser window as soon as the specified buffer time expires. You can change this behavior by setting the value of the `OPC_AUTO_DEBUFFER` parameter using the `ovconfchg` command-line tool on the OVO management server to `FALSE`. In this case, messages remain in the Pending Messages Browser window.

Forwarding Messages to a Trouble Ticket or Notification Interface

You can change the value of message attributes to do the following:

- Forward to trouble ticket
- Forward to notification interface

In conjunction with the time template, you can forward messages to a trouble ticket or notification interface according to time of day.

For example, set the following values in the service hours template to forward messages to the Trouble Ticket interface:

```
MSGOPERATION TIMETEMPLATE "SLA_cust1" TROUBLETICKET True  
MSGOPERATION TIMETEMPLATE "SLA_cust2" NOTIFICATION False
```

For more information on these and other variables, see “Syntax for Service Hours and Scheduled Outages Templates” on page 128.

About Status Variables for Conditions

Status variables for conditions allow you to enable and disable conditions dynamically. The conditions are used in conditions for message target rules, and must be declared at the *beginning* of the template, *after* the TIMETEMPLATES values.

OVO enables you to declare several variables for one condition, as well as declare one variable in several conditions. For example, an external interface can set the state of many conditions with one call.

The following abbreviated (. . .) example of a template defining service hours sets the condition status variable for SAP to true:

```
TIMETEMPLATES
. . .
CONDSTATUSVARS
    CONDSTATUSVAR "sap" True
. . .
RESPMGRCONFIG
. . .
    MESSAGETARGETRULECONDS
        MESSAGETARGETRULECOND
            DESCRIPTION "Filter SAP messages"
            CONDSTATUSVAR "sap"
APPLICATION "Sap"
    MSGOPERATIONS
        MSGOPERATION
            INSERVICE
```

NOTE

Status variables are persistent. They are not affected by the message manager stopping and restarting.

About the Time Zone String

The creation time of an OVO message is always defined in UTC, regardless of where in the world the managed node is located. As a result, OVO messages contain an indication of the difference between UTC and the local time on the managed node. By tracking time in this way, the OVO management server is able to calculate the local time of the managed node that sent the message. The management server can then decide whether or not it is appropriate to act.

Service hours are usually defined in terms of the local time on the managed node. For example, a service provider uses the service hours template to tell the OVO management server that managed nodes in various time zones must be supported between 08:00 and 16:00 local time. Templates for scheduled outages define time in terms of the local time on the server that provides the service that is scheduled to be unavailable. For example, the administrator of an OVO management server in the United Kingdom (UK) knows that a SAP server situated in eastern United States (U.S.) will be unavailable for maintenance reasons between 22:00 and 02:00 U.S. Eastern Standard Time (EST).

The templates for scheduled outages and service hours on the OVO management server can contain a string that defines a fixed local time zone (for example, EST). The OVO management server uses the value of the time zone string and the time (in UTC) to calculate the fixed local time on the given management server for which an outage has been scheduled.

Syntax for the Time Zone String

The following example illustrates the syntax for the time zone string:

```
TIMEZONETYPE Fix TIMEZONEVALUE "EST"
```

By default, OVO evaluates time conditions for both service hours *and* scheduled outages by comparing the time frame defined for each condition to the time the message is received on the OVO management server.

Setting the Time Zone Parameter

You can force the OVO management server to use the message creation time on the local managed node, rather than the message arrival time on the management server.

To specify the time zone parameter for service hours or scheduled outages, set one of the following strings using the `ovconfchg` command-line tool:

Service Hours

```
OPC_SERVHRS_USE_AGENT_TZ TRUE
```

Scheduled Outages

```
OPC_OUTAGE_USE_CREATE_TIME TRUE
```

These strings force the OVO management server to apply the time frame for service hours and scheduled outages defined on the OVO management server (for example, 08:00 -- 16:00) as a sliding time frame for managed nodes in their respective local time zone.

NOTE

Make sure the local time is correctly set on the managed node.

About the Command-line Interface

The message manager does not automatically read the configuration template for outages and service hours each time the template file is modified (for example, by the system administrator or an external application).

You can use the command-line tool `opccfgout (1M)` to start the reconfigure request:

```
opccfgout -update
```

Additional options allow you to set status variables for the conditions:

```
opccfgout -set_cond <cond_stat_var> [-true|-false|-default]
```

To list the current status of the status variables, enter:

```
opccfgout -list_cond <cond_stat_var>|-all
```


About the Template for Message Forwarding

OVO enables you to generate notification messages to be sent to remote management servers. And it enables you to assign control of the messages to the source management server with one template. You can check the template using the tool `opcmonchk`.

Location of the Message Forwarding Template

OVO stores the message forwarding template in:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/respmgrs/msgforw
```

Configuring the Message Forwarding Template

The configuration and syntax of the template is similar to that of the message-escalation template, with the following exceptions:

Targets

You can assign a message to multiple target servers.

Control

You can assign the attribute `MSGCONTROLLINGMGR` to target management servers to which you forward a message. This attribute enables the target servers to switch control of a message.

Notification

You can assign the attribute `NOTIFYMGR` to target management servers to which you forward a message. This attribute enables the target server to send notifications to themselves.

Acknowledgement

You can assign the attribute `ACKNONLOCALMGR` to messages. This attribute forces the source management server to acknowledge message notifications explicitly.

Attributes of the Message Forwarding Template

The message forwarding template accepts any of the following message attributes in a message condition:

- `OBJECT`
- `APPLICATION`
- `MSGGRP`
- `SEVERITY`
- `NODE`
- `MSGCONDTYPE`

For more information about message attributes, see the man page `opcmom(4)`.

Setting Parameters for the Message Forwarding Template

As an OVO administrator, you can set several parameters to configure message forwarding on various target managers. These parameters are required for the management of system and network resources. You can add the parameters with the `ovconfchg` command on each target management server. The value of the parameters must be set for each target manager. If no value is specified, the default value is set.

Table 2-15 provides more information about these parameters, their default values, and a short description of the function of each parameter.

Table 2-15 **Message Forwarding Parameters**

Parameter Name	Default Value	Description
OPC_ACCEPT_CTRL_SWTCH_ACKN	TRUE	Accepts acknowledgment for control-switched messages from other management servers.
OPC_ACCEPT_CTRL_SWTCH_MSGS	TRUE	Accepts control-switched messages from other management servers.
OPC_ACCEPT_NOTIF_MSSGS	TRUE	Accepts notification messages from other management servers.
OPC_FORW_CTRL_SWTCH_TO_TT	TRUE	Forwards control-switch messages to a trouble ticket or a notification service.
OPC_FORW_NOTIF_TO_TT	FALSE	Forwards notification messages to a trouble ticket or a notification service.

Table 2-15 Message Forwarding Parameters (Continued)

Parameter Name	Default Value	Description
OPC_ONE_LINE_MSG_FORWARD	FALSE	Controls forwarding in larger manager hierarchies.
OPC_SEND_ACKN_TO_CTRL_SWTC H	TRUE	Sends acknowledgements to control-switched messages.
OPC_SEND_ANNO_TO_CTRL_SWTC H	TRUE	Sends annotations to control-switched messages.
OPC_SEND_ANNO_TO_NOTIF	TRUE	Sends annotation to notification messages.
OPC_SEND_ANT_TO_CTRL_SWTC	TRUE	Sends action-related data to control-switched messages.
OPC_SEND_ANT_TO_NOTIF	TRUE	Sends action-related data to notification messages.

About Time Templates

A time template consists of the following:

- Template name
- Time conditions

Each time condition defines a specific time period. This time period contains definitions of the time, day, date, or any combination of the three. The local time zone is always used to evaluate the template.

NOTE

When specifying a time, use the 24-hour clock notation. For example, for “1:00 p.m.” enter 13:00.

Examples of Time Templates

The following examples show various ways to specify time formats in the time templates:

No Time

If you do not specify a particular time, day of the week, or year, OVO assumes that you want the condition to be true for 24 hours, from 00:00 to 24:00 every day of the year.

OVO requires you set up a time template for the message target rules even if the scheduled action does not depend on time. You can use the variable `OPC_ALWAYS` to configure time templates when the condition is always true.

Specific Dates or Dates

If you specify a condition, OVO assumes the conditions exist continually for the day or date specified:

- *Day*

If you specify only Tuesday, OVO will evaluate the condition as true every Tuesday from 00:01 to 23:59 throughout the year, every year. Use the syntax:

WEEKDAY ON Tuesday

- *Date*

Specifying January 1 and nothing else will match a condition every January 1st of every year. Use the syntax:

DATE ON 01/01/*

❑ Time Periods

You can set time periods:

- *Time*

To set a time period from 7:00 to 17:00, use the syntax:

```
TIME FROM 7:00 TO 17:00
```

- *Day*

To set a time period from Monday to Friday, use the syntax:

```
WEEKDAY FROM Monday TO Friday
```

- *Date*

To set a time period from the year 1995 to 2000, use the syntax:

```
DATE FROM 01/01/1995 TO 12/31/1999
```

- *Date and Time*

To set a time on December 31 1998, from 23:00 to 23:59, use the syntax:

```
TIME FROM 23:00 TO 23:59 DATE ON 12/31/1998
```

If you include the day of the week (for example, Monday April 1, 1997), OVO cross-checks the day and date you have entered to make sure that they match the calendar. If they do not match, however, the action will not be correctly completed. OVO does not issue an error message.

❑ Wildcards (*)

You can set dates or periods using a wildcard character (*):

- *Specific Dates*

To set a condition for December 1st every year, use the syntax:

```
DATE ON 12/01/*
```

- *Time Periods*

To set a condition from August 6th to September 10th every year, use the syntax:

```
DATE FROM 08/06/* TO 09/10/*
```

NOTE

Although syntactically correct, OVO cannot handle mixed conditions like `DATE FROM 05/07/01 TO 10/10/*`.

For further examples of time templates, see the following:

- ❑ “Syntax for Time Templates” on page 126
- ❑ man page `opcmom(4)`
- ❑ `/etc/opt/OV/share/conf/OpC/mgmt_sv/tmpl_respmgrs`

NOTE

HP-UX Only:

To correct time differences between the different time resources used by the OVO C-routines and the MPE/iX intrinsics and commands, the **TIMEZONE** variable must be set on MPE/iX managed nodes. If not, messages can be sent to the wrong management server as they are processed using the incorrect time. For information about setting the **TIMEZONE** variable for MPE/iX nodes, see the *OVO DCE Agent Concepts and Configuration Guide*.

Keywords for Time Templates

To define the various elements required in a flexible management configuration, OVO uses the following keywords and definitions:

`TIMETEMPLATE` *<string>*

Template name is contained in *<string>*.

`DESCRIPTION` Short description of the time template.

`TIMETMPLCONDS` `TIMETMPLCOND`

`TIMECONDTYPE` Condition defining a single time interval. Several time conditions together comprise a time period. A time condition allows you to use combinations of day, date, and time to define a time period.

At least one of the following parts must be used for the definition:

- *Match*
- *Suppress*

If the current time is within the defined time period, *match is true* and *suppress is false*.

OVO does not interpret either of these parts as “always.”

`TIME FROM` *<time>* `TO` *<time>*

Specifies a time period. Set the variable *<time>* using the format:

<HH> : <MM>

The `FROM` *<time>* variable must be before the `TO` *<time>* variable (for example, `FROM 18:00 TO 24:00` or `FROM 0:00 TO 6:00`).

WEEKDAY

You can specify every day of the week: Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, or Sunday:

- ON *<day>*

Day of the week (for example, ON Sunday).

- FROM *<day>* TO *<day>*

Time period (for example, FROM Monday TO Wednesday).

DATE

Date must have one of the following formats:

<MM>/<DD>/<YYYY>

<MM>/<DD>/<YY>

*<MM>/<DD>/**

OVO does not verify that the time period is valid. For example, 10/35/* is not recognized as an invalid date.

You specify the date as follows:

ON *<date>*

FROM *<date>*

TO *<date>*

Examples of Flexible Management Templates

This section provides a number of example templates that illustrate a simple implementation of selected flexible management features.

Example of Management Responsibility Switch Template

The following example template defines management responsibility switching.

```
#
# Configuration file
# /etc/opt/OV/share/conf/OpC/mgmt_sv/respmgrs/f887818
# and managed node hptest with
# the IP address 15.136.120.24 (= f887818 in hex notation)
#
TIMETEMPLATES
    TIMETEMPLATE "shift1"
        DESCRIPTION "Time Template 1"
        TIMETMPLCONDS
            TIMETMPLCOND
                TIMECONDTYPE Match
                TIME FROM 10:00 TO 14:00
                WEEKDAY FROM Monday TO Friday
            TIMETMPLCOND
                TIMECONDTYPE Match
                TIME FROM 17:00 TO 24:00
                WEEKDAY FROM Monday TO Friday
    TIMETEMPLATE "shift2"
        DESCRIPTION "Time Template 2"
        TIMETMPLCONDS
            TIMETMPLCOND
                TIMECONDTYPE Match
                TIME FROM 6:00 TO 18:00
                WEEKDAY FROM Monday TO Friday
                DATE 1/1/95
RESPMGRCONFIGS
    RESPMGRCONFIG
        DESCRIPTION "responsible mgrs for agents in Europe"
        SECONDARYMANAGERS
            SECONDARYMANAGER
                NODE IP 0.0.0.0 "hptest.bbn.hp.com"
                DESCRIPTION "Boeblingen"
            SECONDARYMANAGER
                NODE IP 0.0.0.0 "hpsystem.bbn.hp.com"
                DESCRIPTION "Boeblingen gateway"
```

```
ACTIONALLOWMANAGERS
ACTIONALLOWMANGER
    NODE IP 0.0.0.0 "hptest.bbn.hp.com"
    DESCRIPTION "Boeblingen"
ACTIONALLOWMANGER
    NODE IP 0.0.0.0 "hpsystem.bbn.hp.com"
    DESCRIPTION "Boeblingen gateway"
ACTIONALLOWMANGER
    NODE IP 0.0.0.0 "$OPC_PRIMARY_MGR"
    DESCRIPTION "OVO primary manager"
MSGTARGETRULES
MSGTARGETRULE
    DESCRIPTION "other messages"
MSGTARGETRULECONDS
MSGTARGETMANAGERS
MSGTARGETMANAGER
    TIMETEMPLATE "shift2"
    OPCMGR NODE IP 0.0.0.0 "system.aaa.bb.com"
```

Example of Follow-the-Sun Responsibility Switch Template

The following example template defines follow-the-sun responsibility switching.

```
#
# Time-template configurations for follow-the-sun functions
#
# Three responsible managers are used in this example
TIMETEMPLATES
# time template 1
TIMETEMPLATE "shift1"
DESCRIPTION "Time Template 1 "
# Time template for shift1
# this include the time from 17:00 to 24:00 and from
# 0:00 to 6:00
# on the weekday Monday to Friday
    TIMETMPLCONDS
        TIMETMPLCOND
            TIME FROM 0:00 TO 6:00
            WEEKDAY FROM Monday TO Friday
        TIMETMPLCOND
            TIME FROM 17:00 TO 24:00
            WEEKDAY FROM Monday TO Friday
TIMETEMPLATE "shift2"
DESCRIPTION "Time Template 2 "
# Time template for shift2
# this includes the time from 6:00 to 17:00
# on the weekday Monday to Friday
    TIMETMPLCONDS
        TIMETMPLCOND
            TIME FROM 6:00 TO 17:00
            WEEKDAY FROM Monday TO Friday
# time template 3
TIMETEMPLATE "shift3"
DESCRIPTION "Time Template 3 "
# Time template for shift3
# include the time from 0:00 to 24:00 (all day)
# on the weekday Saturday and Sunday
    TIMETMPLCONDS
        TIMETMPLCOND
            TIME FROM 0:00 TO 24:00
            WEEKDAY FROM Saturday TO Sunday
#
# Responsible Manager Configurations for follow the sun
# functionality
#
```

```
RESPMGRCONFIGS
RESPMGRCONFIG
DESCRIPTION "responsible managers M1 "
SECONDARYMANAGERS
SECONDARYMANAGER
NODE IP 0.0.0.0 "M1"
DESCRIPTION "secondary manager M1"
SECONDARYMANAGER
NODE IP 0.0.0.0 "M2"
DESCRIPTION "secondary manager M2"
SECONDARYMANAGER
NODE IP 0.0.0.0 "M3"
DESCRIPTION "secondary manager M3"
ACTIONALLOWMANAGERS
ACTIONALLOWMANAGER
NODE IP 0.0.0.0 "M1"
DESCRIPTION "action allowed manager M1"
ACTIONALLOWMANAGER
NODE IP 0.0.0.0 "M2"
DESCRIPTION "action allowed manager M2"
ACTIONALLOWMANAGER
NODE IP 0.0.0.0 "M3"
DESCRIPTION "action allowed manager M3"
MSGTARGETRULES
MSGTARGETRULE
DESCRIPTION "target rule description "
MSGTARGETRULECONDS
# for all messages
MSGTARGETMANAGERS
MSGTARGETMANAGER
# target manager from 17:00 to 24:00
# and 00:00 to 6:00
# from Monday to Friday
TIMETEMPLATE "shift1"
OPCMGR IP 0.0.0.0 "M1"
# target manager from 6:00 to 17:00
# from Monday to Friday
MSGTARGETMANAGER
TIMETEMPLATE "shift2"
OPCMGR IP 0.0.0.0 "M2"
# target manager on the whole weekend
MSGTARGETMANAGER
TIMETEMPLATE "shift3"
OPCMGR IP 0.0.0.0 "M3"
```

Example of Message Forwarding between Management Servers

The following example template defines message forwarding between management servers.

If you install the template on a server named **Source**, that server does the following:

❑ **Forward Messages to Expert Center**

Forward messages with the message group **DATABASE** to a database expert center (**dbexpert**) and pass control of the message to the expert center. The Source server also informs a second server (**dbnotify**). Finally, the Source server causes the message to be acknowledged directly on the local OVO server

❑ **Inform Treasury Server**

Inform a treasury server (**Treasury**) about messages that concern financial and CAD applications.

❑ **Inform Master Server**

Inform a master server (**master**) about critical messages coming from nodes x1 and x2.

```
TIMETEMPLATES
# none

RESPMGRCONFIGS
  RESPMGRCONFIG
    DESCRIPTION "msg-forwarding target specification"
      MSGTARGETRULES
        MSGTARGETRULE
          DESCRIPTION "Database"
            MSGTARGETRULECONDS
              MSGTARGETRULECOND
                DESCRIPTION "Database messages"
                  MSGGRP "DATABASE"
            MSGTARGETMANAGERS
              MSGTARGETMANAGER
                TIMETEMPLATE "$OPC_ALWAYS"
                OPCMGR IP 0.0.0.0 "dbexpert"
                MSGCONTROLLINGMGR
              MSGTARGETMANAGER
                TIMETEMPLATE "$OPC_ALWAYS"
                OPCMGR IP 0.0.0.0 "dbnotify"
            ACKNONLOCALMGR
```

```
MSGTARGETRULE
DESCRIPTION "Financial Application"
  MSGTARGETRULECONDS
    MSGTARGETRULECOND
      DESCRIPTION "Financial appl. msg"
      APPLICATION "xyz"
    MSGTARGETRULECOND
      DESCRIPTION "CAD appl. messages"
      APPLICATION "CAD"
      OBJECT "objxy"
  MSGTARGETMANAGERS
    MSGTARGETMANAGER
      TIMETEMPLATE "$OPC_ALWAYS"
      OPCMGR IP 0.0.0.0 "Treasury"
MSGTARGETRULE
DESCRIPTION "Crit. evts from imp systems"
  MSGTARGETRULECONDS
    MSGTARGETRULECOND
      DESCRIPTION ""
      SEVERITY Critical
      NODE IP 0.0.0.0 "x1"
    MSGTARGETRULECOND
      DESCRIPTION ""
      SEVERITY Critical
      NODE IP 0.0.0.0 "x2"
  MSGTARGETMANAGERS
    MSGTARGETMANAGER
      TIMETEMPLATE "$OPC_ALWAYS"
      OPCMGR IP 0.0.0.0 "master"
```

Service Hours

The following example template defines service hours for a SAP server with the node name **saprv01**. This node must be in service on weekdays from 08:00 hours to 16:00 hours.

```
TIMETEMPLATES
# time template
TIMETEMPLATE "service hours"
DESCRIPTION "template match for service hours"
  TIMETMPLCONDS
    TIMETMPLCOND
      TIME FROM 08:00 TO 16:00
      WEEKDAY FROM Monday TO Friday

RESPMGRCONFIGS
RESPMGRCONFIG
DESCRIPTION "Define service hours for a SAP server"
  MSGTARGETRULES
    MSGTARGETRULE
      DESCRIPTION "Buffer msg outside service hrs for SAP"
      MSGTARGETRULECONDS
        MSGTARGETRULECOND
          DESCRIPTION "Node with SAP server"
          NODE IP 0.0.0.0 "saprv01"
      MSGOPERATIONS
        MSGOPERATION
          TIMETEMPLATE "service hours"
          INSERVICE
```


Example of Scheduled Outage Template

The following example template defines a scheduled outage that suppresses all messages relating to the application **oracle** from node **sapsrv01**.

```
CONDSTATUSVARS
  CONDSTATUSVAR "ora_on_sapsrv01" False
RESPMGRCONFIGS
  RESPMGRCONFIG
    DESCRIPTION "define outage for oracle on node orasv01"
  MSGTARGETRULES
    MSGTARGETRULE
      DESCRIPTION "outage for oracle on node orasv01"
      MSGTARGETRULECONDS
        MSGTARGETRULECOND
          DESCRIPTION "Node with oracle server"
          CONDSTATUSVAR "ora_on_sapsrv01"
          NODE IP 0.0.0.0 "sapsrv01"
          APPLICATION "oracle"
      MSGOPERATIONS
        MSGOPERATION
          SUPPRESS
```

About Variables

This section lists and defines the variables that can be used with OVO, and gives an output example, where appropriate. Each variable is shown with the required syntax.

Types of Variables Supported by OVO

OVO supports the following types of variables:

❑ **Environment Variables**

Variables for the shell environment. These variables can be set before starting OVO.

❑ **Variables in All Message Source Templates**

Variables must be enclosed with angle brackets. If the OVO agents cannot resolve a variable, the variable itself is displayed in the GUI.

❑ **Variables in Instruction Text Interface Calls**

Variables can be used when calling the instruction text interface in the Java-based operator GUI

❑ **Variables in Application Calls and the User Interface**

Variables can be used when calling applications or issuing a broadcast command, or can be passed to external programs. Do not use angle brackets with these variables.

NOTE

It is also often useful to surround the variable with quotes, especially if it may return a value that contains spaces.

About Environment Variables

You can use the following environmental variables before starting OVO.

`$OPC_BRC_HISTSIZE`

Returns the value of the environment variable for the length of the user's broadcast command history. The default number of commands saved is 128 per user.

Example: `export OPC_BRC_HISTSIZE=512`

`$OPC_HOME`

Returns the working directory of the user who starts a OVO GUI session. If `$OPC_HOME` is not set, the working directory is `/tmp`. If the UNIX user that started the OVO GUI has no write permission in `/tmp`, an error message is displayed but the GUI still starts. Example:

`export OPC_HOME=$HOME/opc`

About Variables in All Message Source Templates

You can use the following variables in most text entry fields (exceptions are noted) for logfiles, the MPE/iX console, the OVO interface, the threshold monitor, and the SNMP trap template. You can use the variables within OVO, or pass them to external programs. To ensure correct processing, you must enter the variables with the angle brackets.

`<$MSG_APPL>`

Returns the name of the application associated with the message. This name is set in the Message Defaults section of the Add/Modify Console Messages windows. However, if a console message already has a value for this field, `<$MSG_APPL>` is not overwritten by an entry in the Add/Modify Console Messages window. This variable cannot be used in logfile templates.

Sample output:

`/usr/bin/su(1) Switch User`

<\${MSG_GEN_NODE}>

Returns the IP address of the node from which the message originates.

Sample output:

14.136.122.123

<\${MSG_GEN_NODE_NAME}>

Returns the name of the node on which from which the message originates.

Sample output:

richie.c.com

<\${MSG_GRP}>

Returns the default message group of the message, as set in the Message Defaults section of the Add/Modify Logfile, Add/Modify Console Messages, Add/Modify Interface Messages window.

Sample output:

Security

<\${MSG_ID}>

Returns the unique identity number of the message, as generated by the message agent. Suppressed messages do not have message IDs.

Sample output:

6e998f80-a06b-71d0-012e-0f887a7c0000

<\${MSG_NODE}>

Returns the IP address of the node on which the event took place.

Sample output:

14.136.122.123

<\${MSG_NODE_ID}>

Returns the name of the node on which the event took place.

Sample output:

richie.c.com

This variable is only available in the Service Name field.

<\${MSG_NODE_NAME}>

Returns the name of the node on which the event took place. This is the name returned by the node's name service.

Sample output:

richie.c.com

<\${MSG_OBJECT}>

Returns the name of the object associated with the event. This is set in the Message Defaults section of the Add/Modify SNMP Trap window. This variable cannot be used in logfile templates. The variable returns the default object, not the object set in the conditions window.

<\${MSG_SEV}>

Returns the default value for the severity of the message. This is set in the Message Defaults section of the Add/Modify Logfile, Add/Modify Console Messages, Add/Modify Interface Messages window.

Sample output:

Normal

<\${MSG_TEXT}>

Returns the original text of the message. This is the source text that is matched against the message text pattern in each condition. This variable returns an empty string when used in threshold monitor templates.

Sample output:

```
SU 03/19 16:13 + ttyp7 bill-root
```

<\${MSG_TIME_CREATED}>

Returns the time the message was created in seconds since January 1, 1970.

Sample output:

```
950008585
```

<\${MSG_TYPE}>

Returns the default name set for Message Type. This name is set in the Add/Modify Console Messages or Condition No. window.

<\${OPC_MGMTSV}>

Returns the name of the current OVO management server. Cannot be used in definitions of message key relations.

Sample output:

```
richie.c.com
```

<\${OPTION(N)}>

Returns the value of an optional variable that is set by `opcmsg` or `opcmon` (for example, <\${OPTION(A)}> <\${OPTION(B)}>, and so on). To find out how to set this variable, the `opcmsg` or `opcmon` man page.

NOTE

The `OPTION` variable cannot contain double quotes. Use single quotes instead.

Resolving Variable Values in OVO

The variables used in OVO can take one of several values, depending on the incoming message, default template configuration or the configuration of the condition that they are matching. The order in which the variable values are determined is as follows:

1. Value set by the external source (API/executable, event, ...). For example, if the following `opcmsg` command is called:

```
opcmsg app=APP object=0 msg_text="Message text"
```

The variable `<$MSG_APPL>` is assigned the value `APP`.

2. Values for some variables can not be set by external sources and are internally generated by OVO, for example, message ID.
3. If none of the above is valid for a variable, that variable uses the value set in the Message Defaults section of the template for which the variable is evaluated. If there is no default value set, the value of that variable is empty or 0, depending on its type.

The above order is strictly adhered to when resolving variable values. For example, if a value for `<$MSG_OBJECT>` is set in step 1, a default value set in the Message Default section (step 3) is ignored.

Variables for Actions Only

The following variables can only be used in the `Node` field of *operator-initiated actions*, except for the variable `<$OPC_MGMTSV>` which can be used in all fields.

The variables `<$OPC_MGMTSV>`, `<$OPC_GUI_CLIENT>` and `<$OPC_GUI_CLIENT_WEB>` must be entered with angle brackets.

The variables must not be part of a string or be nested.

`$OPC_ENV(env variable)`

Returns the value of the environment variable for the user who has started OVO. This variable is only available for operator-initiated actions. It is resolved in the action call.

Sample output:

```
PATH, NLS_LANG, EDITOR, SHELL, HOME, TERM.
```

For example, if `SHELL` is set to `/usr/bin/ksh` and you have set up the operator-initiated action `echo $OPC_ENV(SHELL)`, the following command will be executed as operator initiated action:
`echo /usr/bin/ksh.`

`<$OPC_GUI_CLIENT>`

Executes the application or action on the client where the Java-based GUI is currently running. If no Java GUI client is running, the application or action is started on the management server.

This variable is resolved differently, depending on whether the GUI client is running on a UNIX-based system with DNS or on a PC using MS WINS (Windows Internet Name Service). If you are using WINS, `<$OPC_GUI_CLIENT>` returns the WINS hostname.

<\$OPC_GUI_CLIENT_WEB>

Starts a web browser on the client where the Java-based GUI is currently running. If no Java GUI client is running, the web browser is started on the management server.

This variable is resolved differently, depending on whether the GUI client is running on a UNIX-based system with DNS or on a PC using MS WINS (Windows Internet Name Service). If you are using WINS, <\$OPC_GUI_CLIENT_WEB> returns the WINS hostname.

<\$OPC_MGMTSV>

Returns the name of the current OVO management server. This variable can be used in all fields related to actions.

Sample output:

richie.c.com

\$OPC_USER

Returns the name of the OVO user who is currently logged in on the management server. This variable is only available for operator-initiated actions. It is resolved in the action call.

Sample output:

opc_adm

Variables for Logfile Templates Only

You can use the following variables for most text entry fields in logfile templates. You can use the variables within OVO, or pass them to external programs.

<\$1>

Templates for Windows EventLog only. Returns one or more of the possible parameters that are part of a Windows event (for example, <\$1> returns the first parameter, <\$2> returns the second parameter, and so on.)

<\$EVENT_ID>

Templates for Windows EventLog only. Returns the event ID of the Windows event. <\$EVENT_ID> simplifies the processing of multi-line EventLog messages. You need the `Source` field and <\$EVENT_ID> of the event to identify the event uniquely.

Sample output:

0x0000600F

<\$LOGFILE>

Returns the name of the monitored logfile.

Sample output:

su-log

<\$LOGPATH>

Returns the full path to the monitored logfile including the file name.

Sample output:

/var/adm/su-log

Variables for Threshold Monitor Templates Only

You can use the following variables in most text entry fields (exceptions are noted) of threshold monitor templates. You can use the variables within OVO, or pass them to external programs.

<\$NAME>

Returns the name of a threshold monitor. This name is set in the `Monitor Name` field of the `Add/Modify Monitor` window. This variable cannot be used in the `Monitor Program` or `MIB ID` field.

Sample output:

cpu_util

<\$THRESHOLD>

Returns the value set for a monitor threshold. This value is set in the `Threshold: field` in the `Condition No. window`.

Sample output:

95.00

<\$VALAVG>

Returns the average value of all messages reported by the threshold monitor.

Sample output:

100.00

<\$VALCNT>

Returns the number of times that the threshold monitor has delivered a message to the browser.

Sample output:

1

<\$VALUE>

Returns the value measured by a threshold monitor.

Sample output:

100.00

Variables for MPE/iX Console Messages Only

The following variables are only available for the MPE/iX console message source template. (For a description of the format of the NMEV marker and how it is generated, see the *OVO DCE Agent Concepts and Configuration Guide*.) MPE/iX managed nodes are not supported by OVO for Sun Solaris.

<\$NMEV_APPL>

Returns the MPE/iX Application ID that is set within the NMEV marker if the marker was present in the original message.

Sample output:

05

<\$NMEV_CLASS>

Returns the class field that was set within the NMEV marker if the marker was present in the original message.

Sample output:

194

<\$NMEV_SEV>

Returns the severity of the message as set within the NMEV marker if the marker is present in the original message.

Sample output:

2

Variables for SNMP Trap Templates Only

You can use the following variables in most entry fields (exceptions are noted) for SNMP trap text. You can use the variables within OVO, or pass them to external programs.

`<$#>` Returns the number of variables in an enterprise-specific SNMP trap (generic trap 6 Enterprise specific ID).

Sample output:

```
2
```

`<$*>` Returns all variables assigned to the trap.

Sample output:

```
[1] .1.1 (OctetString): arg1 [2] .1.2  
(OctetString): kernighan.c.com
```

`<$@>` Returns the time the event was received as the number of seconds since the Epoch (Jan 1, 1970) using the *time_t* representation.

Sample output:

```
859479898
```

`<$1>` Returns one or more of the possible trap parameters that are part of an SNMP trap (for example, `<$1>` returns the first variable, `<$2>` returns the second variable, and so on)

`<$\>1>` Returns all attributes greater than *n* as *value* strings, which are useful for printing a variable number of arguments. `<$\>0>` is equivalent to `$*` without sequence numbers, names, or types.

Sample output:

```
richie.c.com
```

`<$\>+1>` Returns all attributes greater than *n* as *name:value* string.

Sample output:

```
.1.2: richie.c.com
```

<\$+2>	Returns the <i>n</i> th variable binding as <i>name:value</i> . This variable is not valid in the command field. Sample output: .1.2: richie.c.com
<\$\>-n>	Returns all attributes greater than <i>n</i> as [<i>seq</i>] <i>name (type): value</i> strings. Sample output: [2] .1.2 (OctetString): kernighan.c.com
<\$-2>	Returns the <i>n</i> th variable binding as [<i>seq</i>] <i>name-type:value</i> . This variable is not valid in command field. Sample output: [2] .1.2 (OctetString): richie.c.com
<\$A>	Returns the node which produced the trap. Sample output: richie.c.com
<\$C>	Returns the community of the trap. Sample output: public
<\$E>	Returns the enterprise ID of the trap. Sample output: private.enterprises.hp.nm.openView.hpOpenView
<\$e>	Returns the enterprise object ID. Sample output: .1.3.6.1.4.1.11.2.17.1
<\$F>	Returns the textual name of the remote pmd's machine if the event was forwarded. Sample output: kernighan.c.com

<\$G>	Returns the generic trap ID. Sample output: 6
<\$N>	Returns the event name (textual alias) of the event format specification used to format the event, as defined in the Event Configurator. Sample output: OV_Node_Down
<\$O>	Returns the name (object identifier) of the event. Sample output: private.enterprises.hp.nm.openView.hpOpenView .0.58916872
<\$o>	Returns the numeric object identifier of the event. Sample output: .1.3.6.1.4.1.11.2.17.1
<\$R>	Returns the true source of the event. This value is inferred through the transport mechanism that delivered the event. Sample output: kernighan.c.com
<\$r>	Returns the implied source of the event. This may not be the true source of the event if the true source is proxying for another source, such as when a monitoring application running locally is reporting information about a remote node. Sample output: richie.c.com
<\$S>	Returns the specific trap ID. Sample output: 5891686

<\$S>	Returns the event's severity. Sample output: Normal
<\$T>	Returns the trap time stamp. Sample output: 0
<\$V>	Returns the event type, based on the transport from which the event was received. Currently supported types are SNMPv1, SNMPv2, SNMPv2C, CMIP, GENERIC, and SNMPv2INFORM. Sample output: SNMPv1
<\$X>	Returns the time the event was received using the local time representation. Sample output: 17:24:58
<\$x>	Returns the date the event was received using the local date representation. Sample output: 03/27/97

Variables in Scheduled Action Messages

You can use the following variables in the Scheduled Action - Start/Success/Failure Message windows of scheduled action templates. You can use the variables within OVO, or pass them to external programs.

<\$PROG> Returns the name of the program executed by the scheduled action template.

Sample output:

opcsv

<\$USER> Returns the name of the user under which the scheduled action was executed.

Sample output:

root

Variables to be Used in Instruction Text Interface Calls

The following variables can only be used in instruction text interface calls executed on the Java-based operator GUI.

<LOCAL_ON_JAVA_CLIENT>

Starts a program or script on the client where the Java-based GUI is currently running as a result of the instruction text interface call.

For example, to start Microsoft Internet Explorer on the Java GUI client, enter the following in the Instruction Text Interface Call field in the administrator GUI:

```
<LOCAL_ON_JAVA_CLIENT> "C:\Program Files\
Internet Explorer\IEXPLORE.EXE"
```

<LOCAL_ON_JAVA_CLIENT_WEB>

Starts a web browser on the client where the Java-based GUI is currently running as a result of the instruction text interface call.

For example, to start a web browser on the Java GUI client at the URL <http://www.hp.com>, enter the following in the Instruction Text Interface Call field in the administrator GUI:

```
<LOCAL_ON_JAVA_CLIENT_WEB>
"http://www.hp.com"
```

Depending on the configuration of the Java GUI workspace, either the embedded or an external web browser is started.

Variables in Application Calls and the User Interface

You can use the following variables listed in most application text entry fields (exceptions are noted) of the Motif and the Java-based GUI. You can use the variables within OVO, or pass them to external programs.

`$OPC_ENV(env variable)`

Returns the value of the environment variable for the user who has started OVO.

Sample output:

`PATH, NLS_LANG, EDITOR, SHELL, HOME, TERM.`

`$OPC_EXT_NODES`

Returns the node pattern of all external nodes that are selected at the time the application is executed. The names are separated by spaces.

`$OPC_MGMTSV`

Returns the name of the current OVO management server.

Sample output:

`richie.c.com`

`$OPC_MSG_NODES`

Returns the names of all nodes on which the events that generated currently selected messages took place. The names are separated by spaces. The nodes do not need to be in the node bank. If the same message is selected in more than one of these browsers, the duplicate selections is ignored. In the OVO Java-based GUI, only nodes of the messages currently selected in the topmost browser are returned.

Sample output:

`kernighan.c.com richie.c.com`

`$OPC_MSG_GEN_NODES`

Returns the names of all nodes from which currently selected messages were sent by OVO agents. The names are separated by spaces. The nodes do not need to be in the node bank. If the same message is selected in more than one of these browsers, the duplicate selections are ignored. In the OVO Java-based GUI, only nodes of the messages currently selected in the topmost browser are returned.

Sample output:

```
kernighan.c.com richie.c.com
```

`$OPC_MSG_IDS`

Returns the Message IDs (UUIDs) of the messages currently selected in one or more open Message Browsers. If the same message is selected in more than one browser, the duplicate selections are ignored. In the OVO Java-based GUI, only Message IDs of the messages currently selected in the topmost browser are returned.

Sample output:

```
85432efa-ab4a-71d0-14d4-0f887a7c0000  
a9c730b8-ab4b-71d0-1148-0f887a7c0000
```

`$OPC_MSGIDS_ACT`

Returns the Message IDs (UUIDs) of the messages currently selected in the Active/All and any OpenView Message Browsers. If the same message is selected in more than one of these browsers, the duplicate selections are ignored. In the OVO Java-based GUI, only Message IDs of the messages currently selected in the topmost browser are returned.

Sample output:

```
85432efa-ab4a-71d0-14d4-0f887a7c0000  
a9c730b8-ab4b-71d0-1148-0f887a7c0000
```

\$OPC_MSGIDS_HIST

Returns the Message IDs (UUID) of the messages currently selected in the History Message Browser. In the OVO Java-based GUI, only Message IDs of the messages currently selected in the topmost browser are returned.

Sample output:

```
edd93828-a6aa-71d0-0360-0f887a7c0000  
ee72729a-a6aa-71d0-0360-0f887a7c0000
```

\$OPC_MSGIDS_PEND

Returns the Message IDs (UUID) of the messages currently selected in the Pending Messages Browser. In the OVO Java-based GUI, only Message IDs of the messages currently selected in the topmost browser are returned.

Sample output:

```
edd95828-ac2a-71d0-0360-0f887a7c0000  
ee96729a-ada9-71d0-0360-0f887a7c0000
```

\$OPC_NODES

Returns the names of all regular nodes that are selected at the time the application is executed. The names are separated by spaces. The nodes do not need to be in the node bank. Nodes can be selected directly in a submap of the IP Map.

Sample output:

```
kernighan.c.com richie.c.com
```

\$OPC_USER

Returns the name of the OVO user who is currently logged in on the management server.

Sample output:

```
opc_adm
```

Variables for Applications Started from the Java-based GUI

The following variables can only be used in applications started from the Java-based operator GUI.

`$OPC_CUSTOM[name]`

Returns the value of the custom message attribute name. For example, the variable `$OPC_CUSTOM[device]` could return the value Lan.

`$OPC_EXACT_SELECTED_NODE_LABELS`

Returns the labels of all nodes and node groups that are selected at the time the application is executed. The names are separated by spaces.

`$OPC_GUI_CLIENT`

Executes the application or action on the client where the Java-based GUI is currently running. This variable is resolved differently, depending on whether the GUI client is running on a UNIX-based system with DNS or on a PC using MS WINS (Windows Internet Name Service). If you are using WINS, `$OPC_GUI_CLIENT` returns the WINS hostname.

`$OPC_GUI_CLIENT_WEB`

Starts a web browser on the client where the Java-based GUI is currently running. This variable is resolved differently depending on whether the GUI client is running on a UNIX-based system with DNS or on a PC using MS WINS (Windows Internet Name Service). If you are using WINS, `$OPC_GUI_CLIENT_WEB` returns the WINS hostname.

`$OPC_NODE_LABELS`

Returns the labels of all nodes in the node tree that are selected at the time the application is executed. The names are separated by spaces.

Message-related Variables in the Java-based Operator GUI

This section describes message-related variables:

- ❑ “Parameters for Message-related Variables” on page 175
- ❑ “Examples of Message-related Variables” on page 185

Parameters for Message-related Variables

There are a few variables that return `TRUE` or `FALSE`, depending on the existence of a specific message attribute. For example, if an automatic action is defined, `TRUE` is returned. Otherwise `FALSE` is returned.

If an attribute is empty, an empty string is returned. If you use an attribute that does not exist, it is treated like part of a normal string, which means no evaluation happens and the string remains unchanged.

The data returned from variables is exactly the same type as that shown in the `Message Properties` dialog box.

The indexing for word extraction from strings and for access to specific annotations starts with 1, not with 0.

`$OPC_MSG.ACTIONS.AUTOMATIC`

Indicates whether or not an automatic action is defined.

Sample output:

`TRUE`

`$OPC_MSG.ACTIONS.AUTOMATIC.ACKNOWLEDGE`

If an automatic action has been configured to provide an acknowledgement for the selected message, and the actions have been successfully completed, this variable returns `yes`. Otherwise `no` is returned.

Sample output:

`yes`

`$OPC_MSG.ACTIONS.AUTOMATIC.ANNOTATION`

If this variable returns `yes`, an automatic action provides annotations for the selected message. Note, if the action fails, an annotation will always be written.

Sample output:

`yes`

`$OPC_MSG.ACTIONS.AUTOMATIC.COMMAND`

Returns the script or program, including its parameters, performed as an automatic action for the selected message.

Sample output:

`dist_del.sh 30 warning`

`$OPC_MSG.ACTIONS.AUTOMATIC.NODE`

Returns the node on which an automatic action has been performed for the selected message.

Sample output:

`kernighan.c.com`

`$OPC_MSG.ACTIONS.AUTOMATIC.STATUS`

Returns the current status of the message's automatic action. The variable can return `running`, `failed`, or `successful`.

Sample output:

`successful`

`$OPC_MSG.ACTIONS.OPERATOR`

Indicates whether or not an operator-initiated action is defined.

Sample output:

`TRUE`

`$OPC_MSG.ACTIONS.OPERATOR.ACKNOWLEDGE`

If an operator-initiated action has been configured to provide an acknowledgement for the selected message, and the actions have been successfully completed, this variable returns `yes`. Otherwise `no` is returned.

Sample output:

`yes`

`$OPC_MSG.ACTIONS.OPERATOR.ANNOTATION`

If this variable returns `yes`, an operator-initiated action provides annotations for the selected message. Note, if the action fails, an annotation will always be written.

Sample output:

`yes`

`$OPC_MSG.ACTIONS.OPERATOR.COMMAND`

Returns the script or program, including its parameters, performed as an operator-initiated action for the selected message.

Sample output:

`ps -ef`

`$OPC_MSG.ACTIONS.OPERATOR.COMMAND[n]`

Returns the *n*th parameter of the script or program, performed as an operator-initiated action for the selected message.

Sample output:

`-ef`

`$OPC_MSG.ACTIONS.OPERATOR.NODE`

Returns the node on which an operator-initiated action has been performed for the selected message.

Sample output:

`kernighan.c.com`

`$OPC_MSG.ACTIONS.OPERATOR.STATUS`

Returns the current status of the message's operator-initiated action. The variable can return running, failed, or successful.

Sample output:

successful

`$OPC_MSG.ACTIONS.TROUBLE_TICKET.ACKNOWLEDGE`

This variable can return the following values:

yes—The message was automatically acknowledged after having been forwarded to a trouble ticket system.

no—The message was not acknowledged after having been forwarded to a trouble ticket system.

Sample output:

yes

`$OPC_MSG.ACTIONS.TROUBLE_TICKET.STATUS`

This variable can return the following values:

yes—The message was forwarded to a trouble ticket system.

no—The message was not forwarded to a trouble ticket system.

Sample output:

yes

`$OPC_MSG.ANNOTATIONS`

Indicates whether or not annotations exist for a message. Returns `TRUE` if at least one annotation exists for a message. Otherwise `FALSE` is returned.

Sample output:

`TRUE`

`$OPC_MSG.ANNOTATIONS[n]`

Returns the *n*th annotation.

Sample output:

Performed Message Correlation;

Message Key Relation:

Message 59d06840-ac4f-71d5-1f67-0f887e320000
with condition id
fe00fa34-9e34-71d5-143e-0f887e320000 ackn'ed
0 messages.

`$OPC_MSG.APPLICATION`

Returns the name of the application related to the selected message.

Sample output:

/usr/bin/su(1) Switch User

`$OPC_MSG.ATTRIBUTES`

This variable can return the following values:

unmatched—The message did not match any message conditions.

log only—The message was not originally displayed in the message browser.

Sample output:

unmatched

`$OPC_MSG.CREATED`

Returns the date and time the message was created on the managed node.

Sample output:

09/18/01 18:08:08

`$OPC_MSG.DUPLICATES`

Returns the number of duplicate messages that have been suppressed.

Sample output:

17

`$OPC_MSG.ESCALATION.TO`

Returns the name of the receiving management server.

Sample output:

kernighan.c.com

`$OPC_MSG.ESCALATION.BY`

Returns the operator who initiated the escalation.

Sample output:

opc_op

`$OPC_MSG.ESCALATION.TIME`

Returns the date/time at which the escalation was done.

Sample output:

09/17/01 22:07:13

`$OPC_MSG.GROUP`

Returns the message group to which the selected message belongs.

Sample output:

Security

`$OPC_MSG.INSTRUCTIONS`

Returns the text of the instruction.

Sample output:

Available space on the device holding the / (root) filesystem is less than the configured threshold. This may lead to ...

`$OPC_MSG.LAST_RECEIVED`

Returns the date and time when the last duplicate message was received on the management server.

Sample output:

09/16/01 03:17:23

`$OPC_MSG.MSG_KEY`

Returns the message key that is associated with a message.

Sample output:

my_appl_down:kernighan.c.com

`$OPC_MSG.MSG_ID`

Returns the unique identification number for the selected message.

Sample output:

217362f4-ac4f-71d5-13f3-0f887e320000

`$OPC_MSG.NO_OF_ANNOTATIONS`

Returns the number of annotations of a message.

Sample output:

3

`$OPC_MSG.NODE`

Returns the managed node from which the selected message was issued.

Sample output:

kernighan.c.com

`$OPC_MSG.OBJECT`

Returns the object which was affected by, detected, or caused the event.

Sample output:

CPU

`$OPC_MSG.ORIG_TEXT`

Returns the original text of the selected message.

Sample output:

```
SU 09/18 18:07 + 6 root-spooladm
```

`$OPC_MSG.ORIG_TEXT[n]`

Returns the *n*th word in the original text of the message.

Sample output:

```
the
```

`$OPC_MSG.OWNER`

Returns the owner of the selected message.

Sample output:

```
opc_op
```

`$OPC_MSG.RECEIVED`

Returns the date and time the message was received on the management server.

Sample output:

```
09/18/01 18:08:10
```

`$OPC_MSG.SERVICE`

Returns the service name that is associated with the message.

Sample output:

```
VP_SM:Agent:ServicesProcesses@@kernighan.c.com
```

`$OPC_MSG.SERVICE.MAPPED_SVC_COUNT`

Returns the number of service names in messages that are mapped to this message.

Sample output:

```
3
```

`$OPC_MSG.SERVICE.MAPPED_SVC [n]`

Returns the name of the *n*th service name in this message.

Sample output:

SAP:applsv01

`$OPC_MSG.SERVICE.MAPPED_SVCS`

Returns all service names in messages mapped by this message. The names are separated by spaces.

Sample output:

SAP:applsv01 SAP:applsv02

`$OPC_MSG.SEVERITY`

Returns the severity of the message. This can be Unknown, Normal, Warning, Minor, Major, or Critical.

Sample output:

Normal

`$OPC_MSG.SOURCE`

Returns the name of the application or component that generated the message.

Sample output:

Message:opcmsg(1|3)

`$OPC_MSG.TEXT`

Returns the complete text of the selected message.

Sample output:

The following configuration information was successfully distributed:

Templates (OpC30-814)

`$OPC_MSG.TEXT [n]`

Returns the *n*th word in the text of the message text.

Sample output:

following

`$OPC_MSG.TIME_OWNED`

Returns the date and time when the message was acknowledged.

Sample output:

09/18/01 18:11:10

`$OPC_MSG.TYPE`

Returns the message type of the message.

Sample output:

ECS

Examples of Message-related Variables

This section contains examples of messages-related variables and parameters you can use to perform daily tasks.

❑ Accessing Message Attributes

You can access all message attributes with the following variable:

`$OPC_MSG.ATTRIBUTES`

All you would need to do is add an attribute name.

For example, to get text of a message, you would use the following:

`$OPC_MSG.TEXT`

Also when working with attributes that represent strings, you can access a specific word.

For example, to get the fourth word in the text of a message, you would use the following:

`$OPC_MSG.TEXT[4]`

Annotations are an exception to this rule. In annotations, an index specifies the annotation that are returned.

For example, you would access the seventh annotation of the current selected messages with the following:

`$OPC_MSG.ANNOTATIONS[7]`

❑ Finding Duplicate Messages

If you need information about the number of message duplicates for an application, you would use the following:

`$OPC_MSG.DUPLICATES`

❑ Extracting Creation Time and Severity

If want to do some statistical calculations, you would specify the message creation time and the severity, as follows:

`$OPC_MSG.CREATED`

`$OPC_MSG.SEVERITY`

❑ **Extracting Message Text**

If you have defined a template condition that creates a message text with some status as the third word, and you would like to extract this status easily and forward it to an application called `evaluate_status`, you would use the following:

```
evaluate_status $OPC_MSG.TEXT[3].
```

❑ **Evaluating Action Attributes**

If you want to use and evaluate action attributes, you could write shell scripts that check for automatic and operator-initiated actions, and get more information about their status and if they are annotated:

```
script_name $OPC_MSG.ACTIONS.AUTOMATIC
```

```
script_name $OPC_MSG.ACTIONS.AUTOMATIC.STATUS
```

```
script_name $OPC_MSG.ACTIONS.AUTOMATIC.ANNOTATION
```

The first parameter would be `TRUE` if an automatic action was defined for the message. This script would be useful only if there are more attributes used afterwards, but not to check for every attribute if it is an empty string.

❑ **Accessing Annotations**

To access the second annotation of a selected message in an application, you would use the following:

```
$OPC_MSG.ANNOTATIONS[2]
```

3 **Installing and Updating the OVO Configuration on the Managed Nodes**

In this Chapter

This chapter describes how to install and update the HP OpenView Operations (OVO) configuration on the managed nodes.

For a fuller understanding of the elements and windows you can use to review or customize OVO on the managed nodes, see the *OVO Concepts Guide*.


Distributing the OVO Agent Configuration to the Managed Nodes

After customizing the configuration and assigning templates to managed nodes, distribute the managed node configuration by selecting both the managed nodes and the **Templates** component in the Install/Update OVO Software and Configuration window (see Figure 3-1). If no configuration change has been made since the last configuration distribution, no new distribution is triggered unless you select the Force Update option.

NOTE

If you have configured actions or monitors in your templates, or if you have configured commands in your Application Bank or Application Desktop, you must distribute the binaries. For details, see “Distributing Scripts and Programs to the Managed Nodes” on page 190.

Figure 3-1 Install/Update OVO Software and Configuration Window



Distributing Scripts and Programs to the Managed Nodes

This section explains how to distribute commonly used scripts and programs to the managed nodes. You can call scripts and programs as automatic actions, operator-initiated actions, or scheduled actions. Scripts can also be used to broadcast commands or other procedures from the Application Desktop, or they can be used by the monitoring agent and logfile encapsulator.

Before You Distribute Scripts and Programs

Before you distribute scripts and programs to the managed nodes, review the following distribution requirements and tips.

Distribution Requirements

OVO distributes scripts and programs only if one of the following is true:

Not Already Installed

Scripts and programs are not already installed on the managed node.

Newer Versions Available

Newer versions of the scripts and programs are available on the managed server.

Distribution Tips for All Systems

To reduce network traffic and speed up distribution, follow these guidelines:

Commonly Used Binaries

Put only commonly used binaries into the following subdirectories:

```
/var/opt/OV/share/databases/OpC/mgd_node/customer/\
<arch>/{monitor|actions|cmds}
```

Where *<arch>* is the selector for your managed node platform. For the value of *<arch>* for your platform, see the *OVO DCE Agent Concepts and Configuration Guide*.

The entire directory contents are installed on each specified node, unless if you are using Selective Distribution feature to distribute only specified user-selected files to a particular managed node.

For more information, see “Selective Distribution of User-selected Files to Managed Nodes” on page 195.

❑ **Customized Binaries**

If you need a certain binary to be present only on specific systems, transfer the file manually. Do not put the file in the default directory on the managed nodes. The contents of this directory are erased each time the binaries are distributed.

For example, do not put customized commands in the following directory:

```
/opt/OV/bin/OpC/cmds
```

❑ **Customized Scripts**

Specify the full path name of the customized script in the OVO configuration. Or make sure the file is available through the *\$PATH* settings of the executing user on the managed node.

For example, a customized script to determine running processes might look like one the following:

```
/name/opc_op/scripts/my_ps  
my_ps
```

You can call this script as an application on the Application Desktop or as a broadcast command.

In this example, the *\$PATH* variable of the executing user on the managed node must contain the following:

```
/name/opc_op/scripts.
```

❑ **Distribution Manager**

If many distribution requests are handled by the distribution manager at the same time, other OVO services (for example, the message manager) can be slowed down. If other OVO services slow down, some managed nodes might not be able to receive data because the distribution manager is too busy. If the distribution manager is busy, a warning message is displayed.

Distributing Scripts and Programs to the Managed Nodes

To avoid performance problems, do the following:

- *Do Not Configure All Managed Nodes at One Time*

Minimize the number of managed nodes getting new configuration data at the same time:

- Select only a few nodes at a time in the IP map, Node Bank, or Node Group Bank window.
- In the Node Bank or Node Group Bank window, open the Configure Management Server window by selecting Actions: Server->Configure... (see Figure 3-2 on page 193). Set a low number in the Parallel Distribution field. For details, press **F1** to access online help for this field.

- *Reduce the Process Priority of the Distribution Manager*

Use the `renice(1)` command to reduce the process priority of the distribution manager (`opcdistm`) on the management server.

- *Use Selective Distribution Feature of the Distribution Manager*

Prevent distribution of the particular configuration files which are not needed on a specific node by using the Selective Distribution feature of the Distribution Manager (`opcdistm`). For details on Selective Distribution Feature, see “Selective Distribution of User-selected Files to Managed Nodes” on page 195.

❑ Identical Files

Use the customer file if identical files for `actions|cmds|monitor` are found in the customer and vendor directories:

```
/var/opt/OV/share/databases/OpC/mgd_node/customer/\
<arch>
```


```
/var/opt/OV/share/databases/OpC/mgd_node/vendor/\
<arch>/<OVO_version>/<package_type>
```


- **Customized Binaries**

OVO compresses the monitor|actions|cmds binaries. If a file with a .Z extension already exists, do not put a file into the following directory:

```
/var/opt/OV/share/databases/OpC/mgd_node/customer/\  
<arch>/{monitor|actions|cmds}
```

Figure 3-2 Configure Management Server Window



Distribution Tips for UNIX Systems

When distributing scripts to managed nodes on UNIX systems, follow these guidelines:

Mixed Clusters

With mixed clusters, you must install the `monitor|actions|cmds` scripts and programs only once for each architecture type. For each architectural type, select one cluster node.

File Names

The file names of the `monitor|actions|cmds` binaries may not be longer than 14 characters (including the `.Z` extension if the binary is compressed). This limitation is set to ensure smooth processing on nodes running with short file names.

To Distribute Scripts and Programs

To distribute the scripts and program, select the corresponding options in the `Install/Update OVO Software and Configuration` window. Scripts and programs are distributed only if they are not already installed on the managed node, or when a newer version is available on the management server.

NOTE

To update only the changes in the configuration, do not select the `Force Update` option. The `Force Update` option (re-)distributes all files causing an increase in network load.

For information about the directories on the management server and the managed node, see the *OVO DCE Agent Concepts and Configuration Guide*.

The binaries are located in the temporary directories only during the distribution phase. When distribution is completed, the local OVO action and monitor agents are stopped, the binaries are moved or copied to their final destination, and the OVO action and monitor agents are restarted.

The OVO action agent and monitor agent append directories to the `$PATH` setting of the executing user.

Selective Distribution of User-selected Files to Managed Nodes

This section describes the Selective Distribution feature of the Distribution Manager (`opcdistm`) using the `seldist` configuration file.

The Distribution Manager (`opcdistm`) usually distributes all the files to managed nodes from two sets of directories corresponding to the selected managed node type, for example HP-UX or Windows. These are located in the following two directories on the OVO management server:

```
/var/opt/OV/share/databases/OpC/mgd_node/vendor/\
<arch> [/<comm>] /actions|cmds|monitor
```

```
/var/opt/OV/share/databases/OpC/mgd_node/customer/ \
<arch> [/<comm>] /actions|cmds|monitor
```

Where `<arch> [/<comm>]` is the directory specific to the operating system and possibly the communication type of the node to which you want to distribute files.

The files contained within the vendor tree:

```
/var/opt/OV/share/databases/OpC/mgd_node/vendor
```

are used for the default configuration of OVO and are always distributed. The files contained in the customer tree are needed only if templates are assigned and distributed.

Normally, files are distributed which are not needed on a specific node. This problem is especially noticeable with the HP OpenView Smart Plug-ins (SPIs). The SPI binaries can be very large and when distributed to all target nodes, may occupy a significant amount of network bandwidth during distribution and large amounts of disk space on the managed nodes.

The Selective Distribution functionality gives you greater flexibility in distributing files from the OVO management server. You can prevent distribution of a user-selected set of files and binaries, for example, files belonging to a SPI, from `actions|cmds|monitor` to specific nodes that do not belong to the node group associated with the SPI.

A configuration file `seldist` is provided in which node group names together with file name prefixes and files are listed. For details about `seldist` configuration file, see “The `seldist` Configuration File” on page 197.

The advantages of this distribution include the reduction of the following:

- ❑ disk space utilization on managed nodes
- ❑ network traffic during configuration file distribution

If selective distribution is *not* enabled, the standard distribution of user-selected files is performed.

How Does Selective Distribution Work?

On starting configuration file distribution from the OVO GUI or command line, the distribution manager (`opcdistm`) checks the selective distribution configuration and when the distribution process of `actions`, `commands` or `monitors` is started, Selective Distribution in accordance with the requirements of the `seldist` file is started.

On distribution, every file from the customer `actions|cmds|monitor` directories is compared against each file name prefix in the `seldist` file. If it does not match any prefix, it is distributed to all agents of the respective platform.

If it matches one or more entries, it is only distributed to the agents of the corresponding node group(s). For example, an empty `seldist` file would result in all files being distributed to all nodes.

In a MoM environment, you *must* manually ensure synchronization of the `seldist` files on all of your OVO management servers.

Most Database SPI files have a `dbspi` prefix, SAP SPI files have an `r3` prefix, so an example of a SAP SPI binary would be named `r3perfmon`.

In addition to the preconfigured SPI-related files, you may also add your own files and file prefixes together with a node group name. This is most useful if you have your own templates and accompanying scripts that only need to be distributed to a subset of the nodes. For more information, see the section “To Configure Custom Selective Distribution” on page 203.

The seldist Configuration File

A `seldist` configuration file is provided in which node group names together with file name prefixes and files are listed. This file is read by the distribution manager process `opcdistm` either on startup, or triggered by the `opcseldist` utility. For more information on the `opcseldist` utility, usage and command line options, see “The `opcseldist` Utility” on page 200 or refer to the `opcseldist(1m)` man page.

Selective Distribution is automatically enabled if the `seldist` file exists in the directory:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/
```

When the distribution of actions, commands or monitors is started, Selective Distribution in accordance with the requirements of the `seldist` file is started.

The list of files in `seldist` refers only to files within the tree:

```
/var/opt/OV/share/databases/OpC/mgd_node/customer/\  
<arch> [/<comm>]
```

The `seldist` configuration file lists, for each SPI, the node group plus a list of files and file prefixes that belong to this SPI. You must add all managed nodes that need these files to this node group.

All files that are not listed in the `seldist` file are also distributed to all nodes. Hence, this distribution is backwards compatible with the standard distribution of actions|commands|monitor as only certain “known” files are blocked from distribution to nodes that do not belong to a specific group of nodes.

Example of a template configuration file

A template configuration file, `seldist.tmpl`, contains all currently known SPIs with proposed node group names. To use this Selective Distribution template, you *must* copy the file to `seldist`. For more information, see the section “Enabling Selective Distribution Using the Supplied SPI Configuration File” on page 201.

Here is an example extracted from the `seldist.tmpl` file:

```
# This is the specification file for Selective Distribution.  
# It is delivered as:  
#/etc/opt/OV/share/conf/OpC/mgmt_sv/seldist.tmpl.  
# Before it can be used, the file has to be copied to:  
# /etc/opt/OV/share/conf/OpC/mgmt_sv/seldist and edited there.
```

Installing and Updating the OVO Configuration on the Managed Nodes

Selective Distribution of User-selected Files to Managed Nodes

```
# Database SPI
#
DBSPI dbspi                # general prefix for most files
DBSPI ntwdblib.dll         # used for MS SQL on Windows
DBSPI sqlakw32.dll        # used for MS SQL on Windows
DBSPI libopc_r.sl         # used for Oracle 7.3.4 on HP-UX
11.00
# end of section Database SPI

# SPI for mySAP.com
#
sap r3                     # general prefix for most files
sap sap_mode.sh
sap netperf.cmd           # used for the NETPERF subagent
sap OvCor.dll             # used for SAP on Windows
sap OvItoAgtAPI.dll       # used for SAP on Windows
sap OvMFC.dll             # used for SAP on Windows
sap OvR3Wrapper.dll       # used for SAP on Windows
sap OvReadConfig.dll      # used for SAP on Windows
sap OvSpiASER3.dll        # used for SAP on Windows
sap librfc32.dll          # used for SAP on Windows
# end of section SPI for mySAP.com

# PeopleSoft SPI
# This is partitioned into 4 node groups.
# The PS DB Server nodes need the files from the Oracle SPI as
well.
#
PSAppServer psspi
PSBatchServer psspi
PSDBServer psspi
PSDBServer dbspi         # used for the PS DB Server nodes
PSDBServer libopc_r.sl   # used for Oracle 7.3.4 on HP-UX
11.00
PSWebServer psspi
# end of section PeopleSoft SPI
```

The syntax of the `seldist` file is as follows:

- Text after a hash (#) is treated as a comment and is *not* evaluated.
- In all uncommented lines, only the first two words are evaluated:

```
DBSPI dbspi
sap r3
```

The first word represents the node group name, for example `DBSPI` and `sap`, and the second word represents either a file name prefix or an individual file.

For example, `dbspi` and `r3` are file name prefixes, and `ntwdblib.dll` and `sap-mode.sh` are individual files.

NOTE

All file names are treated as prefixes. For example, the file name `ntwdblib.dll` would also stand for `ntwdblib.dll.old`.

- The same node group can be specified several times and thus it is possible to specify multiple prefixes, file names, or both for the same node group.
- The same prefix can be specified for several node groups. This is the case where several SPIs may share a common subset of files. An example is the PeopleSoft SPI which ships certain DBSPI files that are used on a PeopleSoft database server.

The relevant lines of the `seldist` file are:

```
DBSPI dbspi
```

```
PS_DB_Server dbspi
```

A file matching the `dbspi` prefix, for example, `dbspicao`, is distributed to a node only if that node belongs to either of the node groups `DBSPI` or “`PS DB Server`”. Similarly, it is even possible specify prefixes that are subsets of each other.

NOTE

Any files that do not display in the `seldist` file or do not match any of the listed prefixes, will always be distributed to all nodes, in the same way as they would be distributed to all nodes if the `seldist` functionality is not enabled.

- Spaces in node group names are not recognized by Selective Distribution.
- Node group names may be localized.

The opcseldist Utility

The `opcseldist` utility is a syntax check tool for `seldist` configuration files. It can also be used to send a re-configuration request to the distribution manager process `opcdistm`.

The `opcseldist` utility has the following command line options:

- ❑ `-check <filename>`, which checks the syntax of the specified file
- ❑ `-reconfig`, which sends the re-configuration request to `opcdistm`.

If the syntax of the configuration file is not correct, the `opcseldist` will display a list of corresponding errors. If there are errors in a `seldist` file, for example, a node group is specified without a file name prefix, and the file is used to manage distribution, the distribution manager evaluates the `seldist` file up to the error. The rest of the file is ignored. This can result in distribution of more files than intended.

A re-configuration request to `opcdistm` is accompanied by a request status message.

Enabling Selective Distribution Using the Supplied SPI Configuration File

To enable Selective Distribution using the supplied SPI configuration file, perform the following procedure:

1. Create node groups for the nodes to which you want to distribute your actions, commands and monitors. Most SPIs already come with default node groups for their specific configurations but you may use a different node group and change the `seldist` file accordingly.

NOTE

The Node Group Name that has to be used in the `seldist` file. The Node Group Label can be freely used, for example, localized.

2. Add all nodes that should have the SPI files distributed to the node group.
3. Change directory to the location of the configuration template:

```
cd /etc/opt/OV/share/conf/OpC/mgmt_sv
```

4. Make a copy of the `seldist.tmpl` file where you are to make your changes:

```
cp seldist.tmpl seldist
```

5. In the `seldist` file, locate the configuration section for the SPI that you want to configure and make the desired changes.

NOTE

To avoid confusion, check the configuration sections for all SPIs that you do not have installed. Make sure that you do not have a node group with the same name as one listed in the `seldist` file but has nothing to do with the `seldist` feature. If necessary, disable the configuration section for SPIs you do not have installed by preceding with a `#` comment sign.

6. Save the configuration file and check the syntax:

```
/opt/OV/bin/OpC/utlils/opcseldist -check seldist
```

Correct any possible syntax errors in the file.

7. Run the `opcseldist` utility to re-configure the distribution manager (`opcdistm`):

```
/opt/OV/bin/OpC/Utils/opcseldist -reconfig
```

The `opcdistm` process re-reads the `seldist` configuration file and checks the database for node groups specified in the configuration file. Because of possibly unwanted side effects, `opcdistm` will report to both the message browser and the `opcerror` file node groups that display in the `seldist` file, but are not in the database.

NOTE

The `opcdistm` process reads the `seldist` configuration file during each startup. However, if you edit the `seldist` file and want to make the changes effective instantly, run the `opcseldist -reconfig` utility.

For more information on the `opcseldist` utility, usage and command line options, see “The `opcseldist` Utility” on page 200 or refer to the *opcseldist(1m)* man page.

8. Distribute the actions|cmds|monitor binaries using the Install/Update OVO Software and Configuration window in the OVO GUI.

NOTE

If you have previously distributed all SPI actions|cmds|monitor to all nodes, and you now want to remove unnecessary binaries from these nodes, you can run a distribution with `Force Update` enabled.

Disabling Selective Distribution

If you do not want Selective Distribution of `actions|cmds|monitor`, you can disable Selective Distribution by performing the following steps:

1. Change directory to the location of the configuration file:

```
cd /etc/opt/OV/share/conf/OpC/mgmt_sv
```

2. Rename the `seldist` file, for example

```
mv seldist seldist.old
```

3. If the server processes are currently running, run:

```
/opt/OV/bin/OpC/utils/opcseldist -reconfig
```

To Configure Custom Selective Distribution

The default `seldist` file currently contains all known SPIs with proposed node group names for the distribution of SPI related files and binaries. You can configure a Selective Distribution of your own files and binaries placed in the `actions|cmds|monitor` directories that you want to distribute to specified nodes or node groups, by creating a new configuration section in the `seldist` file.

To configure custom selective distribution, complete the following steps:

1. Edit the `seldist` file and create a new configuration section including:

- The node group you assign all the nodes that should receive the files below.
- File names, prefixes, or both of the files you want to distribute.

See “The `seldist` Configuration File” on page 197 for syntax rules that must be observed.

2. Run the `opcseldist -check` command to check the syntax rules and correct any syntax errors if reported:

```
/opt/OV/bin/OpC/utils/opcseldist -check seldist
```

3. Add the nodes to which you want to distribute files to the node group.
4. Run the `opcseldist` utility to re-configure `opcdistm` as follows:

```
/opt/OV/bin/OpC/utils/opcseldist -reconfig
```

Installing and Updating the OVO Configuration on the Managed Nodes
Selective Distribution of User-selected Files to Managed Nodes

4 HP OpenView Performance Agent

In this Chapter

This chapter describes HP HP OpenView Performance Agent (OVPA).

About Other Platforms

For the following platforms, OVPA is provided on separate installation media (CD-ROMs) and is *not* deployable from OVO.

- IBM AIX
- Tru64 UNIX

Each platform has its own installation and configuration guide.

NOTE

For list of managed node platforms and operating system versions that are supported by OVPA, see the *HP OpenView Operations Software Release Notes*.

What OVPA Does

HP OpenView Performance Agent (OVPA) collects, summarizes, time stamps, and detects alarm conditions on current and historical resource data across your system. It provides performance, resource, and end-to-end transaction response time measurements, and supports network and database measurement information.

Integrating Data with OVPA

Data collected outside OVPA can be integrated using data source integration (DSI) capabilities. For example, network, database, and your own application data can be integrated through DSI. The data is treated the same as data collected by OVPA. All DSI data is logged, time stamped, and can be alarmed on.

Analyzing Data with OVPA

All of the data collected or received by OVPA can be analyzed using spreadsheet programs, HP analysis tools such as HP OpenView Performance Manager, or third-party analysis products. HP OpenView Performance Manager is optionally provided on separate media.

Logging Data with OVPA

The comprehensive data logged by OVPA enables you to do the following:

- Characterize the workloads in the environment.
- Analyze resource usage for load balancing.
- Perform service-level management based on transaction response time.
- Perform capacity planning.
- Respond to alarm conditions.
- Solve system management problems before they arise.

Customizing OVPA

OVPA gathers comprehensive and continuous information on system activity without imposing significant overhead on the system. Its design offers considerable opportunity for customizing. You can accept default configurations or set parameters to collect data for specific conditions.

Installation Requirements

This section describes the system requirements for installing OVPA on an OVO managed node.

NOTE

For list of managed node platforms that are supported by OVPA, as well as the requirements for installing OVO on the management server, see the *HP OpenView Operations Software Release Notes*.

OVPA is language-independent and can run on any supported system. However, manuals are provided in both English and Japanese editions. Please refer to “Documentation” on page 223 for the lists of manual names.

NOTE

OVPA and the embedded performance component can co-exist on the same system. However, if you do not require the embedded performance component, you can disable it. See the section on troubleshooting in the *OVO Administrator’s Reference* for details.

Hardware and Software Requirements

Before installing OVPA, make sure your managed node platform meets the hardware requirements detailed in the *HP OpenView Performance Agent Installation and Concepts Guide*.

NOTE

Communication Protocols for Sun Solaris

The following communication protocols are supported on OVPA for Sun Solaris:

- NCS 1.5.1
- DASCOC DCE 1.1.4.15.3 for Sun Solaris 2.6, 7, 8, and 9 (HP1wdce, the lightweight DCE client bundled within OV Performance Agent)
- Transarc DCE 2.0 for Sun Solaris 2.6

- IBM DCE 3.1 for Sun Solaris 7
- IBM DCE 3.2 for Sun Solaris 9

During the installation process, OVPA for Sun Solaris automatically selects the OVPA communication protocol configuration to match the protocol configuration in use by the OVO agent, if this agent is present on the system and the system is using either NCS or DCE . If the OVO agent is not found on the system, or it is using HTTPS communication, DCE communication protocol is selected for OVPA 3.x versions and HTTPS communication protocol is selected for OVPA 4.x versions.

For more information, see the *HP OpenView Performance Agent for Sun Solaris Systems: Installation & Configuration Guide*.

OVPA installs in the following directories:

Table 4-1

OVPA Installation Directories

Managed Node Platform	Installation Directory	Data Directory
HP-UX 11.00, 11.11, 11.23	/opt/perf	/var/opt/perf
Solaris	/opt/perf	/var/opt/perf
Windows	c:\program files\HP OpenView	c:\program files\HP OpenView\data
AIX	/usr/lpp/perf	/var/opt/perf
Tru64	/usr/opt/perf	/var/opt/perf
Linux	/opt/perf	/var/opt/perf/

Installing and De-installing OVPA

This section describes how to install and de-install OVPA on OVO managed nodes.

Installing OVPA

You can install OVPA on supported managed nodes using the standard or manual installation methods.

TIP

For additional installation and configuration information, see the *HP OpenView Performance Agent Installation & Configuration Guide*.

To Install OVPA with Standard Installation

To install OVPA on a supported managed node using standard installation, follow these steps:

1. Start the OVO administrator GUI.
2. Install the OVO agent software on the managed node where you want to run OVPA. See the *OVO Administrator's Reference* for more information.
3. In the OVO Node Bank, select the node where you want to install OVPA.
4. From the menu bar, select the following:
Actions: Subagents -> Install/Update...
The Install / Update Subagents window opens.
5. In the Install / Update Subagents window, select OV Performance Agent and the nodes on which you want to install or update the agent.
6. Click [Preview] to see which software packages will be installed on each node.
7. Click on [OK] to install the software package.
A confirmation window is displayed.

To Install OVPA Manually

To install OVPA on a managed node without using the management server, follow these steps:

1. Make sure the selected temporary directory on the managed node contains the required disk space specified in the *HP OpenView Performance Agent Installation and Concepts Guide*.
2. Copy the appropriate package and installation files from the management server to a temporary directory of the managed node:

- **HTTPS Managed Nodes**

HP-UX 11.0

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/hp/pa-risc/hpux1100/C.03.72/ovpa_pkg.Z
```

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/hp/pa-risc/hpux1100/C.03.72/install/ovpa_inst
```

HP-UX 11.11

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/hp/pa-risc/hpux1100/C.03.72/ovpa_pkg.Z.B.11
```

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/hp/pa-risc/hpux1100/C.03.72/install/ovpa_inst
```

HP-UX 11.23

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/hp/ipf32/hpux1122/C.03.71.23/ovpa_pkg.Z
```

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/hp/ipf32/hpux1122/C.03.71.23/install/ovpa_inst
```

Sun Solaris

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/sun/sparc/solaris7/C.03.82/ovpa_pkg.Z
```

```
<OVDataDir>/share/databases/subagent/VP_Perf_Agt\  
/sun/sparc/solaris7/C.03.82/install/ovpa_inst
```

Microsoft Windows

NOTE

Make sure that the unzip utility is available on the Windows managed node. It can be found at:

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/ms/x86/winnt/C.03.65/unzip.exe
```

```
/var/opt/OV/share/databases/OpC/mgd_node/vendor/ms/intel/nt/A.07.10/RPC_DCE_TCP/unzip.txt
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/ms/x86/winnt/C.03.65/ovpa_pkg.zip
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/ms/x86/winnt/C.03.65/install/ovpa_inst.exe
```

Linux

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/linux/x86/linux24/04.10/ovpa_pkg.Z
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/linux/x86/linux24/04.10/install/ovpa_inst
```

- **DCE Managed Nodes**

HP-UX 11.0

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/hp/pa-risc/hpux1100/C.03.72/ovpa_pkg.Z
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/hp/pa-risc/hpux1100/C.03.72/install/ovpa_inst
```

HP-UX 11.11

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/hp/pa-risc/hpux1100/C.03.72/ovpa_pkg.Z.B.11.11
```

NOTE

After copying the `ovpa_pkg.Z.B.11.11` package to the managed node, rename it to `ovpa_pkg.Z`.

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/hp/pa-risc/hpux1100/C.03.72/install/ovpa_inst
```

Sun Solaris

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/sun\  
sparc/solaris/C.03.82/ovpa_pkg.Z
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt/sun\  
sparc/solaris/C.03.82/install/ovpa_inst
```

Microsoft Windows

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt\  
/ms/intel/nt/C.03.65/setup.exe
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt\  
/ms/intel/nt/C.03.65/install/ISScript.msi
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt\  
/ms/intel/nt/C.03.65/install/instmsiW.exe
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt\  
/ms/intel/nt/C.03.65/install/ovpa_inst.exe
```

Linux

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt\  
linux/intel/linux24/04.10/ovpa_pkg.Z
```

```
<OVDatDir>/share/databases/subagent/VP_Perf_Agt\  
linux/intel/linux24/04.10/install/ovpa_inst
```

3. To install the files, enter the following command on the managed node:
 - a. Go to the directory containing the package and installation files copied from the OVO management server.
 - b. On Windows HTTPS managed nodes only, unzip the package file with the command:
unzip ovpa_pkg.zip
 - c. For both DCE and HTTPS managed nodes, start the installation with the command:
ovpa_inst INSTALL

De-installing OVPA

You can de-install OVPA from OVO managed nodes using the standard or manual de-installation methods.

To De-install OVPA with Standard De-installation

To de-install OVPA from a managed node using the standard installation method, follow these steps:

1. In the OVO Node Bank, select the node from which you want to de-install OVPA.
2. From the menu bar, select the following:
Actions Subagents -> Deinstall...
3. In the Deinstall Subagents window, select OV Performance Agent.
4. Click [OK] to de-install the software.

The OVPA executable files are removed from the managed node. Configuration files and data files are *not* removed.

To De-install OVPA Manually

To de-install OVPA from a managed node using the manual installation method, follow these steps:

1. Copy the appropriate `ovpa_inst` file from the directories listed in “To Install OVPA Manually” on page 213 to a temporary directory of the managed node.
2. To remove the files, enter the following command on the managed node:
 - a. Go to the directory containing the package and installation files copied from the OVO management server.
 - b. Start the OVPA deinstallation with the command:

```
ovpa_inst REMOVE
```

NOTE

The `ovpa_inst` script does *not* remove HP OpenView GlancePlus from the system. To remove GlancePlus, run the one of the following scripts, depending on your preferred mode:

Motif Mode Interface

UNIX `<install_dir>/bin/gpm.remove`

Windows `<install_dir>\bin\gpm.remove`

Character Mode Interface

UNIX `<install_dir>/bin/glance.remove`

Windows `<install_dir>\bin\glance.remove`

Preconfigured Elements

This section describes preconfigured templates, template groups, and applications used by OVPA on HP-UX and Sun Solaris managed nodes.

NOTE

OV Performance Application bank functions are not available for Windows managed nodes. For Windows, only deploy and remove are available.

Types of Applications

There is one application group named OV Performance. You can select the following applications from the Application Group: OV Performance window.

Table 4-2 Applications in Group: OV Performance

Application	Description
Check alarmdef	Check the syntax of the OVPA alarmdef file (utility -xc).
Check parm	Check the syntax of the OVPA parm file (utility -xp).
Config alarmdef	Edit the OVPA alarmdef file and check the syntax (utility -xc).
Config parm	Edit the OVPA parm file and check the syntax (utility -up).
Config Datasources	For OVPA 3.x, edit the /var/opt/perf/perflbd.rc file, and for OVPA 4.x, edit the /var/opt/OV/conf/perf/datasources file.
Config ttd.conf	Edit the /var/opt/perf/ttd.conf file.
List Processes	List the active performance tool processes (perfstat -p).
List Versions	List the version numbers for key performance tool files (perfstat -v).
Reactivate alarmdef	Reinitialize OVPA alarmgen process (mwa restart alarm).
Restart PA Servers	Reinitialize OVPA server processes (mwa restart server).
Restart Perf Agt	Reinitialize all OVPA processes (mwa restart).
Start extract	Start the OVPA extract program.

Table 4-2 Applications in Group: OV Performance (Continued)

Application	Description
Start Perf Agt	Start all OVPA processes (<code>mwa start</code>).
Start pv	Start the OpenView Performance Manager monitoring tool.
Start pvalarmd	Start the OpenView Performance Manager <code>pvalarmd</code> process (<code>pvalarmd.start</code>).
Start utility	Start the OVPA utility program.
Stop Perf Agt	Stop all OVPA processes except for <code>ttd</code> (<code>mwa stop</code>).
Stop pvalarmd	Stop the OpenView Performance Manager <code>pvalarmd</code> process (<code>pvalarmd.stop</code>).
Tail Status Files	Display last few lines of performance tool status files (<code>perfstat -t</code>)
Start OVPM	Start the OpenView Performance Manager processes.
Stop OVPM	Stop the OpenView Performance Manager processes.
Restart OVPM	Restart the OpenView Performance Manager processes.
Status OVPM	Status of OVPM is displayed.

Types of Templates

OVPA has the following template groups:

- OpenView Performance
 - OV Performance Agent
 - OV Performance Manager

OV Performance Agent Template Group

You can select the following OV Performance Agent templates from the Message Source Templates window:

- Message templates
- Logfile templates
- Monitor templates

Table 4-3 shows the message templates in the OV Performance Agent template group.

Table 4-3 **OV Performance Agent: Message Templates**

Template	Description
opcmsg for OV Performance	Interception of messages from HP OpenView Performance Agent.

Table 4-4 shows the logfile templates in the OV Performance Agent template group.

Table 4-4 **OV Performance Agent: Logfile Templates**

Template	Description
status.alarmgen	Retrieves messages from the alarmgen/agdbserver status file.
status.mi	Retrieves messages from the midaemon status file.
status.perflbd	Retrieves messages from the perflbd status file.
status.rep_server	Retrieves messages from the rep_server status file.
status.scope	Retrieves messages from the scopeux status file.

Table 4-4 OV Performance Agent: Logfile Templates

Template	Description
status.ttd	Retrieves messages from the ttd status file.

Table 4-5 shows the monitor templates in the OV Performance Agent template group.

Table 4-5 OV Performance Agent: Monitor Templates

Template	Description
agdbserver	Sends a message if the agdbserver process is not running.
alarmgen	Sends a message if the alarmgen process is not running.
midaemon	Sends a message if the midaemon process is not running.
perflbd	Sends a message if the perflbd process is not running.
rep_server	Sends a message if the number of rep_server processes running does not match the number configured in the perflbd.rc file.
scopeux	Sends a message if the scopeux process is not running.
ttd	Sends a message if the ttd process is not running.

OV Performance Manager Template Group

You can select the following OV Performance Manager templates from the Message Source Templates window:

- Logfile templates
- Monitor templates

Table 4-6 shows the logfile templates in the OV Performance Manager template group.

Table 4-6 **OV Performance Manager: Logfile Templates**

Template	Description
status.pv	Retrieves messages from the pv status file.
status.pvalarmd	Retrieves messages from the pvalarmd/pvmapd status file.

Table 4-7 shows the monitor templates in the OV Performance Manager template group.

Table 4-7 **OV Performance Manager: Monitor Templates**

Template	Description
pvalarmd	Sends a message if the pvalarmd process is not running.

Documentation

The OVPA documentation in the following languages is available from the web, or from an OVO managed node where OVPA is installed:

- English
- Japanese

NOTE

OVPA for Sun Solaris systems is *not* localized. The documentation is available in the English language only.

The documentation on an OVO managed node can be found at the following location:

```
<install_directory>/paperdocs/<product>/<language>/<manual>
```

For example:

```
/opt/perf/paperdocs/mwa/C/mwauser.pdf
```

All HP OpenView product manuals can be downloaded from the web site:

```
http://ovweb.external.hp.com/lpe/doc_serv/
```

To download the OVPA documentation:

1. Select `performance agent` in the product list box and the OVPA version, for example, `c.03.72`. The operating systems associated with the release version are displayed in the OS list box.
2. Select the document you require and click [Open] to view the document online, or click [Download] to save the file on your computer.

Downloading and Viewing Documentation

All OVPA documentation files are in Adobe Acrobat 4.0 Portable Document Format (PDF). You can view these file on the web with Adobe Acrobat Reader 3.0 or higher. If the Acrobat Reader is not already installed in your Web browser, you can download it at no charge from the Adobe web site:

<http://www.adobe.com>

While viewing a document in the Acrobat Reader, you can print a single page, a group of pages, or the entire document.

5 About OVO Interoperability


In this Chapter

This chapter describes the interoperability between OVO and HP OpenView Operations for Windows.

Interoperability between OVO and HP OpenView Operations for Windows

OVO and HP OpenView Operations for Windows provide several possibilities for exchanging messages and templates. Figure 5-1 shows the various communication paths between OVO and HP OpenView Operations for Windows.

Figure 5-1 OVO and HP OpenView Operations for Windows



NOTE HP OpenView Operations for Windows policies are synonymous with templates.

Configuring OVO Agents for an OpenView Operations for Windows Management Server

You can configure an OVO agent (for HP-UX, Solaris, Linux, AIX, Tru64, or Windows) to send messages to, and accept instructions from, an HP OpenView Operations for Windows management server.

NOTE

This configuration does not allow HP OpenView Operations for Windows to install policies on the managed node.

Sending Messages to an HP OpenView Operations for Windows Management Server

Depending on the template used, you can send all OVO messages (or a subset of those messages) to the HP OpenView Operations for Windows management server. Using this option, you can send messages to different management servers, based on their message group. For more information about flexible management configuration, see the *OVO Administrator's Guide to Online Information*.

To Configure an OVO Agent for an HP OpenView Operations for Windows Management Server

To configure OVO agents for management by HP OpenView Operations for Windows, follow these steps.

- 1. Add the node to HP OpenView Operations for Windows.**

For instructions, see the HP OpenView Operations for Windows online help.

- 2. Make sure the agent is an OVO A.08.00 agent.**

If necessary, upgrade the agent to OVO A.08.00. For upgrade instructions, see the *OVO Installation Guide for the Management Server*.

- 3. Copy the configuration template to the working directory.**

As user root, copy the following template to the working directory:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/work_respmgrs/
```

Interoperability between OVO and HP OpenView Operations for Windows

```

# This template sets the following configuration:
#
# - send messages with message group OpC to Unix
#   management server
# - send messages with message group VPW to Windows
#   management server
# - allow both servers to run actions on the node
#
TIMETEMPLATES
# none
RESPMGRCONFIGS
  RESPMGRCONFIG
    DESCRIPTION "responsible mgrs for messages and agents"
    SECONDARYMANAGERS
      SECONDARYMANAGER
        NODE IP 0.0.0.0 "unix.bbn.hp.com"
        DESCRIPTION "HP OpenView OVO Management Server"
      SECONDARYMANAGER
        NODE IP 0.0.0.0 "windows.bbn.hp.com"
        DESCRIPTION "HP OV VP Windows Mgmt Server"
    ACTIONALLOWMANAGERS
      ACTIONALLOWMANAGER
        NODE IP 0.0.0.0 "unix.bbn.hp.com"
        DESCRIPTION "HP OpenView OVO Mgmt Server"
      ACTIONALLOWMANAGER
        NODE IP 0.0.0.0 "windows.bbn.hp.com"
        DESCRIPTION "HP OV VP for Windows Mgmt Sv"
  MSGTARGETRULES
    MSGTARGETRULE
      DESCRIPTION "Unix responsibility"
      MSGTARGETRULECONDS
        MSGTARGETRULECOND
          DESCRIPTION "Unix messages"
          MSGGRP "OpC"
      MSGTARGETMANAGERS
        MSGTARGETMANAGER
          TIMETEMPLATE "$OPC_ALWAYS"
          OPCMGR IP 0.0.0.0 "unix.bbn.hp.com"
    MSGTARGETRULE
      DESCRIPTION "Windows responsibility"
      MSGTARGETRULECONDS
        MSGTARGETRULECOND
          DESCRIPTION "Windows messages"
          MSGGRP "VPW"
      MSGTARGETMANAGERS
        MSGTARGETMANAGERTIMETEMPLATE "$OPC_ALWAYS"

```

```
OPCMGR IP 0.0.0.0 "windows.bbn.hp.com"
MSGTARGETRULE
  DESCRIPTION "Rest of News"
  MSGTARGETRULECONDS
  MSGTARGETMANAGERS
  MSGTARGETMANAGER
    TIMETEMPLATE "$OPC_ALWAYS"
  OPCMGR IP 0.0.0.0 "$OPC_PRIMARY_MGR"
```

4. Rename the template.

Rename the template file as follows:

- *All Nodes*

If the file applies to all nodes, rename the file `allnodes`.

- *Individual Nodes*

If the file applies to an individual node, use the IP address of the node in hexadecimal notation in the following command:

```
/opt/OV/bin/OpC/install/opc_ip_addr
```

For more information, use the following command:

```
opc_ip_addr -h
```

5. Verify your changes.

To make sure your changes are correct, run the OVO template validation tool `opcmomchk(1)` on the finished configuration file:

```
/opt/OV/bin/OpC/opcmomchk <filename>
```

For more information, see the man page `opcmomchk(1)`.

6. Copy the template to the configuration directory.

As user root, copy the validated file to the configuration directory:

```
cp <filename> /etc/opt/OV/share/conf/OpC/mgmt_sv/\
respmgrs/
```

OVO distributes the management responsibility configuration file from this directory as part of the standard template distribution process.

NOTE

If several, but not all, managed nodes have the same configuration, you can apply a symbolic link to the Hex file name of the related managed node. In addition, the same configuration directory can contain both an `allnodes` file and files for specific managed nodes. If configuration files for specific nodes are present, they are used in preference to the `allnodes` file for those nodes.

7. Install the template on the managed nodes.

For each template you want to install, do this:

- a. Select the nodes in the Node Bank window or other submap, then select **Actions: Agents -> Install/Upgrade SW & Config...**
- b. Select the **Templates** checkbox in the **Install/Update Software and Configuration** window.
- c. Click **[OK]**.

Configuring HP OpenView Operations for Windows Agents for an OVO Management Server

On all supported platforms, you can configure an Enterprise Message or Action agent deployed by HP OpenView Operations for Windows to send messages to, and carries out actions from, an OVO management server. (OVO will not be able to distribute templates to this node.)

Sending Messages to OVO Management Server

Depending on the template used, you can send all messages (or a subset of those messages) to the OVO management server. Using this option, you can send messages to different management servers, based on their message group. For more information about flexible management configuration, see the *OVO Administrator's Guide to Online Information*.

To Configure an HP OpenView Operations for Windows Agent for an OVO Management Server

To configure an HP OpenView Operations for Windows agent for an OVO management server, follow these steps:

1. Prepare the OVO management server.

To prepare the management server, do this:

- a. In the OVO administrator GUI, add the HP OpenView Operations for Windows node as an OVO-controlled node. For instructions, see the *OVO Administrator's Guide to Online Information*.
- b. Update the OVO configuration and start heartbeat polling for the Windows node manually.

Use the following commands:

```
/opt/OV/bin/OpC/opcsw -installed <node>
```

```
/opt/OV/bin/OpC/opchbp -start <node>
```

For more information about `opcsw`, see the man page `opcsw(1M)`.

c. Copy the template below and paste it into the file.

```
# This template sets the following configuration:
#
#   - send messages with message group OpC to Unix
#     management server
#   - send messages with message group VPW to Windows
#     management server
#   - allow both servers to run actions on the node
#
TIMETEMPLATES
# none
RESPMGRCONFIGS
    RESPMGRCONFIG
        DESCRIPTION "responsible mgrs for messages and
agents"
SECONDARYMANAGERS
    SECONDARYMANAGER
        NODE IP 0.0.0.0 "unix.bbn.hp.com"
        DESCRIPTION "HP OpenView OVO Management Server"
    SECONDARYMANAGER
        NODE IP 0.0.0.0 "windows.bbn.hp.com"
        DESCRIPTION "HP OV for Windows Mgmt Server"
ACTIONALLOWMANAGERS
    ACTIONALLOWMANAGER
        NODE IP 0.0.0.0 "unix.bbn.hp.com"
        DESCRIPTION "HP OpenView OVO Management Server"
    ACTIONALLOWMANAGER
        NODE IP 0.0.0.0 "windows.bbn.hp.com"
        DESCRIPTION "HP OV for Windows Mgmt Server"
MSGTARGETRULES
    MSGTARGETRULE
        DESCRIPTION "Unix responsibility"
        MSGTARGETRULECONDS
            MSGTARGETRULECOND
                DESCRIPTION "Unix messages"
                MSGGRP "OpC"
        MSGTARGETMANAGERS
            MSGTARGETMANAGER
                TIMETEMPLATE "$OPC_ALWAYS"
                OPCMGR IP 0.0.0.0 "unix.bbn.hp.com"
    MSGTARGETRULE
        DESCRIPTION "Windows responsibility"
        MSGTARGETRULECONDS
            MSGTARGETRULECOND
                DESCRIPTION "Windows messages"
```

```
MSGGRP "VPW"
MSGTARGETMANAGERS
MSGTARGETMANAGER
TIMETEMPLATE "$OPC_ALWAYS"
OPCMGR IP 0.0.0.0 "windows.bbn.hp.com"
MSGTARGETRULE
DESCRIPTION "Rest of News"
MSGTARGETRULECONDS
MSGTARGETMANAGERS
MSGTARGETMANAGER
TIMETEMPLATE "$OPC_ALWAYS"
OPCMGR IP 0.0.0.0 "$OPC_PRIMARY_MGR"
```

- d. Modify the file with the names of the OVO and HP OpenView Operations for Windows management servers.
- e. To ensure that your changes are correct, run the OVO template validation tool `opcmomchk(1)` on the finished configuration file:

```
/opt/OV/bin/OpC/opcmomchk <filename>
```

For more information about `opcmomchk(1)`, the man page `opcmomchk(1)`.

- f. As user root, copy the validated file to the configuration directory:

```
cp <filename> /etc/opt/OV/share/conf/OpC/mgmt_sv/\
respmgrs/
```

As part of the standard template distribution process, OVO distributes the management responsibility configuration file from this directory.

Configuring HP OpenView Operations for Windows Management Servers to Forward Messages to OVO

To configure a HP OpenView Operations for Windows management server forward messages to OVO, perform these procedures:

1. Configure OVO to accept messages forwarded from a HP OpenView Operations for Windows management server.

For detailed instructions, see “To Configure OVO to Accept Messages Forwarded from an HP OpenView Operations for Windows Management Server” on page 237.

2. Configure the HP OpenView Operations for Windows agent.

For detailed instructions, see “To Configure the HP OpenView Operations for Windows Agent” on page 239.

3. Optional: Configure the Windows registry

For detailed instructions, see “Optional: To Change the Default Name of the WM1 Policy” on page 240.

About Message Forwarding on an HP OpenView Operations for Windows Management Server

By setting up message forwarding from a HP OpenView Operations for Windows management server, you establish the following conditions:

❑ **Management Node**

The node on which the HP OpenView Operations for Windows management server is running sends messages to, and accept actions from, the HP OpenView Operations for Windows management server and the OVO management server. The installed agent is a HP OpenView Operations for Windows agent.

❑ **OV Messages**

All OV Messages with property `Type` equal to `ForwardToVP` are sent to the OVO server. All other messages go to the HP OpenView Operations for Windows server. This configuration is established through the OVO server with a template for flexible-management configuration.

❑ **WMI Interceptor**

To mark messages that should be forwarded to OVO, the WMI interceptor of the HP OpenView Operations for Windows agent is used to intercept these messages. Then, messages with the updated value of property `Type` will be sent to the OVO server.

To Configure OVO to Accept Messages Forwarded from an HP OpenView Operations for Windows Management Server

1. As an OVO administrator, add the Windows node on which the HP OpenView Operations for Windows server is running to the managed nodes of OVO.
2. Update the OVO configuration and start heartbeat polling for the Windows node manually.

Use the following commands:

```
/opt/OV/bin/OpC/opcsw -installed <node>
```

Sample output: f887b88

```
/opt/OV/bin/OpC/opchbp -start <node>
```

The `opcsw` command returns the hexadecimal value of the node's IP address. Write this value down. You will need it to set up the flexible-management configuration template.

For more information about `opcsw`, see the man page `opcsw(1m)`.

3. Create a file and name it with the hexadecimal value returned by the command `opcsw`.
4. Copy the template below and paste it into the file.

File: *<hex-value>*

```
#
# Template for message forwarding to an OVO server
#
TIMETEMPLATES
# None
#
# Responsible Manager Configurations
#
RESPMGRCONFIGS
# Responsible OVO Manager: bigunix
# Responsible HP OpenView Operations for Windows
Manager: bignt
RESPMGRCONFIG
    DESCRIPTION "Responsible managers in an OVO environment"
    SECONDARYMANAGERS
        SECONDARYMANAGER
            NODE IP 0.0.0.0 "bigunix"
            DESCRIPTION "OVO Manager"
```

```

SECONDARYMANAGER
  NODE IP 0.0.0.0 "bignt"
  DESCRIPTION "HP OpenView Operations for Windows
Manager"
ACTIONALLOWMANAGERS
  ACTIONALLOWMANAGER
    NODE IP 0.0.0.0 "bigunix"
    DESCRIPTION "OVO Manager"
  ACTIONALLOWMANAGER
    NODE IP 0.0.0 "HP OpenView Operations for Windows
Manager"
MSGTARGETRULES
  # Responsible Manager is the OVO Manager
MSGTARGETRULE
  DESCRIPTION "All messages with
MsgType="\ForwardToVP\" should be sent to the
OVO Server"
MSGTARGETRULECONDS
  MSGTARGETRULECOND
    DESCRIPTION "Message that should be
forwarded to OVO"
    MSGTYPE "ForwardToVP"
  MSGTARGETMANAGERS
    MSGTARGETMANAGER
      TIMETEMPLATE "$OPC_ALWAYS"
      OPCMGR IP 0.0.0.0 "bigunix"
  # Responsible Mgr is the HP OpenView Operations for
Windows Mgr
MSGTARGETRULE
  DESCRIPTION "Message for the
HP OpenView Operations for Windows server"
MSGTARGETRULECONDS
  MSGTARGETMANAGERS
    MSGTARGETMANAGER
      TIMETEMPLATE "$OPC_ALWAYS"
      OPCMGR IP 0.0.0.0 "bignt"

```

5. In the template, change the server names bigunix (OVO server) and bignt (HP OpenView Operations for Windows server) to the server names used in your environment.

- To ensure that your changes are correct, run the OVO template validation tool `opcmomchk(1)` on the finished configuration file:

```
/opt/OV/bin/OpC/opcmomchk <filename>
```

For more information about `opcmomchk`, see the man page `opcmomchk(1)`.

- Copy the file you created to the following directory on the OVO server:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/respmgrs
```

- Run the tool `Switch management server for Windows nodes`, located in the HP OpenView Operations for Windows management server console under `Tools/OpenView Tools`.

IMPORTANT

Be aware that the status of the tool will stay on starting if the switch was successful.

When prompted by the script, enter the name of the OVO management server.

- Use the OVO graphical user interface (GUI) to distribute the created flexible-management template to the Windows node of the HP OpenView Operations for Windows server, or use the command line:

```
opcragt -distrib -templates -force \  
<name_of_VP_Windows_management_server>
```

- Run the script `Switch management server for Windows nodes` again on the HP OpenView Operations for Windows management server.

When prompted by the script, enter the name of the HP OpenView Operations for Windows management server.

To Configure the HP OpenView Operations for Windows Agent

To configure the HP OpenView Operations for Windows agent, deploy the policy `Policy management\Samples\Forward to VP` on the HP OpenView Operations for Windows management server.

Optional: To Change the Default Name of the WM1 Policy

The WMI policy used to define the messages to be forwarded to OVO is named `ForwardToVP`. If you want to use some other name for the policy, you must rename the policy and then indicate the new name in the Windows registry on the HP OpenView Operations for Windows management server.

To change the default name of the WM1 policy, create the following registry entry:

```
REGEDIT4 [HKEY_LOCAL_MACHINE\SOFTWARE\Hewlett-Packard\OVEnterprise\Agent\OvMsgActFM] "Forward To VP Policy"="<New Name>"
```

Optional: To Change the Default Property Type of All Messages Forwarded to OVO

The WMI interceptor sets the property **message type** of all messages to be forwarded to OVO. The default message type is `ForwardToVP`. If you want to use some other message type, you must change the type in the Forward to VP policy and create the following registry entry on the HP OpenView Operations for Windows management server:

```
REGEDIT4 [HKEY_LOCAL_MACHINE\SOFTWARE\Hewlett-Packard\OVEnterprise\Agent\OvMsgActFM] "MsgType in Forwarded Messages"="<New Type>"
```

Refer to the HP OpenView Operations for Windows online help to learn how to change the message type of a policy.

NOTE

If you change this default property type of all messages to be forwarded to OVO, you must adjust the flexible management template accordingly. As you can see in the sample template in “To Configure OVO to Accept Messages Forwarded from an HP OpenView Operations for Windows Management Server” on page 237, the default value `ForwardToVP` is used in `MSGTYPE ForwardToVP` to match the forwarded messages.

Importing OVO Templates into HP OpenView Operations for Windows

You can import various OVO templates into HP OpenView Operations for Windows.

Types of OVO Templates Imported into HP OpenView Operations for Windows

The following OVO templates can be imported into HP OpenView Operations for Windows:

- Logfile
- Eventlog
- Threshold monitors
- SNMP
- opcmgs
- Scheduled actions

To Import OVO Templates into HP OpenView Operations for Windows

To import OVO templates into HP OpenView Operations for Windows, follow these steps:

1. Download the templates on the OVO management server. See the *OVO Administrator's Reference* for download instructions.
2. Import the OVO templates into HP OpenView Operations for Windows using the tool `ImportPolicies`. See the HP OpenView Operations for Windows online help for more information.

Importing HP OpenView Operations for Windows Policies into OVO

You can import various HP OpenView Operations for Windows policies into OVO.

Types of HP OpenView Operations for Windows Policies Imported into OVO

The following types of HP OpenView Operations for Windows policies can be imported into OVO:

- Logfile entry
- Windows event log
- SNMP interceptor
- Open message interface
- Scheduled command

To Import HP OpenView Operations for Windows Policies into OVO

To import HP OpenView Operations for Windows policies into OVO, follow these steps:

1. Download the policies on the HP OpenView Operations for Windows management server using the tool `ovpmutil`.

For more information, see the HP OpenView Operations for Windows online help.

2. Import the HP OpenView Operations for Windows policies into OVO by entering:

```
/opt/OV/bin/OpC/utlils/opctempl -add <file>
```

In this command, *<file>* is the name of the structured storage file created by HP OpenView Operations for Windows. For more information about this command, see the man page *opctempl(1m)*.

6 Integrating Applications into **OVO**

In this Chapter

This chapter explains how to integrate applications into OVO.

For more detailed information on the elements and the windows you can use to carry out the integration, see the *OVO Concepts Guide*. See also the *OVO Application Integration Guide* available with the HP OpenView Operations Developer's Toolkit.

About Application Integration

HP OpenView Operations (OVO) enables operators to invoke applications graphically (that is, by point and click) from the Application Desktop.

Assigning Applications to Operators

You can assign a different set of applications to each operator, as needed.

Integrating HP Applications into OVO

If you have purchased an application that is already prepared for OVO integration (for example, HP OpenView OpenSpool, HP OpenView OmniBack II, or HP OpenView OmniStorage), you can integrate it quickly and easily using `opccfgupld(1M)`.

Integrating Applications into OVO Components

You can integrate applications into the following OVO components:

- Application Desktop (Operator window)
- OVO Application Bank (Administrator window that already contains the `ovw` application group `X-OVw`)
- Broadcasts
- Automatic actions, operator-initiated actions, and scheduled actions
- Monitoring
- Logfile encapsulation
- SNMP trap and message interception

Integrating Applications into the Application Desktop

You can add your own applications to the OVO Application Bank, and assign them to an operator. The applications are then invoked when the operator double-clicks a symbol in the Application Desktop.

You can add the following types of applications to the OVO Application Bank:

- OVO applications
- HP OpenView applications

Integrating OVO Applications

Typically, OVO applications are utilities that provide services of a general nature. When integrated into the Application Desktop, they help build a set of management tools. You can pass information (for example, selected nodes) as arguments to the applications. Users then start the applications by double-clicking application icons.

You can add applications through the Add OVO Application and Add Internal Application windows. These windows enable you to integrate application into the OVO Application Bank quickly and easily. For details, see the administrator's online help and the *OVO Application Integration Guide*.

About the Plug-in for Integrated OpenView Applications

A plug-in of integrated HP OpenView applications is provided by Application Registration Files (ARFs). These files define how users access applications and how application processes are managed. HP OpenView applications also can access HP OpenView windows through the HP OpenView Windows Applications Programming Interface (API). This API enables you, for example, to generate application-specific submaps. The submaps are generated by HP OpenView OpenSpool, HP OpenView OmniBack II, and HP OpenView OmniStorage. For details about general HP OpenView application integration, see the *HP OpenView Windows Developers Guide*.

For more information about integrating HP OpenView applications into OVO, see the administrator's online help and *OVO Application Integration Guide*.

Integrating NNM into OVO

By default, HP OpenView Network Node Manager (NNM) is integrated into OVO. This integration enables users to select nodes in the IP Map of NNM systems, and to see and execute OpenView (OV) applications from the OVO GUI.

NNM integration can be used in the following situations:

❑ **Locally**

If NNM is installed locally on the OVO management server, NNM is integrated automatically.

❑ **Remotely**

If NNM is installed remotely on another system, you must install a separate package on the NNM system manually.

Apart from some differences in implementation, NNM integration is available for the Java UI and the Motif UI. For further information about NNM integration into OVO, see the *OVO Application Integration Guide*.

Integrating NNM Applications into OVO

Applications that are a part of Network Node Manager (NNM) are automatically integrated into the HP OpenView platform. As a result, you can easily integrate these applications into OVO as OV Applications or OV Services.

Limitations of NNM Integration

NNM Integration into OVO has the following limitations:

Daemons

If you have so defined them in the application registration file (ARF), OV Application and OV Service integrations can cause a daemon to start running when the OVO session is started.

Desktop Icons

By integrating OVO as an OV Application, you integrate a single action as a desktop icon (as defined in the ARF).

Menu Items

By integrating OVO as an OV Service, you integrate all actions as menu items (as defined in the ARF).

NOTE

New users who do not have the IP Map application assigned can still log into OVO and run the command `ovw -map <user_name>`. This command opens a read-only IP Map for the specified user. The read-only IP Map is also present each time the same user subsequently starts OVO. However, the user cannot perform any actions with the read-only IP Map. The full menus and services that are usually present in the IP Map window are not available. As an OVO administrator, make sure that the directory tree `/var/opt/OV/share/databases/openview/mapdb` is owned by root.

To Enable Operators to Manage IP Networks in the IP Map

To enable an operator to view and manage the topology of IP networks in the IP Map, follow these steps:

1. As an OVO administrator, from the menu bar of the root IP Map, select `Window:Application Bank...`

The OVO Application Bank window opens.

2. Double-click the application group `OV Services`.
3. Drag and drop the application labeled `IP Map` into the operator's Assigned Applications window.

This application enables the operator to manage the IP topology.

4. Restart the operator session.
5. Verify that the IP topology displays under the IP Internet symbol in the root submap.

NOTE

If the application IP map is removed this does not actually remove IP map itself from `ovw`, the operator map will also need to be removed by following command:

```
ovw -deleteMap <operator_name>
```

Be aware because, deleting the map will also remove any map customization.

To Integrate “Ethernet Traffic HP” as an OV Application

To integrate “Ethernet Traffic HP” as an OV Application, follow these steps:

1. As OVO administrator, from the menu bar of the root IP Map, select Window:Application Bank....

The OVO Application Bank window opens.

2. As OVO administrator, from the menu bar select Actions:Applications->Add OV Application....

The Add OV Application window opens.

3. In the Add OV Application window, enter the following application attributes:

Application Name: **Ethernet Traffic HP**

OV Registration Application Name: **IP Graphs**

OV Registration Action Identifier: **etherTrafficHP**

4. Select [Use Objects selected by Operator].

5. Click [OK].

6. Invoke the OV Application as administrator and as operator:

- a. *Administrator*

To use the OV Application, log out and log back in. Select a node and double-click the Ethernet Traffic HP application in the OVO Application Bank.

To enable the operator to monitor the ethernet traffic, drag and drop the OV application into an operator Assigned Applications window. Then restart the operator’s session.

- b. *Operator*

Select a node and double-click the Ethernet Traffic application in the Application Desktop.

To Integrate “IP Activity Monitoring - Tables” as an OV Service

To integrate “IP Activity Monitoring - Tables” as an OV Service, follow these steps:

1. As an OVO administrator, from the menu bar of the root IP Map, select `Window:Application Bank...`

The OVO Application Bank window opens.

2. As an OVO administrator, from the menu bar select `Actions:Applications->Add OV Service...`

The Add OV Service window opens.

3. In the Add OV Service window, enter the following application attributes:

Application Name: **IP Monitoring - Tables**

OV Registration Application Name: **IP Tables**

4. Click [OK].

5. Invoke the OV Service as administrator and as operator:

- a. *Administrator*

To use the OV Service, log out and log back in. Click a node and select one of the menu items in the IP Map under `Performance:Network Activity` or `Configuration:Network Configuration`.

To enable the operator to monitor the IP tables, copy the OV Service into an operator Application Desktop. Then restart the operator’s session-

- b. *Operator*

Double-click a node, then select one of the menu items under `Performance:Network Activity` or `Configuration:Network Configuration`.

To Enable Operators to Control OVO Agents

By default, only an OVO administrator is allowed to start or stop OVO agents on the managed nodes through the OVO GUI. However, operators can make changes to this policy by updating OVO Status, which OVO provides (in the Application Bank) as a preconfigured OVO application.

To enable operators to control OVO agents, follow these steps:

1. From the menu bar, select Window:Application Bank....

The Application Bank window opens.

2. Select the application OVO Status from the Application Bank.
3. Copy the application with Actions:Application->Copy.
4. Rename and modify the application:

- a. Change the application attributes as follows:

Application Name: **OVO Agents Start**
Description: **Starting of OVO Agents**
Application call: **/opt/OV/bin/OpC/opcragt -start
\$OPC_NODES**

Start on Target Node List: Leave field empty.

Executing user: **root**

Password: Leave field empty.

- b. Select [No Window] (for example, X Application) from the option button.
 - c. Click [OK].
5. Select the application OVO Status from the Application Bank.
 6. Copy the application using Actions:Application->Copy.
 7. Rename and modify the application:

- a. Change the attributes as follows:

Application Name: **OVO Agents Stop**
Description: **Stopping of OVOAgents**
Application call: **/opt/OV/bin/OpC/opcragt -stop
\$OPC_NODES**

Start on Target Node List: Leave field empty.

Executing user: **root**

Password: Leave field empty.

- b. Select [No Window] (for example, X Application) from the option button.
 - c. Click [OK].
8. Assign the new applications to the operators.

Integrating Applications as Broadcast Commands

You can launch applications on multiple systems at the same time using the OVO broadcast command facility in the Application Desktop or Application Bank.

Requirements for Integrating Applications as Broadcast Commands

To launch an application on multiple systems, you must first meet the following requirements:

UNIX Systems

The application must be accessible from your `$PATH` settings.

All Systems

The path must be fully qualified on the Broadcast Command window.

NOTE

In either case, the application must be available on the managed node.

Distributing Application to Managed Nodes

You can distribute simple and widely used applications to managed nodes through OVO. For details, see “Distributing the OVO Agent Configuration to the Managed Nodes” on page 189.

Integrating Applications as Actions

You may configure an application or script to run as an automatic action, operator-initiated action, or scheduled action:

Automatic Action

Action triggered by a message received in OVO.

Operator-initiated Action

Action enabled by a message received in OVO and executed by an operator. These actions may also be triggered by the OVO administrator through the message browser.

Scheduled Action

Actions configured by the OVO administrator. These actions execute a routine task at a preconfigured time.

About the Action Agent

Actions are always performed by the OVO action agent, which operates as **root** on UNIX systems, as **AGENT.OVOPC** on MPE/iX systems, and as HP ITO Account on Windows NT/2000 systems. To be executed, the action must be available on the managed node.

NOTE

The HP ITO Account is part of the Administrator, Domain Administrator, and User Administrator groups. If an action is prohibited for one of these groups, the HP ITO Account is not able to perform that action.

Requirements for Integrating Applications as Actions

To integrate applications as action, the applications must meet the following requirements:

❑ **UNIX Systems**

The application must be accessible from the $\$PATH$ settings of the root.

❑ **All Systems**

The path must be fully qualified in the corresponding message condition configuration window.

Distributing Actions to Managed Nodes

You can distribute simple and widely used actions to managed nodes through OVO. For details, see “Distributing the OVO Agent Configuration to the Managed Nodes” on page 189.

Integrating Monitoring Applications

You can use applications for monitoring purposes by configuring them to deliver the monitored object status using the `opcmon (1)` command or `opcmon (3)` API.

Requirements for Integrating Monitored Applications

To integrate a monitored application into OVO, the application must meet the following requirements:

UNIX Systems

The application must be accessible from the `$PATH` settings of the root.

All Systems

The path must be fully qualified in the corresponding message condition configuration window.

NOTE

In either case, the application must be available on the managed node.

Distributing Monitored Applications to Managed Nodes

You can distribute simple and widely used monitoring applications to managed nodes through OVO. For details, see “Distributing the OVO Agent Configuration to the Managed Nodes” on page 189.

Monitoring Application Logfiles

You can monitor applications by observing their logfiles. You can suppress logfile entries or forward them to OVO as messages. You can also restructure these messages or configure them with OVO-specific attributes. For details, see the `Message Source Templates` window of the OVO administrator's GUI.

NOTE

Most applications running on Windows NT systems use **Eventlogs**. The information in these databases can be extracted by the logfile encapsulator, but there are some differences in the set-up procedure. For more information, see the OVO online help or the *OVO Concepts Guide*.

Intercepting Application Messages

To monitor applications, OVO uses the following messages:

- Logfiles
- SNMP traps
- `opcmsg(1)` command
- `opcmsg(3)` API

Depending on how you have configured OVO, you can suppress messages or forward them to OVO. You can also restructure these messages or configure them with OVO-specific attributes. For MPE/iX systems, OVO also supports console message interception. For details, see the `Message Source Templates` window of the OVO administrator's GUI.

About the Message Stream Interface API

You can use the Message Stream Interface (MSI) API to register applications to receive messages on the management server. The MSI lets you plug in event correlation engines and statistical analysis tools to establish a link to other network and system management applications.

Messages are intercepted before they are added to the OVO database and before they are displayed in the OVO message browsers. For further information, see the documentation available with the HP OpenView Operations Developer's Toolkit.

Starting Applications and Broadcasts on Managed Nodes

Before it starts an application or broadcast command on the managed node, OVO verifies the profile of the executing user.

Restrictions on Applications and Broadcasts

The following restrictions apply to applications and broadcasts:

❑ Commands and Applications

The OVO action agent broadcasts commands and starts applications.

Applications are configured as follows:

- Window (Output Only)
- Window (Input/Output)
- No Window (eg X Application)

During the execution of a user profile `s`, `stdin`, `stdout` and `stderr` are not available. For this reason, avoid commands reading from standard input or writing to standard output or error.

In particular, avoid commands such as the following:

- `stty`
- `tset`
- Startup of window (input/output) applications

❑ Delays

If a delay of more than two seconds occurs during output or input activity, OVO assumes that an error has occurred and stops execution. For example, an OVO error can occur if a program runs for more than two seconds without generating output.

NOTE

Applications do not require a separate terminal window.

Guidelines for Setting Up User Profiles

When setting up user profiles, follow these guidelines:

❑ User Input

Do not ask for specific user input in the profile. Instead, provide a default value that users confirm with by pressing **Return**.

For example, the following script for HP-UX 11.x produces an endless loop if no valid answer is specified.

```
#!/usr/bin/sh
TERM=""
while [ -z "${TERM}" ]
do
  echo "Type of terminal (hp|vt100): \c"
  read TERM
  if [ "${TERM}" != "hp" -a "${TERM}" != "vt100" ]
  then
    TERM=""
  fi
done
```

The correct way to specify the default value is shown in the following script. If no valid answer is specified, a default value is used.

```
#!/usr/bin/sh
echo "Type of terminal (hp=default|vt100): \c"
read TERM
if [ "${TERM}" != "hp" -a "${TERM}" != "vt100" ]
then
  TERM=hp
fi
```

❑ Questions

Do not ask more than four questions in the user's profile. OVO only answers up to four prompts with **Return**.

❑ Logout Messages

Do not add a logout message to the user's profile. OVO adds the message at the end of the application's output. In addition, do not use sequences of escape characters in the profile. Escape characters are also added to the application output, thereby garbling the output.

7**About Notification Services and
Trouble Ticket Systems**

In this Chapter

This chapter explains what you need to consider when configuring a link between OVO and an external notification service or an external trouble ticket system. It explains how to write scripts and programs to automatically call an external notification service or an external trouble ticket system when a message is received on the management server. It also describes the high-level steps used to integrate an external notification service or trouble ticket system into OVO. Finally, this chapter describes the parameters provided by OVO to call a notification service, and to forward a message to a trouble ticket system.

What is a Notification Service or Trouble Ticket System?

You can configure OVO to automatically call an external notification service or an external trouble ticket system when a message is received on the management server. You can set up programs and scripts to notify users by modem, telephone, or email. You can also send event-specific details to a trouble ticket system you have predefined.

Notification Services

A notification service can be any form of communication that is used to inform an operator of a very important event. For example, you could use a pager, send a Short Messaging Service (SMS), or an email. OVO allows you to set up different notification mechanisms for each of your operators. In addition, you can schedule your external notification services according to a timetable.

Trouble Ticket Systems

Trouble ticket systems are used to document, track, and resolve reported problems

A number of trouble ticket solutions offer integrations with OVO. See www.openview.hp.com for a complete list.

HP OpenView Service Desk

HP OpenView Service Desk is HP OpenView's solution to successfully manage all aspects of your business processes. Service Desk has been tightly integrated with OVO. You can configure OVO to send all events or specific events to Service Desk. The event information is mapped to a Service Desk incident. The first time an event is sent an incident is created in Service Desk. Service Desk is then the owner of that event. The import mapping in Service Desk defines which event attributes will be imported into the Incident fields. See www.openview.hp.com for more information about this integration.

Writing Scripts and Programs

The configuration includes writing your own script or program that calls the external interface. The script serves as a link between OVO and the notification service or trouble ticket system.

Example Script

To show you how to call an external notification service or trouble ticket system, OVO provides the following example script:

```
/opt/OV/bin/OpC/extern_intf/ttns_mail.sh
```

This script sends an email to all operators responsible for the message.

Guidelines for Writing Scripts and Programs

When writing your script or program, follow these guidelines:

❑ **Default Directory**

For scripts and programs calling external interfaces, you can use the following default directory provided by OVO:

```
/opt/OV/bin/OpC/extern_intf
```

CAUTION

If you place your scripts and programs in this directory, they will be erased when you de-install OVO.

❑ **Shell Scripts**

Scripts are executed under the account of the user who started the OVO server processes. In most cases this is the user root.

If your script is a shell script, the first line must contain a statement such as the following:

```
#!/usr/bin/sh
```

This statement ensures that the shell for which your script is designed is used during execution, and not the shell of the user who executes the script.

CAUTION

If the first line of your shell script does not contain this statement, the execution of your script or program may fail.

❑ **Default Parameters**

OVO sends its own message parameters to the external interface. You may *not* use a command that requires additional parameters. For a list of the parameters provided by OVO, see “Parameters for Notification Services and Trouble Ticket Systems” on page 270.

Configuring Notification Services and Trouble Ticket Systems

This section shows you how to integrate an external notification service or trouble ticket system into OVO. The high-level steps in this section provide you with an overview of the configuration tasks. For more detailed configuration information, see the *OVO Administrator's Guide to Online Information*.

Configuring Notification Services

To configure a notification service, follow these high-level steps:

1. Set up the notification service.

Do the following:

- a. Write a script or program that calls the service.

For details, see “Guidelines for Writing Scripts and Programs” on page 266.

- b. Set up a notification method in the OVO administrator GUI.

In the OVO Node Bank, use the Actions: Utilities -> Notification Service... menu.

2. Set the notification schedule.

Schedule your external notification services according to a timetable. Determine which services are used at what time during the week. For example, you could schedule a phone call at work during working hours, and a phone call at home during evenings and weekends. In the OVO Node Bank, use the Actions: Utilities -> Notification Service... menu.

3. Set external notification for a message condition.

Configure messages to be forwarded to the external notification service according to the schedule you have set. Determine which messages send external notifications by setting a switch in the Condition No. window.

TIP

Instead of modifying each condition separately, you could also set up a global flexible management template for service hours and scheduled outages to define which messages are forwarded to the notification service. See “Forwarding Messages to a Trouble Ticket or Notification Interface” on page 133 for more information.

Configuring Trouble Ticket Systems

To configure a trouble ticket system, follow these high-level steps:

1. Set up the trouble ticket system.

Do the following:

- a. Write a script or program that calls the trouble ticket system.

For details, see “Guidelines for Writing Scripts and Programs” on page 266.

- b. Set up a trouble ticket call in the OVO administrator GUI.

In the OVO Node Bank, use the Actions: Utilities -> Trouble Ticket... menu.

2. Forward messages to a trouble ticket system.

Configure messages to be forwarded to the trouble ticket system. Determine which messages are forwarded to the trouble ticket system by setting a switch in the Condition No. window.

TIP

Instead of modifying each condition separately, you could also set up a global flexible management template for service hours and scheduled outages to define which messages are forwarded to the trouble ticket system. See “Forwarding Messages to a Trouble Ticket or Notification Interface” on page 133 for more information.

Sending event-specific details to a predefined trouble ticket system offers no scheduling functions. This feature is always active unless you choose to disable it in the Actions: Utilities -> Trouble Ticket... menu of the OVO Node Bank.

Parameters for Notification Services and Trouble Ticket Systems

To call a notification service, and to forward a message to a trouble ticket system, OVO uses the following parameters.

Table 7-1 Parameters for Notification Services and Trouble Ticket Systems

Parameter	Description and Example
1	Unique message number. Example: c1c79228-ae12-71d6-1a8f-0f887ebe0000
2	Message node name. Example: hpbbxyz3.bbn.hp.com
3	Node type. For a list of supported managed nodes, see the Add Node window in the OVO administrator GUI or the <i>OVO Installation Guide for the Management Server</i> . Example: HP 9000 PA-RISC
4	Date (mm/dd/yyyy) on which the message was received on the managed node in the time zone (system-specific TZ variable) of the management server. Example: 08/02/2002
5	Time (hh:mm:ss) at which the message was received on the managed node. This time uses a 24-hour clock in the time zone (system-specific TZ variable) of the management server. Example: 16:22:04

Table 7-1 Parameters for Notification Services and Trouble Ticket Systems (Continued)

Parameter	Description and Example
6	Date (mm/dd/yyyy) on which the message was received on the management server in the time zone (system-specific TZ variable) of the management server. Example: 08/02/2002
7	Time (hh:mm:ss) at which the message was received on the management server. This time uses a 24-hour clock in the time zone (system-specific TZ variable) of the management server. Example: 16:22:05
8	Application name. Example: /bin/su(1) Switch User
9	Message group. Example: Security
10	Object name. Example: root
11	Message severity (unknown, normal, warning, minor, major or critical). Example: normal
12	List of responsible OVO operators. Names are separated with one space. Example: opc_op Bill John

Table 7-1 Parameters for Notification Services and Trouble Ticket Systems (Continued)

Parameter	Description and Example
13	<p>Message text. Text is <i>not</i> enclosed in quotation marks (").</p> <p>Example:</p> <pre>Succeeded switch user to root by charlie</pre>
14	<p>Instructions (empty string if not available). The instructions are passed without quotation marks ("), backslashes (\), or other characters that might be interpreted by a UNIX shell.</p> <p>Example:</p> <p>This is the instruction text for the appropriate message condition. It is available for the operator when a message matching this condition displays in the Message Browser.</p>
15	<p>Custom message attributes (empty string if not available). Multiple <i>name=value</i> pairs are separated with two semi-colons (;).</p> <p>Example:</p> <pre>Customer=Hewlett-Packard;;Country=United States of America</pre>
16	<p>Number of suppressed duplicate messages.</p> <p>This number is 0 unless at least one of the following variables has been set to TRUE with the <code>ovconfget</code> command:</p> <ul style="list-style-type: none"> • OPC_NOTIF_WHEN_DUPLICATE • OPC_TT_WHEN_DUPLICATE. <p>Example:</p> <pre>14</pre>

8 **About OVO Language Support**

In this Chapter

This chapter describes the language dependencies of the HP OpenView Operations (OVO) management server processes, managed node commands and processes, and the OVO Motif and Java GUIs. It also describes the languages and LANG settings supported for the various OVO platforms. Finally, it lists the character sets supported by OVO.

About Language Support on the Management Server

On the OVO management server, localization considerations determine the following:

❑ **Language**

Language used to display status messages from the OVO server and managed nodes in the OVO Motif GUI and Java GUI.

❑ **Character Set**

Character set used for internal processing.

Setting the Language on the Management Server

When you start the OVO server processes (for example, with `ovstart ovoacomm` and `ovstart opc`), OVO evaluates the currently set locale and selects the related message catalog to be used. This evaluation and selection usually takes place during system boot.

`ovstart` is issued on the management server from within the following shell script:

❑ **HP-UX**

```
/sbin/init.d/ov500
```

❑ **Solaris**

```
/etc/rc3.d/S98netmgt
```

At this point, the `LANG` variable is set to C or not yet set.

If you want the OVO server processes to send their status messages in a different (supported) language, set `LANG` before `ovstart ovoacomm` is called. Currently the OVO sever processes send their status messages only in the English or Japanese language.

Setting the Character Set on the Management Server

You set the database character set during the OVO installation. The database character set determines the internal processing character set of the management server. The database and the OVO management server must have the same internal character set to process data correctly and to minimize character set conversions during runtime. All data on the management server must be input using this character set.

OVO supports the Oracle database character sets listed in Table 8-1 on page 276:

Table 8-1 Supported Database Character Sets and NLS_LANG Values

Language	Character Set	NLS_LANG	Comment
Czech	EE8ISO8859P2	czech_czech republic.\ EE8ISO8859P2	The space in NLS_LANG is required.
Japanese	JA16SJIS	japanese_japan.JA16SJIS	Shift-JIS character set used for the Japanese environment only.
Korean	KO16KSC5601	korean_korea.KO16KSC5601	Character set for a Korean environment.
Russian	CL8ISO8859P5	russian_russia.CL8ISO8859P5	Character set for a Russian environment.
Simplified Chinese	ZHS16CGB231280	simplified chinese_\ china.ZHS16CGB231280	The space in NLS_LANG is required.
Western European ^a	WE8ISO8859P15	american_america.WE8ISO8859P15	8-bit character set that corresponds to ISO8859-15 and supports most Western European languages.

a. ISO 88591 and ISO 885915 character sets.

Setting the Language of the OVO Motif GUI

OVO uses the setting of the environment variable *LANG* to determine the language of the message catalog and the Motif GUI.

Types of Language Variables for the Management Server

The settings for the *LANG* variable listed in the following table are supported for the OVO Motif GUI on the management server. OVO has been verified to run in these languages.

Displaying the Euro Symbol in the Motif GUI

If the Motif GUI message browser displays a period (.) instead of the Euro symbol or instead of any other non-ASCII character, for example instead of a German umlaut, do the following:

❑ HP-UX

Set `LANG` to a language with an `@euro` extension before starting the Motif GUI.

Example:

```
LANG=de_DE.iso885915@euro
```

❑ Solaris

Set `LANG` to a language using the ISO8859-15 character set before starting the Motif GUI.

Example:

```
LANG=de.ISO8859-15
```

See “Types of Language Variables for the Management Server” on page 277 for a list of languages that are supported with OVO.

Running an English OVO Motif GUI in a Japanese Environment

OVO enables you to run an English-language OVO Motif GUI in a Japanese-language environment. In this case, you receive messages and some labels in Japanese because of various HP OpenView platform restrictions.

If you want to receive English-language messages, set the following language variables:

❑ HP-UX

```
LANG=ja_JP.SJIS
```

```
LC_MESSAGES=C
```

❑ Solaris

```
LANG=ja_JP.PCK
```

```
LC_MESSAGES=C
```

Setting the Language Variable for Keyboards on HP-UX

When working with international keyboards on HP-UX, make sure you have set the *KBD_LANG* variable accordingly.

For example, to enter German text containing umlauts and other non-ASCII characters into the OVO GUI, set the variable as follows:

```
KBD_LANG=de_DE.iso885915@euro ; export KBD_LANG
```

Types of X Resources for Fonts

OVO uses the following X resources for fonts:

System wide X resources

See “Types of System-wide X Resources for Fonts” on page 280 for details.

OpenView Windows specific X resources

See “Types of OpenView Windows specific X Resources for Fonts” on page 281 for details.

OVO specific X resources

See “Types of OVO-specific X Resources for Fonts” on page 282 for details.

Types of System-wide X Resources for Fonts

The fonts used by system-wide X resources must be compatible with the internal character set used by the management server. In other words, if you run an environment using the **ISO8859-15** character set, your fonts should be **ISO8859-15** fonts. If not, some labels or messages may not display correctly.

NOTE

If you run the OVO Motif GUI using the ISO8859-15 or ISO8859-1 character set, some symbols are displayed differently depending on the character set used for running the OVO GUI.

Table 8-2 lists system-wide X-resources for window titles and icon labels.

Table 8-2

System-wide X Resources in a CDE Environment

Resource	Font Use
*FontList	Window titles
Dtwm*icon*fontList	Icon titles

Types of OpenView Windows specific X Resources for Fonts

You set the OpenView Windows specific X resources on the management server with the file listed below:

```
/usr/lib/X11/app-defaults/OVw
```

OVO uses OpenView Windows X resources for example for labels of OVO objects in the OpenView Windows maps. OpenView Windows maps are, for example, the OVO Node Bank, the OVO Application Bank, the OVO Message Group Bank, and so on.

If you are running the OVO Motif GUI in a non-English language, you may encounter problems with incorrectly displayed object labels. This is the case if required fonts are missing. In this case the GUI displays ASCII characters only.

To solve this problem, copy the English OVw resource file and change the font specification, enter:

1. Change to the directory where the OVw resource file is located:

```
cd /usr/lib/X11/app-defaults
```

2. Copy the English OVw resource file to a locale-specific directory:

```
cp OVw ../<locale>/app-defaults
```

where *<locale>* is, for example, *es_ES.iso88591*.

3. Edit the copied file and change the font specification:

```
vi ../<locale>/app-defaults/OVw
```

Change the following font specifications to the font most applicable to your language:

```
OVw*size30Font:  --helvetica-medium-r--140-*  
OVw*size20Font:  --helvetica-medium-r--120-*  
OVw*size10Font:  --helvetica-medium-r--100-*  
OVw*smallFont:   --helvetica-medium-r--80-*
```

For example, OVO uses as fixed-width font:

```
-dt-interface user-medium-r-normal-m*-*-***-***
```

and as variable-width font:

```
-dt-interface system-medium-r-normal-m sans-***-***-***
```

Types of OVO-specific X Resources for Fonts

You set these OVO-specific X resources on the management server with the default files listed below:

❑ HP-UX

- English/Spanish:

`/opt/OV/lib/X11/app-defaults/C/Opc`

- Japanese:

`/opt/OV/lib/X11/app-defaults/ja_JP.SJIS/Opc`

❑ Sun Solaris

- English/Spanish:

`/opt/OV/lib/X11/app-defaults/C/Opc`

- Japanese:

`/opt/OV/lib/X11/app-defaults/ja_JP.PCK/Opc`

Table 8-3 lists OVO-specific X resources used for fonts.

Table 8-3

OVO-specific X Resources for Fonts

Resource	Font Use
<code>Opc.fixedTextFont</code>	List boxes (for example, in the Message Browser)
<code>Opc.variableTextFont</code>	Other labels in the GUI.
<code>Opc.buttonFont</code>	Push buttons (for example, Close)

If you are running the OVO Motif GUI in a non-English language, you may encounter problems with incorrectly displayed messages in the message browser. This is the case if required fonts are missing. In this case the GUI displays ASCII characters only.

To solve this problem, copy the English `Opc` resource file and change the font specification, enter:

1. Change to the directory where the English `Opc` resource file is located:

```
cd /opt/OV/lib/X11/app-defaults/C
```

2. Copy the English `OVw` resource file to a locale-specific directory:

```
cp Opc ../<locale>
```

where *<locale>* is, for example, `zh_TW.big5`.

3. Edit the copied file and change the font specification:

```
vi ../<locale>/Opc
```

Comment out the following font specifications with an exclamation point followed by a number sign (!#):

```
!#Opc.fixedTextFont: -dt-interface user-medium-r-normal-m*-*-***-***-  
!#Opc.variableTextFont: -dt-interface system-medium-r-normal-msans-*-*-*  
!#Opc.buttonFont: -dt-interface system-medium-r-normal-msans-*-*-*
```

About Language Support on Managed Nodes

OVO language support for OVO internal messages on managed nodes is shown in Table 8-4 and Table 8-5.

Table 8-4 Language Support for OVO Internal Messages

Management Server	Managed Nodes	English	Japanese
HP-UX or Sun Solaris	AIX	✓	✓
	HP-UX	✓	✓
	Linux	✓	✓
	Novell NetWare	✓	
	SGI IRIX	✓	
	Solaris	✓	✓
	Tru64 UNIX	✓	✓
	Windows	✓	✓
HP-UX	MPE/iX	✓	
	IBM/ptx	✓	
	SINIX RM/Reliant	✓	

Table 8-5 Language Support for HTTPS agents only

Management Server	Managed Nodes	Spanish, Korean, Simplified Chinese
HP-UX or Sun Solaris	HP-UX	✓
	Linux	✓
	Solaris	✓
	Windows	✓

NOTE

Windows and Novell NetWare managed nodes use the NT System Language. A *LANG* environment variable is not available.

Setting the Language of Messages on Managed Nodes

Managed-node processes determine the language of OVO messages by the locale you have set. For example, if you want these processes to generate Japanese messages, you must set the locale and language variable accordingly before you call `opcagt -start`.

NOTE

OVO generates only English and Japanese internal OVO messages on the managed nodes. If you have templates in any other language, ensure that the OVO agents use the English message catalogs.

To Set the Language of Messages on a Managed Node

To set the language of messages on a NCS- or DCE-based managed node, follow these steps:

1. Set the locale for the OVO agents in the system startup script.
For example, on HP-UX 11.x, use the system startup script `/etc/rc.config.d/opcagt`.
2. Set `START_LANG` to the locale in which you want the OVO agent to start.
3. Restart the agents.

Locations of System Resource Files Adapted by OVO

For the location of the system resource files adapted by OVO on all supported agent platforms, see the *OVO DCE Agent Concepts and Configuration Guide*.

Synchronizing Commands with the Character Set of the OVO Agent

The output of OVO agent commands (for example, `opcagt -status`) is in the internal character set of the agent. For this reason, when the locale of the terminal window in which you execute the command is different from the internal character set of the agent, the output is not readable. If the agent has the internal EUC character set, use an EUC terminal window.

Fileset Requirements on Managed Nodes

Some operating systems must have a specific fileset installed for code-set conversion. See the *OVO DCE Agent Concepts and Configuration Guide* for software requirements on all managed node platforms.

Setting the Character Set on the Managed Nodes

The character sets available on platforms supported by OVO can differ from the character set used in the OVO database. Consequently, when a message is generated on a managed node, it must often be converted before it can be sent to the management server and stored in the database. OVO takes care of this conversion. If necessary, automatic character-set conversions take place through OVO managed node processes before a message is sent to the server.

Differences in the ISO 8859-1 and ISO 8859-15 Character Sets

Since the ISO 8859-15 character set replaces some of the characters of the ISO 8859-1 character set, character-set conversion between ISO 8859-1 and ISO 8859-15 is not possible. Hence OVO treats the character sets ISO 8859-1 and ISO 8859-15 as if they are identical.

Table 8-6 on page 287 describes any differences between the ISO 8859-1 and ISO 8859-15 character sets.

Table 8-6

Differences Between ISO 8859-1 and ISO 8859-15

Position	ISO 8859-1	ISO 8859-15
A4	currency symbol (¤)	Euro symbol (€)
A6	broken bar (¯)	Latin capital letter s with caron (Š)
A8	dieresis (¨)	Latin small letter s with caron (š)
B4	acute accent (´)	Latin capital letter Z with caron (Š)
B8	cedilla (¸)	Latin small letter z with caron (š)
BC	fraction: one quarter (¼)	Latin capital ligature oe (Œ)
BD	fraction: one half (½)	Latin small ligature oe (œ)

Table 8-6

Differences Between ISO 8859-1 and ISO 8859-15 (Continued)

Position	ISO 8859-1	ISO 8859-15
BE	fraction: three quarters ()	Latin capital letter y with dieresis (ÿ)

Types of Character Sets in an English/Spanish-language Environment

The character set supported for managed nodes depends on the environment. If you operate in an English/Spanish-language environment, your database character set is WE8ISO8859P15 (Oracle). Table 8-7 shows the English/Spanish-language character sets that are supported for OVO managed nodes.

NOTE

OVO automatically sets the default of the internal agent character set to the character set supported by the lowest version of the operating system.

Table 8-7 **Verified Character Sets on Managed Nodes (English/Spanish)**

OVO	Platform	Character Set
Management server on HP-UX and Sun Solaris	HP-UX	ISO 8859-15, ISO 8859-1, ROMAN8, ASCII
	AIX, Linux, SGI IRIX, Solaris, Tru64 UNIX	ISO 8859-15, ISO 8859-1, ASCII
	Novell NetWare, Windows	Multilingual ANSI Code Page 1252 ^a , ASCII
Management server on HP-UX	MPE/iX	ROMAN8, ROMAN9
	IBM/ptx, SINIX RM/Reliant	ISO 8859-15, ISO 8859-1, ASCII

a. Code Page 1252 is analogous to ISO 8859-1.

Types of Character Sets in a Japanese-language Environment

If you operate in a Japanese environment, your database character set is **Shift JIS**. Table 8-8 shows the Japanese-language character sets that are supported for OVO managed nodes.

Table 8-8 **Verified Character Sets on Managed Nodes (Japanese)**

OVO	Platform	Character Set
Management server on HP-UX and Sun Solaris	HP-UX, Solaris	Shift JIS, EUC ^a , ASCII
	Linux	EUC ^a , ASCII
	Windows	Japanese ANSI Code Page 932 ^b , ASCII
	AIX, Tru64 UNIX	Shift JIS, EUC ^a , ASCII

- a. 2-byte Extended UNIX Code.
- b. Code Page 932 is analogous to Shift JIS.

Changing the Character Set for a Managed Node

NOTE

Changing the character set of a node is only possible for NCS- or DCE-based managed nodes. For HTTPS-based managed nodes it is not necessary to change the character set for the OVO agent because the OVO agent always converts the node's characters from the node's character set to UTF8 before the data is transferred to the management server.

You can change the character set used for a managed node in the **Advanced Options** window of the **Add/Modify Node** window. The managed node processes are updated automatically. All managed node processing is then performed using this new character set.

About the ASCII Character Set

NOTE

Only NCS- or DCE-based managed nodes can be run in ASCII mode.

The American Standard Code for Information Interchange (ASCII) is supported as an internal character set on the managed node and as a character set for the OVO Logfile Encapsulator.

ASCII is a 7-bit character set and, therefore, a subset of all the character sets OVO supports, for example, the 8-bit Shift JIS character set. You can manage English-language nodes (running with ASCII as an internal character set) with a Japanese-language management server. Note that if you are using ASCII as the character set for internal processing (in the Node Advanced Options window), you must also specify ASCII as the character set for the monitored logfile messages.

Changing the Character Set of the OVO Logfile Encapsulator

To change the character set of the OVO Logfile Encapsulator on the managed node, you must first remove the existing logfile templates from the managed nodes by de-assigning and re-distributing them. After the template has been successfully removed, change the character set from multibyte to ASCII, and assign and distribute the template again.

Managing English-language Nodes with a Japanese-language Management Server

To manage English-language nodes with a Japanese-language management server, you must assign templates to the managed node. These templates may contain ASCII data only. Japanese-language installations can upload English-language templates as well as the multibyte Japanese-language templates from the OVO database. However, you must first change the template name if it is identical to the English name. Make sure to set `LANG=C` before calling `opccfgupld(1M)`.

About External Character Sets on Managed Nodes

All commands for OVO managed nodes (for example, `opcmsg(1M)` or `opcmon(1M)`) as well as the APIs of the Developer's Toolkit interpret the character set of their command-line arguments by the locale setting. This

character set may also be different from the database character set and the managed node processing character set. All command input is also converted before it is acted on by any managed node processes.

Types of Character Sets in an English-language Environment

Table 8-9 shows the values of *LANG* and the related external character set in an English-language environment.

Table 8-9

External Character Sets for OVO Management server on HP-UX and Sun Solaris (English/Spanish)

Node Platform	LANG	External Character Set
AIX	<lang>.8859-15 C <lang>.ISO8859-1 <lang>.IBM-850	ISO 8859-15 ASCII ISO 8859-1 OEM Code Page 850
HP-UX 11.x	<lang>.iso885915 <lang>.iso885915@euro C <lang>.roman8 <lang>.iso88591	ISO 8859-15 ISO 8859-15 ASCII ROMAN8 ISO 8859-1
Novell NetWare	LANG variable not available	ASCII OEM Code Page 850 OEM Code Page 437 ANSI Code Page 1252
Linux	<lang>@euro C <lang>	ISO 8859-15 ASCII ISO 8859-1
SGI IRIX	<lang>.ISO8859-15 C <lang>	ISO 8859-15 ASCII ISO 8859-1

Table 8-9 External Character Sets for OVO Management server on HP-UX and Sun Solaris (English/Spanish) (Continued)

Node Platform	LANG	External Character Set
Solaris	<lang>.ISO8859-15 C <lang>	ISO 8859-15 ASCII ISO 8859-1
Tru64 UNIX	<lang>.ISO8859-15 C <lang>.ISO8859-1	ISO 8859-15 ASCII ISO 8859-1
Windows	LANG variable not available	OEM Code Page 850 OEM Code Page 437 ANSI Code page 1252 ASCII

Table 8-10 shows the values of *LANG* and the related external character set in an English-language environment.

Table 8-10 External Character Sets OVO Management server on HP-UX (English/Spanish)

Node Platform	LANG	External Character Set
MPE/iX	NATIVE-3000	ROMAN8 ROMAN9
IBM/ptx	<lang>_EU C <lang>	ISO 8859-15 ASCII ISO 8859-1
SINIX RM/Reliant	<lang>.ISO8859-15 <lang>.ISO8859-15@euro C <lang>.88591	ISO 8859-15 ASCII ISO 8859-1

The variable `<lang>` refers to any language that is supported by the operating system. Although it is possible to specify literally any language in this field, you can receive OVO internal messages only in a language supported by OVO. OVO only uses the value of `LANG` to determine the external character set.

Types of External Character Sets in a Japanese-language Environment

Table 8-11 shows the values of `LANG` and the related external character set in a Japanese-language environment.

Table 8-11

External Character Sets (Japanese)

Node Platform	LANG	External Character Set
AIX	C ja_JP <lang>.IBM-932 <lang>.IBM-eucJP	ASCII Shift JIS EUC
HP-UX	C ja_JP.SJIS ja_JP.eucJP	ASCII Shift JIS 2-byte EUC
Linux	C ja_JP ja_JP.eucJP	ASCII EUC EUC
Solaris	C ja_JP.PCK ja	ASCII Shift JIS EUC
Tru64 UNIX	C ja_JP.SJIS ja_JP.eucJP	ASCII Shift JIS 2-byte EUC
Windows	LANG variable not available	ANSI Code page 932, ASCII

The variable *<lang>* refers to any language that is supported by the operating system. Although it is possible to specify literally any language in this field, you can receive OVO internal messages only in a language supported by OVO.

Character Sets Supported by the Logfile Encapsulator

The OVO Logfile Encapsulator can monitor files with different character sets. You can specify a character set for each file monitored by OVO. The character set can be different from the character set defined for that managed node but must be compatible.

NOTE

If you are using ASCII as the character set for internal processing (configured in the *Add/Modify Node* window), you must also specify ASCII as the character set for the monitored logfile messages.

ASCII is a subset of Shift JIS. You risk loss of data if you monitor Shift JIS logfiles by running the OVO agent in ASCII mode.

Table 8-12 shows all the supported character sets for various logfile messages.

Table 8-12 Character Sets Supported by the Logfile Encapsulator

Character Set	Windows Nodes		HP-UX, Solaris, Linux, AIX, Tru64 UNIX Nodes		Net Ware Nodes	Other Nodes
	English Spanish	Japanese	English Spanish	Japanese	English	English
ASCII	✓	✓	✓	✓	✓	✓
ISO 8859-15			✓		✓	✓ no MPE
ISO 8859-1			✓		✓	✓ no MPE
ROMAN9						MPE
ROMAN8			HP-UX			MPE
American EBCDIC			HP-UX			
Multilingual OEM code page 850	✓		AIX		✓	
OEM US code page 437	✓				✓	
Multilingual ANSI code page 1252	✓				✓	
Japanese ANSI code page 932		✓				
Shift JIS				✓		

Table 8-12 Character Sets Supported by the Logfile Encapsulator

Character Set	Windows Nodes		HP-UX, Solaris, Linux, AIX, Tru64 UNIX Nodes		Net Ware Nodes	Other Nodes
	English Spanish	Japanese	English Spanish	Japanese	English	English
EUC (2-byte Extended UNIX code)				✓		

NOTE Code Page 932 or Code Page 1252 are the only character sets valid for the NT EventLog.

About Character Code Conversion in OVO

This section describes how to configure OVO and related character sets in English- and Japanese-language environments.

Configuring an English-language Management Server

Figure 8-1 shows the OVO configuration and related character sets on an English-language HP-UX management server.

Figure 8-1 HP-UX Configuration and Related Character Sets (English)





Figure 8-2 shows the OVO configuration and related character sets on an English-language management server on Solaris.

Figure 8-2 Solaris Configuration and Related Character Sets (English)



Key:
 SV CS = Server Character Set
 Ext. CS = External Character Set

Processing Management Server Files with ISO 8859-15

On an English-language management server, OVO uses an ISO 8859-15 character set to do the following:

- ❑ Process local logfile entries (`opccerror`), temporary queue file, and so on.
- ❑ Upload and download the OVO configuration.
- ❑ Upload and download the OVO history messages.
- ❑ Service Navigator configuration management with `opcservice`.

Converting Managed Node Files with ROMAN8 and ROMAN9

In an English-language environment, OVO does not perform a runtime conversion on the management server. OVO performs a runtime conversion only for managed node configuration files if the OVO agents on HP-UX or MPE/iX are running with the ROMAN8 and ROMAN9 (only on MPE/iX) character set.

Processing Managed Node Files

In an English-language environment, OVO processes managed node files as follows:

❑ **SNMP Events**

Interprets incoming SNMP events in ASCII format.

❑ **User Commands**

Converts user commands from the external character set to the node character set.

❑ **Configuration Files**

Does not convert input for configuration files. OVO always processes configuration files in the node processing character set, as defined in the *Add/Modify Node* window.

❑ **Local Logfiles**

Does not convert output for local OVO logfiles. OVO always processes the contents of logfiles in the node processing character set, as defined in the *Add/Modify Node* window.

❑ **MIB Processing**

Processes MIB files in the OVO node processing character set.

❑ **Action Agents**

Before actions are started, action agents receive their input in the management server character set, and convert it into the node processing character set.

Example of Processing Files on Managed Nodes

In an English-language environment, OVO could process managed node files as follows:

Scenario	OVO agent-processing character set is ROMAN8 . <i>LANG=de_DE.iso88591</i> <i>opcmsg msg_text="This is a message with ä, ü, ö"</i>
Conversion	Input conversion of the <i>opcmsg</i> is from ISO8859-1 to ROMAN8 before the OVO message interceptor evaluates the message attributes. Output conversion, before forwarding the message to the management server, is from ROMAN8 to ISO8859-1/WE8ISO8859P1 (the database character set).

Tips for Processing Files on Managed Nodes

On HP-UX, you can define different character sets for different managed nodes. Define the character set most frequently used on each managed node. For example, if you use mostly monitor logfiles with **ROMAN8** characters, you should use **ROMAN8** for your managed nodes. Similarly, if your environment mostly generates input data for OVO in the **ISO 8859-15** character set, you should set the managed node character set to **ISO 8859-15**. When in doubt, use **ISO 8859-15**.


NOTE

You can use a different character set for each managed node. You determine the managed node character set by the character sets used in your environment.

Configuring a Japanese-language Management Server

Figure 8-1 shows the OVO configuration and related character sets in a Japanese-language management server.

Figure 8-3 Configuration and Related Character Sets (Japanese)



Processing Management Server Files with Shift JIS

On a Japanese-language management server, OVO uses a Shift JIS character set to do the following:

- Process local logfile entries (`opcerror`), temporary queue file, and so on.
- Upload and download the OVO configuration.
- Upload and download the OVO history messages.
- Service Navigator configuration management with `opcservice`.

Converting Managed Node Files with EUC

In a Japanese-language environment, OVO does not perform a runtime conversion on the management server. OVO performs a runtime conversion only for managed node configuration files if the OVO agents on HP-UX, Solaris, AIX, or Tru64 UNIX are running with the EUC character set.

Processing Managed Node Files

In a Japanese-language environment, OVO processes managed node files as follows:

❑ **SNMP Events**

Interprets incoming SNMP events in ASCII format.

❑ **User Commands**

Converts user commands from the external character set to the node character set.

❑ **Configuration Files**

Does not convert input for configuration files. OVO always processes configuration files in the node processing character set, as defined in the *Add/Modify Node* window.

❑ **Local Logfiles**

Does not convert output for local OVO logfiles. OVO always processes the contents of logfiles in the node processing character set, as defined in the *Add/Modify Node* window.

❑ **MIB Processing**

Processes MIB files in the OVO node processing character set.

❑ **Action Agents**

Before actions are started, action agents receive their input in the management server character set, and convert it into the node processing character set.

Example of Processing Managed Node Files

Scenario	OVO agent-processing character set on an HP-UX managed node is EUC . <code>LANG=ja_JP.SJIS</code> <code>opcmsg msg_text="This is a message with Shift JIS characters"</code>
Conversion	Input conversion of the <code>opcmsg</code> is from Shift JIS to EUC . Output conversion, before forwarding the message to the management server, is from EUC to Shift JIS (the database character set).

Tips for Processing Managed Nodes Files

On HP-UX, you can define different character sets for different managed nodes. Define the character set most frequently used on each managed node. For example, if you use mostly monitor logfiles with **Shift JIS** characters, you should use **Shift JIS** for your managed nodes. Similarly, if your environment mostly generates input data for OVO in the **EUC** character set, you should set the managed node character set to **EUC**. When in doubt, use **Shift JIS**.

NOTE

You can use a different character set for each managed node. You determine the managed node character set by the character sets used in your environment.

About Flexible Management in a Japanese-language Environment

If your management server runs with the character set Shift JIS, but your managed nodes are running with the character set EUC, you must do one of the following:

- ❑ Convert the management server configuration files for flexible management from Shift JIS to EUC.
- ❑ Convert the managed nodes from EUC to Shift JIS.

Converting the Management Server to EUC

You can synchronize the character format of the management server with that of the managed nodes by manually converting the MoM configuration file on the management server from Shift JIS to EUC.

To convert the MoM configuration file on the management server from Shift JIS to EUC, enter the following:

- ❑ **HP-UX**

```
/usr/bin/iconv -f sjis -t euc <mom_orig> > <mom_new>
```

- ❑ **Solaris**

```
/usr/bin/iconv -f PCK -t eucJP <mom_orig> > <mom_new>
```

In this command, *<mom_orig>* is the name of the original configuration file in Shift JIS, and *<mom_new>* is the IP address of the managed node in hexadecimal, as returned by the command `opc_ip_addr`.

Converting the Managed Nodes to Shift JIS

You can synchronize the character format of the managed nodes with that of the management server by converting the `mgrconf` file on the NCS- and DCE-based managed nodes from EUC to Shift JIS.

NOTE

You can also convert the `allnodes` file if all managed nodes are running EUC. In mixed environments (that is, if some managed nodes are running Shift JIS, and some are running EUC), you must create node-specific configuration files.

About the Localized OVO

This section describes the localized version of OVO. It describes the scope of the localization.

Scope of Localization

The localization of OVO includes the following components:

❑ **Templates**

Translated message source templates for the following supported managed node platforms:

- HP-UX
- Solaris
- Windows

SMS templates and SNMP trap templates have *not* been localized.

❑ **Java-based Operator GUI**

The Java-based operator GUI and Service Navigator have been localized, including the online documentation and the HTML pages for downloading the GUI client software from the management server.

See the *OVO Installation Guide for the Management Server* for installation instructions and for a list of Software Distributor (SD) bundles and filesets available that are for the installation.

Configuration Upload in International Environments

This section describes how to exchange configuration data between management servers running in different language environments.

Configuration Upload in ASCII Mode


Any download data contains language-specific information that has been extracted from the environment of the source management server. The following parts of the configuration are affected:

- ❑ node configuration
- ❑ logfile templates
- ❑ management server configuration

This could cause problems when uploading data into a language environment where the character set of the source management server is not supported. For example, you could receive incompatible data when uploading configuration data into a management server running in Shift JIS if the configuration data has been downloaded from a management server running in ISO885915.

OVO's solution to this problem is to upload configuration data in ASCII mode. If you select ASCII mode for uploading data, the upload process replaces all instances of a character set with the ASCII character set. In the example above, the character set ISO885915 would be replaced with the ASCII character set. Figure 8-4 on page 308 shows this process.

Figure 8-4 Configuration Exchange in International Environments



Before starting the download, you must ensure that the configuration data does not contain any data that cannot be represented in ASCII, for example German umlauts or the Euro symbol (€). Use 7-bit ASCII in this case. 7-bit ASCII is a subset of all available character sets. 7-bit ASCII data transfers without data corruption.

There are several methods to enable ASCII-enforced upload:

❑ **Passing a parameter to `opconfig`**

When configuring OVO for the first time, call `opconfig` with the parameter `-a` to enable ASCII upload of the initial configuration. This is typically used together with the `-c` parameter. The `-c` parameter allows you to specify a database character set for use with `opconfig`. See the man page *opconfig(1M)* for more information.

The following example configures OVO to use a character set for Simplified Chinese:

```
export LANG=zh_CN.hp15CN
/opt/OV/bin/OpC/install/opconfig -a -c ZHSI6CGB231280
```

Running `opcdbsetup -a` or `opcdbinit -a` also triggers `opccfgupld` to use the `-ascii` option.

❑ **Passing a parameter to `opccfgupld`**

If you want to upload a third-party integration package or Smart Plug-in (SPI), or simply want to upload data that you have downloaded yourself, you can directly call the OVO configuration upload tool `opccfgupld` with the parameter `-ascii`:

```
/opt/OV/bin/OpC/opccfgupld [...] \
-ascii <upload_directory>
```

❑ **Setting a variable on the server**

If you want to enforce configuration upload in ASCII mode, set the following variable:

```
ovconfchg -ovrg <management_server> -ns opc -set\
OPC_CFG_CHAR_SET_ASCII TRUE
```

Where *<management_server>* is the name of OVO management server.

This is most useful when you have an integration package or SPI, that, during installation, calls `opccfgupld` but without the ASCII option. The `OPC_CFG_CHAR_SET_ASCII` parameter then overrides the installation procedure and uploads the data in ASCII mode.

NOTE

This is a global setting that overrides all other settings. It is recommended that you disable this setting after you have successfully uploaded your data.

Default Directory for Configuration Upload

You can download configuration data either by using the OVO administrator GUI, or from the command line using the `opccfgdwn(1M)` command. In both cases, you are asked to specify a download specification file and a directory name where the download procedure places the configuration files. By default, the configuration data is placed into the following directory:

```
/var/opt/OV/share/tmp/OpC_appl/cfgdwn/$LANG
```

`$LANG` is the value of the language variable that is set for your environment. This is, for example, `C` for English environments, or `ja_JP.SJIS` (HP-UX) and for Japanese environments.

When uploading configuration data with `opccfgupld(1M)`, the tool automatically determines the current value of `LANG` in your environment, and then uploads configuration data accordingly. For example, if `LANG` is set to `C`, `opccfgupld` automatically uploads the configuration data from `/var/opt/OV/share/tmp/OpC_appl/cfgdwn/C`. If `LANG` is set to `es_ES.iso885915@euro`, `opccfgupld` automatically uploads configuration data from the following directory:

```
/var/opt/OV/share/tmp/OpC_appl/cfgdwn/es_ES.iso885915
```

NOTE

The value of `LANG` is truncated to its base form to determine the language-specific directory. This means that any trailing `@euro` or similar suffixes are omitted.

If `opccfgupld` does not find a language-specific download directory, that is, a directory with the name of the current `LANG` variable, `opccfgupld` automatically uploads the default configuration data from `C`. `C` is the default directory and always contains the English configuration data.

NOTE

The complete configuration data *must* reside either in the language-specific directory or in the `C` directory.

Combined upload from both directories is *not* possible.

Troubleshooting Other Language Environments

See the *OVO Installation Guide for the Management Server* for details on installing the OVO management server in international environments.

This section contains information about specific cases where OVO functionality does not work as expected in international environments.

About Windows NT/2000 Managed Nodes

In the localized versions of the Windows NT/2000 operating system, the user Administrator has been localized. Consequently, the installation of the OVO agent software on Windows NT/2000 managed nodes fails because OVO is trying to install as user Administrator while the user has a different name in the Windows NT/2000 operating system.

To avoid problems of this kind, enter the localized Windows NT/2000 user name in the As User field of the Add/Modify Node window in the OVO administrator GUI. For Spanish Windows NT/2000 operating systems, enter **Administrador**.

About the PC Virtual Terminal Application

The application PC Virtual Terminal does not work and is not supported on Windows NT/2000.

About Broadcast Command Output

The output of the broadcast command is not always readable. This is the case if the command is run in an MS-DOS window that uses an MS-DOS code page that is different from the Windows NT code page. For Western European languages, the ANSI code pages ACP1252 and OEMCP850 are supported.

Localizing Object Names

Although you can localize most of the OVO-specific configuration, you must observe a few restrictions.

Use ASCII Characters Only

OVO supports only ASCII characters for node names.

For this reason, you should use ASCII characters when naming the following:

- Files

Examples of files include automatic actions, scheduled actions, monitor scripts and programs, the fully qualified trouble ticket interface, notification services, and the physical console.

- Monitored objects (for example, using `opcmon`)

- Operator names

Operator names are used to create corresponding subdirectories and must therefore not be localized.

- Operator passwords

- OVO administrator password

Localize Labels, Not Objects

OVO uses the name of objects (for example, the template name, message group name, or node group name) as an internal identifier. For this reason, you should not localize the names of OVO objects themselves.

Names are displayed in the OVO GUI only if you have not specified a label. To display localized object names in the OVO GUI, assign a label to the object. You can then localize the label.

9 About the OVO Java-based Operator GUI

In this Chapter

This chapter describes the HP OpenView Operations (OVO) Java-based operator graphical user interface (GUI). It explains the differences between the Motif-based GUI and the Java-based operator GUI. And it describes the default integration of the OVO Java GUI with the Network Node Manager (NNM).

For detailed installation requirements and instructions, see the *OVO Installation Guide for the Management Server*.

What is the OVO Java-based Operator GUI?

The HP OpenView Operations (OVO) Java-based operator graphical user interface (GUI) is a powerful alternative to the standard OVO Motif-based GUI. In addition to most of the functionality of the Motif GUI, the Java-based operator GUI offers a Microsoft Windows-like interface that is extremely easy to use.

Because it is programmed in Java, the OVO Java-based GUI runs on any platform where the Java Runtime Environment (JRE) is installed. This multiple-platform enables you to run OVO on a variety of platforms to meet the specific needs of your organization. In addition, OVO operators can access OVO or the Network Node Manager (NNM) from anywhere, be it from laptops at home or workstations at the office.

Comparison of the Java and Motif GUIs

In general, the OVO Java-based operator GUI offers the same functionality as the Motif-based operator GUI. However, because of differences in the implementation of Java and Motif, there are some areas where the GUIs behave differently. These areas are described in this section, and where appropriate, workarounds are given.

Comparison of Applications

The Java and Motif GUIs handle applications differently:

❑ Virtual Terminals

By default, virtual terminals are not available in the Java GUI. You can set up virtual terminals by adding an OVO application of the type `Start on Local Client`, which calls the application. When executing the application in the Java GUI, OVO opens the application on the managed node from which it was executed.

For Windows NT managed nodes, you can use the `Telnet` application. If the Java GUI is running on UNIX, you can use `xterm`, `dterm`, or `hpterm`. You must set the parameter `$OPC_NODES` to get the names of the nodes selected in the Java GUI. This parameter tells your configured application on which node to start the terminal.

❑ NNM IP Map Application

By default, the NNM IP Map application, `Jovw`, is assigned to the `itop` and `netop` operators. To find out how to access `Jovw` from the Java GUI, see “Accessing `Jovw`” on page 336.

Comparison of Message Browsers

The Java and Motif GUIs handle message browsers differently:

❑ Customizing Message Columns

The OVO Java GUI lets you resize, move, hide, and change the order of the columns in the message browsers. The Motif GUI does not let you resize or move columns. With the Motif GUI, you can only hide columns.

The Java GUI lets you sort messages according to message attributes (for example, by Date and Time, Node, or Application. In the Motif GUI, this functionality is available only for the History Message Browser.

❑ **Displaying Messages**

In the Java GUI, you can choose between displaying all messages or only the most recent messages. The number of messages displayed in the latest messages view is configurable.

❑ **Setting Flags**

Unlike the Motif GUI, the Java GUI does not constantly update the SUIAONE flags. That is, the Java GUI does not update flags immediately when the message status changes. For example, it is possible for an operator-initiated action to complete before the status in the browser is set to started.

❑ **Acknowledging Messages**

In Motif GUI message browsers, you can select the menu item Acknowledge in Current View: <severity> from the Actions menu. This menu item is not available in the Java GUI.

In the Java GUI, to acknowledge messages based on their severity, open a View Message Browser, choose a level of severity as filtering criteria, and acknowledge all messages in the current view. Or click the Severity column in the browser to sort the messages by severity, select the messages with level of severity you want, and acknowledge all messages in the current view.

❑ **Owning Messages**

The Java GUI lets you own only selected messages. In contrast, the Motif GUI offers you the choice between owning All and Selected Messages. If you want to own all messages in a message browser of the Java GUI, change the preferences settings so the browser displays all messages, then select and own them all.

Comparison of General Features

The Java and Motif GUIs handle general OVO features differently:

❑ Refreshing Windows

In the Motif GUI, windows are always refreshed immediately. This immediate refresh cannot be delayed. In contrast, the Java GUI automatically updates the status of nodes, message groups, messages, and services (if applicable) at a preset interval. In the Java GUI, you can reconfigure this refresh interval. When you press the [Acknowledge] button in the Message Properties window, the node coloring in the object pane is not immediately updated. However, you can manually refresh the node coloring by pressing the Refresh toolbar button or by selecting the menu View: Refresh. Or can wait until the next automatic refresh is completed.

❑ Viewing Users

At present, you cannot use the command `opcwall (1M)` to reach OVO users who are currently logged into the Java GUI. This functionality may be provided with future releases of the Java GUI.

❑ Viewing Users

The Java GUI does not create an entry in the database table `opc_op_runtime` for currently working OVO users. As a result, the reports `Unmonitored` and `Working OVO Users` do not include Java GUI users.

About the `ito_op` Startup Options

This section describes the startup options evaluated by the Java GUI when it is started with the `ito_op` startup script.

You can start the Java GUI with the `ito_op` script by entering the following:

```
/opt/OV/www/htdocs/ito_op/ito_op &
```

When the Java GUI is started, options are read from the environment first, then the command line options passed with the startup script are evaluated, and finally the content of the `itooopc` file is read.

Table 9-1 shows the options evaluated by the Java GUI in the startup scripts:

Table 9-1 Startup Script Options Evaluated by the Java GUI

Option	Format	Default	Description
<code>apisid</code>	<code><string></code>	<code>OV_JGUI_API</code>	Sets a session ID for the particular Java GUI instance at its startup.
<code>colored_message_lines</code>	<code>yes no</code>	<code>no</code>	Decides whether whole messages or just the severity column are colored in the message browser.
<code>def_browser</code>	<code><filename></code>	<code>""</code>	Path to the web browser on a local host.
<code>def_look_and_feel</code>	<code><string></code>	Windows: <code>com.sun.java .swing.plaf. motif.Motif LookAndFeel</code>	Defines the appearance of the Java GUI.
<code>display</code>	<code><host.domain>: 0</code>	<code><localhost>: 0</code>	Hostname to which the display of the X application is exported.

Table 9-1 Startup Script Options Evaluated by the Java GUI (Continued)

Option	Format	Default	Description
<code>initial_node</code>	<code><string></code>	<code><localhost></code>	Hostname of the OVO management server to which the Java GUI will connect.
<code>locale</code>	<code><lang_territory></code>		Presets the locale name.
<code>max_limited_messages</code>	<code><int></code>	50	Maximum number of messages displayed in a browser.
<code>nosec</code>	<code>true false</code>	<code>false</code>	Starts the SSL Secure Java GUI in standard mode without SSL functionality.
<code>passwd</code>	<code><string></code>	<code>""</code>	Password of the OVO operator used for login.
<code>refresh_interval</code>	<code><int></code> (seconds)	30	Sequence of time after which the message browser will be refreshed.
<code>server</code>	<code><string></code>	<code><localhost></code>	Hostname of the OVO management server to which the Java GUI will connect.
<code>title_suffix</code>	<code><string></code>	<code>""</code>	Displays the string next to the title in the main window.
<code>trace</code>	<code>true false</code>	<code>false</code>	Enables the appearance of tracing messages in the terminal.
<code>user</code>	<code><string></code>	<code>""</code>	OVO operator name used for login.

About the `itooopc` Resource File

The Java GUI resource file `itooopc` is used to store operator preferences.

The `itooopc` file is created or updated automatically in the home directory of the user who started the Java GUI after each click the [OK] button in the Preferences dialog.

Operator preference options are listed in the `itooopc` file. Each defined option must be listed in a separate line and followed by its parameter.

NOTE

The `itooopc` file should be edited by experienced administrators or operators only.

Table 9-2 on page 323 describes the options that can be added in the `itooopc` file with their parameters.

Table 9-2 `itooopc` Options and Parameters

Option	Format	Description
<code>colored_message_lines</code>	<code>on off true false yes no</code>	Enables you to color the entire message row in the message browser with the severity color of that message
<code>def_help_url</code>	<code><url></code>	Path to the help pages on the management server.
<code>def_look_and_feel</code>	<code><look_and_feel></code>	Defines the appearance of Java GUI: Metal, Motif, or Windows.
<code>default_browser</code>	<code><path_to_browser></code>	Path to the web browser on a local host.
<code>display</code>	<code><hostname></code>	Hostname of the exported display where X applications will be launched.
<code>ice_proxy</code>	<code>on off true false yes no</code>	Determines whether a proxy server is used for the embedded web browser.

Table 9-2 itoopr Options and Parameters (Continued)

Option	Format	Description
ice_proxy_address	<hostname/ip>	Domain name or IP address of the proxy server (embedded web browser).
ice_proxy_advanced	on off true false yes no	Determines whether advanced proxy settings are used for the embedded web browser.
ice_proxy_ftp	<hostname/ip>	Domain name of IP address of the FTP server (embedded web browser).
ice_proxy_ftp_port	<number>	Port number of the FTP server (embedded web browser).
ice_proxy_gopher	<hostname/ip>	Domain name of the IP address of the Gopher server (embedded web browser).
ice_proxy_gopher_port	<number>	Port number of the Gopher server (embedded web browser).
ice_proxy_http	<hostname/ip>	Domain name of the IP address of the HTTP server (embedded web browser).
ice_proxy_http_port	<number>	Port number of the HTTP server (embedded web browser).
ice_proxy_port	<number>	Port number of the proxy server (embedded web browser).
ice_proxy_sec	<hostname/ip>	Domain name of the IP address of the Secure server (embedded web browser).
ice_proxy_sec_port	<number>	Port number of the Secure server (embedded web browser).

Table 9-2 itoopr Options and Parameters (Continued)

Option	Format	Description
ice_proxy_sock	<hostname/ip>	Domain name of the IP address of the Socket server (embedded web browser).
ice_proxy_sock_port	<number>	Port number of the Socket server (embedded web browser).
initial_node	<hostname/ip>	Hostname of the OVO management server to which the Java GUI will connect.
install_dir	<path>	For HP internal use only.
locale	<locale_setting>	Presets the locale name.
max_limited_messages	<number>	Determines how many messages to display in the message browsers.
message_notification_dlg	on off true false yes no	Shows a warning dialog when a message event occurs.
message_notification_dlg_app	on off true false yes no	Starts a local application that will be executed when a message event occurs.
message_notification_dlg_app_path	<path>	Path to the local application that will be started when a message event occurs.
message_notification_show_all	on off true false yes no	Sends event notification either for the first message to arrive or for every new message.
nosec	on off true false yes no	Starts the SSL Secure Java GUI in standard mode without SSL functionality.
passwd	<password>	Password of the OVO operator used for login.
port	<number>	Port number the Java GUI uses to connect to the management server.
prompt_for_activate	on off true false yes no	For HP internal use only.

Table 9-2 itoopr Options and Parameters (Continued)

Option	Format	Description
reconnect_interval	<number>	Time (in seconds) the Java GUI allocates for reconnecting to the management server.
reconnect_timeout	<number>	Time (in seconds) after which the Java GUI will stop reconnecting to an unreachable management server.
refresh_interval	<number>	Determines how frequently the Java GUI refreshes automatically. Default is 30 seconds.
secure_port	<number>	Port number the Secure Java GUI uses to connect to the management server.
severity_label	text both icon	Determines whether the message browsers display icons, text, or both in the severity column.
shortcut_tree_icon_width	<number>	Controls the size (in pixels) of icons. Default is 32 pixels.
show_at_severity	0 1 2 3 4 5	Defines the severity of the message for which event notification takes place: 0 = Unknown 1 = Normal 2 = Warning 3 = Minor 4 = Major 5 = Critical
subproduct	<subproduct_string>	For HP internal use only.

Table 9-2 itooprc Options and Parameters (Continued)

Option	Format	Description
tailored_applications_start	on off true false yes no	Enables you to include only applications related to the selected message in the popup menus.
title_suffix	<title>	Displays the string next to the title in the main window.
trace	on off true false yes no	Enables display of tracing messages in the terminal.
user	<username>	OVO operator name used for login.
web_browser_type	external auto manual	Type of web browser to use in the workspace pane: <ul style="list-style-type: none"> • <i>External</i> On non-ActiveX tabs in the workspace pane, selects a web browser external to the Java GUI. On ActiveX tabs in the workspace pane, selects the Microsoft Internet Explorer ActiveX control. • <i>Auto</i> Selects the embedded web browser provided with the Java GUI. • <i>Manual</i> Custom selection of web browser. See the which_browser option.
which_browser	1 2	Type of web browser to use: 1 = ActiveX Internet Explorer 2 = Embedded web browser

Accessing NNM from the Java GUI

By default, the OVO Java GUI integrates Network Node Manager (NNM). This NNM integration enables users to highlight nodes in the IP Map of NNM systems, and to see and execute OV applications and services directly from the OVO Java GUI.

You can use NNM integration in the following two situations:

❑ **Locally** (Java GUI only)

Where NNM is installed locally on the management server. This integration is carried out automatically with the OVO installation.

❑ **Remotely** (Motif and Java GUIs)

Where NNM is installed remotely on another system. A separate package must be manually installed on the NNM system. To find out how to install NNM remotely on another system, see the *OVO Installation Guide for the Management Server*.

Accessing NNM on a Local System (Java GUI only)

Accessing NNM on a local system enables you to view and start OV services and applications locally from the OVO Java GUI. No additional installation steps are necessary for this integration solution. If NNM is running on the OVO management server, the user's assigned OV applications and OV services are used at startup to configure the NNM GUI.

NOTE

To access NNM locally through the Javan GUI, an OVO agent must be installed and running on the OVO management server.

When an operator logs into a new OVO Java GUI session, the Java GUI server process `opcuiwww` updates the operator's specific registration directory, based on the operator's assigned OV services and OV applications. The user can then view and execute OV applications from the Java GUI, provided an X Window system is running on the Java GUI client system.

NOTE

Users cannot see OVO-specific symbols and submaps in the accessed ovw map. The map shows a pure network view, with no OVO-related status messages.

Accessing NNM from a Remote System

If NNM is installed on a system other than the OVO management server, operators can access NNM from the operator GUI.

NOTE

Operators can access remote NNM systems from the Motif GUI or the Java GUI. However, starting OV applications in the Motif GUI calls the operator's own ovw session.

To access a remote NNM system, make sure the following requirements are met:

❑ **NNM on HP-UX or Solaris**

NNM is installed and running on an HP-UX or Solaris server. An HP-UX OVO server can access a remote NNM system running on Solaris. And a Solaris OVO server can access a remote NNM system running on HP-UX.

❑ **NNM on Remote System and OVO Server**

NNM version installed on the remote systems is identical to the NNM version on the OVO server for that architecture (for example, only NNM 6.1 can be used for remote access with OVO A.08.00).

❑ **OVO Agent on Remote System**

OVO agent is installed and running on the remote NNM system.

❑ **ovw Bundle on Remote NNM System**

Bundle `OVORemoteOVw` has been manually installed on the remote NNM system (see the OVO Installation Guide for the Management Server, for the installation procedure).

❑ **Node Mapping Tool on Management Server**

Tool `opcmapnode` has been configured on the management server, to determine information about which NNM nodes are available on the system domain.


NOTE

No operator-specific registration directory is used for remote NNM systems. The Java GUI server process `opcuiwww` cannot create this directory on a remote client. However, you can preconfigure multiple registration directories, then use different directories for different operators.

About OV Applications Available from the OVO GUI

Operators can choose from a number of applications that provide access to NNM. These applications are included in the application group `X-OVw`, as shown in Figure 9-1. How operators start OV applications from an OVO GUI depends on the configuration of the `ovw` mapping and management service tool. In the Java GUI, applications of type `OV Application` display in all application menus.

Figure 9-1 Applications Contained in the X-OVw Group (Java GUI)



NOTE

When an operator starts an OV application from the Java GUI for the first time, the operator's private map is used. This map is shared by the operator's Motif and Java GUIs. By default, the map is opened in read/write mode, unless the operator already has a Motif GUI running. If the operator already has a Motif GUI running, the map is opened in read-only mode because the Motif GUI requires read/write access. In addition, if the operator's Java GUI has already opened an `ovw` map in read/write mode, the operator cannot open a Motif GUI.

Types of Applications Available from the Java GUI

In the Java GUI, operators can choose from the following applications:

Highlight Message Node

Maps the node related to a selected message to an NNM system, and highlights the node in an `ovw` session of that NNM system. By default, the target NNM system is the OVO management server.

Highlight Selected Node

Maps the selected node to an NNM system, and highlights the node in an `ovw` session of that NNM system. By default, the selected NNM system is the OVO management server.

Start `ovw`

Starts an `ovw` session on a remote NNM system.

About the “opcctrloww” Command

When an OV application is started from the Java GUI, the Java GUI server process calls the `opcctrloww` command on the management server’s agent. The command will always be run with the UNIX user account `opc_op`.

You start the `opcctrloww` command with the following syntax:

```
opcctrloww  
-display <display>  
-user <user>  
-action <appl> <action> {<node1> <node2>...}
```

In this command, you use the following variables:

<display>	Configured X display of the Java GUI.
<user>	OVO operator name.
<appl>	Application registration name of the OV application to be started.
<action>	Action of the OV application to be started.
<node1>, <node2>, ...	IP hostnames of all selected nodes from the node tree of the Java GUI.

Configuring NNM Access with Command-line Tools

To configure and deploy NNM access, OVO provides two command-line tools:

<code>opcctrloww</code>	Controller tool. See “About the Controller Tool” on page 333.
<code>opcmapnode</code>	Node mapping tool. See “About the Node Mapping Tool” on page 334.

About the Controller Tool

The `opcctrlovw` tool is used to control an associated `ovw` process. When provided with startup information as a command-line argument, the controller tool `opcctrlovw` calls the process `ovw`, based on that startup information. The controller tool is responsible for one `ovw` process. If the controller tool process stops for any reason, the `ovw` process is terminated automatically.

Syntax for the Controller Tool

The command-line syntax for the controller tool is as follows:

```
opcctrlovw  
[-display <display>]  
[-user <username>]  
[-stop | -highlight <node> | -action <reg-appl> <reg-action>  
{<node>}]
```

For more information, see the man page `opcctrlovw(1m)`.

Configuring the Controller Tool

You can configure the controller tool `opcctrlovw` by writing a configuration file, which contains user-specific settings. You should place this configuration file on the management server, then distribute it to each managed node station.

The user name provided on the command line is used as a key. For each user name, you can configure a configuration entry containing the map, registration directory, and read-only or read/write-only mode,

The configuration file is based on the Extensible Markup Language (XML), with the following Document Type Definition (DTD):

```
<!ENTITY Config (Default?,User*) >  
<!ENTITY User (Name,Map?,Dir?,(ReadOnly | ReadWrite)? >  
<!ENTITY Default (Map?,Dir?,(ReadOnly | ReadWrite)? >  
<!ENTITY Name (#PCDATA) >  
<!ENTITY Map (#PCDATA) >  
<!ENTITY Dir (#PCDATA) >  
<!ENTITY ReadOnly EMPTY >  
<!ENTITY ReadWrite EMPTY >
```

For example:

```
<?xml version="1.0" ?>
<Config xmlns="http://www.hp.com/OV/opcctrlow">
  <Default>
    <Map>hugomap</Map>
    <ReadOnly/>
  </Default>
  <User>
    <Name>opc_op</Name>
    <Map>mymap</Map>
    <Dir>/sdlflf/sdflksdjf/sdfsldk:/sdlfkds</Dir>
    <ReadWrite/>
  </User>
  <User>
    <Name>hugo</Name>
    <Map>hugomap</Map>
    <ReadOnly/>
  </User>
</Config>
```

About the Node Mapping Tool

Before starting an OV application or service remotely from the OVO GUI, you must map the target nodes on which the application will be started. with the node mapping tool `opcmapnode`. This tool, which you run on the OVO management server, automatically determines information about available NNM nodes on the system domain at startup time.

Pattern Matching to Return Node Names

The node mapping tool uses pattern matching to return a node name on `stdout`. When the problem node has been highlighted in the Node Bank, the node mapping tool uses pattern-matching to look up the specified node name on the corresponding NNM system. In this way, it locates the hostname or IP address patterns in a match table.

The pattern-matching procedure is carried out from the top of the file to the bottom, until the first pattern matches. If a pattern matches, the specified target node will be returned. If none of the patterns match, the output will be empty.

Syntax for the Node Mapping Tool

You use the `opcmapnode` tool as a dynamic target node command in the OVO application, in backquotes, as follows:

```
'opcmapnode <node>'
```

For more information, see the man page `opcmapnode(1m)`.

Configuring the Node Mapping Tool

When passed, `opcmapnode` reads the following file:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/opcmapnode.conf
```

This configuration file contains an OVO pattern in every line, followed by a node name, or by the variable `$MGMT_SERVER`, as follows:

```
^<*>.site1.my.domain$      system1.my.domain  
^<*>.site2.my.domain$      system2.my.domain  
^<*>.$                      $MGMT_SERVER
```

If `opcmapnode` is started in this configuration file, any nodes in domain site 1 are mapped to system 1, any nodes in domain site 2 are mapped to system 2, and all other nodes are mapped to the OVO management server.

NOTE

If no node name is returned by `opcmapnode`, the only available NNM system is locally installed. If the mapping file does not exist, or if it contains no pattern lines, all NNM nodes will be mapped to the management server.

Accessing Jovw

Jovw is the Java-based web interface to the Network Node Manager (NNM). Jovw is integrated into the OVO Application Bank. By default, Jovw is assigned to the itop and netop operators. This section describes how to access the default IP map with Jovw, and how to modify the integration so that other IP maps can be accessed.

To Access the Default IP Map with Jovw

To access the default IP Map with Jovw, follow these steps:

1. Start ovw on the OVO management server.

As user root, enter:

```
ovw
```

When accessing Jovw, ovw must be running.

2. As OVO administrator, assign the application group Jovw to other operators, as needed.
3. Start the Java-based GUI and log in.

If you are already logged in, select `View: Reload Configuration` from the menu bar. This option retrieves the new configuration from the OVO management server.

4. Select `Edit: Preferences` from the menu bar.
5. Enter the path to your local web browser.
6. Highlight a node in the IP Map

Right-click the node in the object pane, and select the `Start: Jovw: Highlight in Ip-Map` menu item from the popup menu.

IMPORTANT

Jovw replicates the ovw default map. For this reason, ovw must be running when accessing Jovw.

To Access Other IP Maps with Jovw

If you want to access an IP map other than the default IP Map, modify the Jovw applications in the OVO administrator GUI.

To modify the Jovw applications in the OVO administrator GUI, follow these steps:

1. Copy the applications `Highlight` in `Ip-Map` and `Jovw` in the application group `Jovw`,
2. Modify the applications to use an IP map other than the default map:
 - Copy the application `Highlight` in `Ip-Map`:
 - a. Right-click the application `Highlight` in `Ip-Map` and select `Copy . . .` from the popup-menu.
 - b. Modify the name and label to suit your needs.
 - c. In the `Application Call` field, replace the string `default` with the name of the IP map you want to use.
 - d. Click `[OK]` to save the copied application under the new name.
 - Copy the application `Jovw`:
 - a. Select the application `Jovw` and select `Copy . . .` from the right-click popup-menu.
 - b. Modify the name and label to suit your requirements.
 - c. In the `Application Call` field, add the following string to the call:
?MapName=<new_map>
In this string, `<new_map>` is the name of the IP map you want to access.
For example, the application call could look like this:
`http://$OPC_MGMTSV:3443/OvCgi/jovw.exe?MapName=new_map`
 - d. Click `[OK]` to save the copied application under the new name.

3. Create a new application group.
4. Move the new applications (using drag and drop) into the new group.
5. Add the unchanged application `OVlaunch` to the new group.

To add the application, use `Copy` and `Paste` from the `Edit` menu.

6. Assign the new group to an OVO operator.
7. Start `ovw` on the OVO management server.

As user `root`, enter:

```
ovw -map <new_map>
```

In this command, `<new_map>` is the name of the IP map you have specified in the previous steps.

When accessing `Jovw`, `ovw` must be running.

8. Start the Java-based GUI and log in.

If you are already logged in, select `View: Reload Configuration` from the menu bar. This retrieves the new configuration from the OVO management server.

9. Select `Edit: Preferences` from the menu bar.
10. Enter the path to your local web browser.
11. Highlight a node in the IP Map.

Right-click the node in the object pane, and select the new highlight application from the popup menu.

IMPORTANT

`Jovw` replicates the `ovw` map. For this reason, `ovw` must be running when you access `Jovw`.

Operating with Java GUI From Other Java Applications

It is possible to control certain Java GUI features remotely from other Java applications using the Java GUI Remote APIs.

For more information on the concept, integration details, and usage of the Java GUI Remote APIs, refer to *OVO Application Integration Guide*.

For details about the available Java GUI Remote APIs, refer to the Java GUI Remote APIs Specification, which can be accessed through the following URL:

`http://<management_server>:3443/ITO_DOC`

In this instance, `<management_server>` is the fully qualified hostname of your management server.

Assigning Java GUI Operator Defaults

As an OVO administrator, you can define default startup behavior for operator areas in Java GUI with two application groups:

❑ **Shortcuts**

You can create new application groups that are added individually at the end of the Java GUI shortcut bar. These application groups can contain any kind of application.

❑ **Workspaces**

You can create new application groups that are added individually after existing default workspaces in the Java GUI workspace pane. These application groups can contain any kind of application.

NOTE

You can assign a set of shortcuts or workspaces to an individual operator, a group of operators, or all operators.

For more information about operator defaults assigned by the OVO administrator, refer to the *OVO Java GUI Operator's Guide*.

To Assign Operator Defaults

To assign operator defaults, you have to be familiar with the following procedures:

- ❑ To Create a New Application Group
- ❑ To Add Applications to Application Groups
- ❑ To Assign Applications and Application Groups to an Operator

To Create a New Application Group

To create a new application group, follow the procedure:

1. In the Motif GUI, Select Window->Application Bank from the menu bar of the Node Bank window. The Application Bank window opens.
2. Select Actions-> Application: Add Application Group... from the menu bar of the Application Bank window.

3. Enter the name, the label, and a description of the application group in the fields.
4. Click **[OK]**. The new application group symbol displays in the Application Bank window.

To Add Applications to Application Groups

To add applications to an application group, perform the following:

1. In the Motif GUI, Select Actions->Application->Add OVO Application... in the Application Bank window.
2. In the Add OVO Application window, enter the Application Name. Complete all of the fields of the window.
3. Click **[OK]**. The new application symbol displays in the Application Bank window.

To Assign Applications and Application Groups to an Operator

To assign application or application group to an operator, perform the following:

1. In the Motif GUI, Select Window->User Profile Bank or User Bank from the menu bar of the Node Bank window. The User Profile Bank window or User Bank window opens.
2. On the User Profile Bank window or User Bank window, right click any user icon and select **[Modify]**.
3. On **[Modify User]** window, click **[Applications]** button.
4. In the Application Bank window, click the symbol representing the application or application group that you want to assign, drag it to the Applications of User window, and release the mouse button on the window for the user to which you want to assign a particular application or application group.

NOTE

When you assign an application with a hierarchical structure, that is an application group, the same structure displays in the user's Application Desktop window.

Tips for Improved Performance

This section contains tips to help you improve performance of the OVO Java-based operator GUI.

Identifying Logged-on Java GUI Users

Before stopping the OVO management server or the database processes for longer periods of time, it can be helpful to identify the OVO operators who are currently logged into the Java GUI, and notify them of the upcoming downtime.

To find out who is currently logged into the Java GUI, start the following tool:

```
/opt/OV/contrib/OpC/listguis -java
```

The output lists the number of open Java GUIs, the operator names and the GUI hostnames. You can then either ask the operators to exit from the Java-based GUI, or kill the `opcuiwww` processes.

About Security Exception Warnings

If you receive a security exception warning when trying to run the Java GUI as an applet in a web browser, the security file `identitydb.obj` has not been downloaded in binary mode.

To download the security file `identitydb.obj` in binary mode, follow these steps.

1. Open the file `/opt/OV/httpd/conf/mime.types`, and add the following line:

```
application/x-javakey          obj
```

2. As user root, restart your Apache web server by entering:

```
/opt/OV/httpd/bin/apachectl restart
```

3. Download the file `identitydb.obj` again.

10 About OVO Processes


In this Chapter

This chapter provides a functional overview of the management server and managed node processes used by HP OpenView Operations (OVO).

About Communication in OVO

The communication flow between the management server, managed nodes, and processes in OVO is shown in Figure 10-1.

Figure 10-1 Functional Overview of OVO



OVO agents and management servers communicate through Remote Procedure Calls (RPCs), based on DCE or NCS files (that is, queues), pipes, or signals. These mechanisms apply to communication between the management server and the managed nodes, as well as to communication between processes running locally on the management server.

For more information on how the processes communicate with one another and what each process does, see “About Management Server Processes” on page 349 and “About Managed Node Processes” on page 355.

About Management Server Processes

This section describes OVO processes and their associated files on the management server.

Types of Processes on the Management Server

This section describes the processes that run on the OVO management server.

opc	OVO GUI logon program that is used by the OVO administrator and operators. The program calls either <code>opcuiadm</code> and <code>opcuiopadm</code> or <code>opcuiop</code> , according to the user name specified.
opcactm	Action manager that feeds the action agents with automatic actions, operator-initiated actions, scheduled actions, and application startup and broadcasting information through the control agent . In addition, external instructions are determined using this mechanism.
ovoareqsdr	Request sender that informs the control agents to start, stop, or update their local OVO agents. The request sender is also responsible for the self-monitoring of OVO manager services, and for the heartbeat-polling of the managed nodes.
opcctlm	Control manager that starts and stops all other OVO manager processes, performs all licence checking, and controls OVO database maintenance.
opcdispm	Display manager that serves the OVO Motif-based GUI. The display manager also feeds the action manager with operator-initiated actions, application startup information (not requiring a separate terminal), and broadcasting information issued by operators. Several OVO user GUIs may be active at the same time, but only one Motif-based GUI can be run for each operator.

opcdistm	<p>Distribution manager that distributes node-specific configurations to managed nodes in response to requests by the distribution agent (opcdista). Distribution manager allows selective distribution of user-selected set of files and binaries by following the rules specified in the <code>seldist</code> configuration file. Subprocesses (opctts) are forked for each parallel distribution session. In addition, scripts and programs required for automatic and operator-initiated actions, scheduled actions, and monitoring and broadcasting requests can also be distributed through the distribution manager. The distribution manager starts a child process, the communication manager, for communication between management servers.</p>
opcecm	<p>Event correlation manager that connects to the server MSI to allow access to and modification of messages from the OVO message flow by the event correlation (EC) engine. Depending on filters and conditions, the messages are then correlated and written back to OVO. The messages display in the Message Details window (available from the Message Browser) with the message source MSI <code>opcecm</code>. Like all server processes, the event correlation manager is controlled by the control manager, <code>opcctlm</code>.</p>
opcecmas	<p>Annotation server that runs on the management server and obtains data from outside the ECS engine for use within correlation circuits. This process connects to the <code>opcecm</code> process using the standard <code>annotate</code> API. It receives <code>annotate</code> requests for launching external programs and returns the output to the circuit.</p>
opcmsgm	<p>Message manager that receives messages from the managed nodes through the message receiver (<code>opcmsgx</code>). The messages can be correlated, regrouped and logged by the message manager running on the management server. The message manager is also responsible for adding annotations, triggering notifications, and forwarding the message to the trouble ticket and notification service manager for external notification and trouble ticket generation.</p>

<code>opcforwm</code>	<p>Message forwarding manager that relieves the message manager, <code>opcmsgm</code>, of time-consuming tasks (for example, sending messages to remote managers). This relief allows the message manager to manage messages more effectively. On the local “source” management server, the message forwarding manager receives data from the message manager (in the form of messages), the action manager (action responses), and the display manager (message operations such as acknowledge, add annotation, and so on). The message forwarding manager sends data to the message receiver on the “target” management servers.</p>
<code>opcmsgsr</code>	<p>Message receiver that collects all messages from managed nodes. The message receiver is an auxiliary process of the message manager designed to ensure quick message acceptance. The message receiver accepts messages from NCS agents only.</p>
<code>opcmsgrd</code>	<p>Similar to <code>opcmsgsr</code>. Accepts messages from NCS, DCE, and Sun RPC agents.</p>
<code>opttss</code>	<p>Distribution manager subprocesses that transfer configuration data to the distribution agent through TCP/IP.</p>
<code>opttnsm</code>	<p>Trouble ticket and notification service manager that feeds the external notification interface, as well as the external trouble ticket interface, with message attributes. This manager is an auxiliary process of the message manager designed to ensure high message throughput. If external instructions are specified for a message, the trouble ticket and notification service manager evaluates the help text through the action manager.</p>

Whenever the trouble ticket and notification service manager receives a message in its queue, it passes the message on to the trouble ticket interface or the external notification service. It does so by forking and executing the customer-defined program that receives the message (that is, the ticketing interface or the notification service). As soon as this program is finished and exited, a `SIGCHLD` is sent to the trouble

ticket and notification service manager. The manager stops processing the message queue until it receives another SIGCHLD.

opcuiadm	OVO administrator GUI that is required for the administrator's configuration activities. An additional <code>opcuiopadm</code> process is started. The GUI runs as user <code>root</code> .
opcuiop	OVO operator GUI for message browsing and application startup. One instance of this GUI runs for each operator as the operator's UNIX user.
opcuiopadm	OVO administrator GUI that is required for the administrator's operator functionality (that is, message browsing and application startup). The GUI runs as the OVO administrator's UNIX user.
opcuitadm	OVO template administrator GUI that is required for the template administrator's configuration activities. The GUI runs as user <code>root</code> .
opcuiwww	Server process that serves the OVO Java-based operator GUI. This process forwards all communication requests between the Java GUI and the display manager . For each Java GUI, at least one server process is started.

Types of Process Files on the Management Server

The files used for OVO management server processes are contained in the following directory:

`/var/opt/OV/share/tmp/OpC/mgmt_sv`

This section describes those pipes and queue files.

<code>actreqp/actreqq</code>	Queue/pipe used by the display manager , message manager , TTNS manager , (and action manager) to pass action requests to the action manager.
<code>actrespp/actrespq</code>	Queue/pipe used by the message receiver , request sender , and action manager to pass action responses to the action manager.
<code>ctrlq/ctrlp</code>	Queue/pipe between the display manager and control manager .
<code>cfgchanges</code>	File that informs the OVO management server processes about configuration changes (for example, regroup conditions, nodes, trouble tickets, notification services).
<code>disppq<#></code> <code>dispp<#></code>	Queue/pipe between the display manager and GUI (<code>opcuio</code> / <code>opcuia</code>). There is one instance of this queue/pipe for each OVO GUI that is running.
<code>forwgrp/forwgrq</code>	Queue/pipe used by the message manager , display manager , action manager , and the forward manager to pass data to be forwarded to other management servers.
<code>magmgrp/magmgrq</code>	Queue/pipe between the message dispatcher and the request handler .
<code>mpicdmp/mpicdmq</code>	Queue/pipe used by the display manager and the message stream interfaces to transfer control sequences for message-change event handling.
<code>mpicmmp/mpicmmq</code>	Queue/pipe used by the message manager and message stream interfaces to transfer control sequences for message handling through the MSI.

mpimmp/mpimmq	Queue/pipe used by the message manager and the message stream interfaces to transfer messages from MSI-programs to the message manager.
msgmgrq/msgmgrp	Queue/pipe between the message receiver and message manager .
oareqhdl	File used by the Open Agent request handler to store connections to other processes.
opcecap/opcecaq	Queue/pipe used to pass messages from the message manager to the event correlation manager .
pids	Process IDs of the OVO Manager that are controlled by the control manager , which is also used for self-monitoring.
rqsdbf	Buffer file used by the request sender to store requests if the control agent on a given managed node cannot be accessed
rqsp/rqsq	Queue/pipe between the request handler and the request sender . Also used by the display manager and the action manager
ttnsarp/ttnsarq	Queue/pipe used by the trouble ticket manager and action manager when message instructions have to be fetched by the TTNS manager .
ttnsq/ttnsp	Queue/pipe between the message manager , trouble ticket manager , and notification service manager .

About Managed Node Processes

This section describes the processes used on the OVO managed node.

Types of Processes on the Managed Node

This section describes the OVO processes on the managed node. The files for these processes are described in “Types of Process Files on the Managed Node” on page 358.

codā	Embedded performance component that collects performance counter and instance data from the operating system. Threshold monitor templates are used to access performance metrics collected by the embedded performance component.
opcacta	Action agent that is responsible for starting and controlling automatic actions, operator-initiated actions, and scheduled actions (that is, scripts and programs). The action agent is also used for command broadcasting and for applications configured as Window (Input/Output) in the Add/Modify OVO Application window.
opcdista	Distribution agent that requests node-specific configurations from the distribution manager (opcdistm). Scripts and programs required for automatic actions, operator-initiated actions, scheduled actions, monitoring requests, and broadcasting requests can also be distributed through the distribution manager .
opceca	Event correlation agent that connects to the agent MSI in the same way that the ECS runtime library is integrated into the OVO server. This connection allows access to and modification of messages from the OVO message flow on the agent. The messages modified by this process display in the Message Details window (available from the Message Browser) with the message source “MSI: opceca”. Like all agent processes, this process is controlled by the control agent .

opcecaas	<p>Annotation server that runs on a managed node and obtains data from outside the ECS engine for use within correlation circuits. This process connects to the <code>opceca</code> using the standard <code>annotate</code> API. It receives <code>annotate</code> requests for launching external programs and returns the output to the circuit.</p>
opcle	<p>Logfile encapsulator that scans one or more application or system-logfiles (including the Windows NT Eventlog) for messages or patterns specified by the OVO administrator. The logfile encapsulator forwards the scanned and filtered messages to the message agent.</p>
opcmna	<p>Monitor agent that monitors the following:</p> <ul style="list-style-type: none"><input type="checkbox"/> System parameters (for example, CPU load, disk utilization, kernel parameters)<input type="checkbox"/> SNMP MIBs<input type="checkbox"/> Other parameters, if specified <p>The monitor agent checks the values it finds against predefined thresholds. If a threshold is exceeded, a message is generated and forwarded to the message agent. The polling interval of the monitored object can be configured by the OVO administrator. In addition, the <code>opcmn(1)</code> command and <code>opcmn(3)</code> API can be used (asynchronously) to feed the monitor agent with the current threshold values.</p> <p>The monitor agent does not immediately begin monitoring when agents are started. Instead, it waits one polling interval, and only then executes the monitor script for the first time. Typically, polling intervals are 30 seconds to 5 minutes.</p>

opcmsga	Message agent that receives messages from the logfile encapsulator, monitor agent, console interceptor, event interceptor and message interceptor on the local system. The messages are forwarded to the message receiver running on the management server; If the connection to the management server has been lost, the messages are buffered locally. The message agent triggers local automatic actions by forwarding the task to the action agent .
opcmsgi	Message interceptor that receives and processes incoming messages. The <code>opcmsg (1)</code> command and <code>opcmsg (3)</code> API can be used to forward messages to OVO. Conditions can be set up to integrate or suppress chosen message types.
opcconsi	MPE/iX console message interceptor that is the message interface for feeding MPE/iX console messages to OVO. Conditions can be set to integrate or suppress chosen message types.
opcctla	Control agent that starts and stops all OVO agents, and performs OVO self-monitoring tasks. The control agent is informed of new configuration and distribution requests by the request sender .
opctrapi	Event interceptor that is the message interface for feeding SNMP events to OVO. Conditions can be set to integrate or suppress selected message types.

Types of Process Files on the Managed Node

This section describes the pipes and queue files used by the OVO processes outlined in “Types of Processes on the Managed Node” on page 355. The location of these process files are listed in “Location of Process Files on the Managed Node” on page 360.

actagtp/actagtq	Queue/pipe for pending action requests for the action agent . The pending action requests are filled by the message agent and the control agent . The action agent polls the queue every 5 seconds.
monagtq/monagtq	Queue on UNIX systems between the OVO monitor command <code>opcmon (1)</code> , the OVO monitor API <code>opcmon (3)</code> , and the monitor agent . The monitor agent checks the queue after the termination of the triggered monitor scripts or programs every 15 seconds, if externally monitored objects are configured.
mpicmap/mpicmaq	Queue/pipe used by the message agent and the message stream interfaces to transfer control sequences for message handling through the MSI.
mpimap/mpimacq	Queue/pipe used by the message agent and the message stream interfaces to transfer messages from MSI programs to the message agent .
msgagtdf	File that holds any messages that cannot be passed to the management server (for example, if the network is down). The messages are read from this file after the management server is available.
msgagtp/msgagtq	Queue/pipe for local buffering of messages to be sent to the message receiver when the management server is not accessible.
msgip/msgiq	Queue (only on UNIX systems) between the OVO message command <code>opcmsg (1)</code> or the OVO message API <code>opcmsg (3)</code> and the message interceptor.

<code>opcecap/opcecaq</code>	Queue/pipe that passes messages from the message agent to the event correlation agent .
<code>pids</code>	Process IDs of OVO agents controlled by the control agent .
<code>trace (ASCII)</code>	OVO trace logfile. For more information on activating tracing, see “Tracing Problems” on page 378.
<code>aa*</code>	Temporary files used by the action agent (for example, to store the action or application output written to <code>stderr</code> and <code>sdtout</code>).
<code>moa*</code>	Temporary files used by the monitor agent .

Location of Process Files on the Managed Node

Table 10-1 shows the location of the files used by the OVO processes described in “Types of Processes on the Managed Node” on page 355. These files are described in “Types of Process Files on the Managed Node” on page 358.

Table 10-1 Locating Process-related Files on the Managed Nodes

Platform	File Location
AIX	/var/lpp/OV/tmp/OpC
HP-UX 11.x Linux IBM/ptx SGI IRIX Solaris Tru64 UNIX	/var/opt/OV/tmp/OpC
MPE/iX	TMP.OVOPC
Novell NetWare	SYS:/var/opt/OV/tmp/OpC
Windows NT/2000	\usr\OV\tmp\OpC\ <node>

Types of OVO Agent Configuration Files

Table 10-2 describes the OVO agent configuration files, and indicates whether the contents of the files are encrypted. The location of these files are listed in Table 10-3 on page 362.

Table 10-2 Agent Configuration Files and their Contents

File	Contents	Encrypted?
consi	MPE/iX console interceptor.	Yes
le	Logfile encapsulation configuration.	Yes
mgrconf	MOM configuration file.	No
monitor	Monitor agent template file.	Yes
msgi	Message interceptors <code>opcmsg(1)</code> and <code>opcmsg(3)</code> .	Yes
nodeinfo ^a	Node-specific OVO configuration information (for example, the logging directory and the type of managed node internal character set).	No
primmgr	MOM configuration file.	No
trapi	SNMP event interceptor.	Yes

a. Only on RPC-based managed nodes.

Location of OVO Agent Configuration Files

Table 10-3 lists the locations of the OVO agent specific configuration files described in Table 10-2 on page 361.

Table 10-3 Locating Agent Configuration Files on the Managed Nodes

Platform	Agent File Location
AIX	/var/lpp/OV/conf/OpC
HP-UX 11.x Linux IBM/ptx SGI IRIX Solaris Tru64 UNIX	/var/opt/OV/conf/OpC
MPE/iX	CONF.OVOPC
Novell Net	SYS:/var/opt/OV/conf/OpC
Windows NT/2000	\usr\OV\conf\OpC\ <i><node></i>

About Process Security

When communication between the management server and the managed nodes is required, OVO carries out basic authorization checks independently of DCE. However, DCE enables you to implement a much more stringent security policy at process levels between, for example, an RPC client and an RPC server, specifically in the areas of authentication and data protection.

The level of data protection is chosen by the client, although the server has the option of deciding whether a chosen level is sufficient. OVO handles authentication in the context of either the RPC client or the RPC server. For example, just as a server verifies that an incoming request is from a genuine OVO client, so an RPC client verifies that the server it is calling is a real OVO server.

About Process Authentication

During the authentication process, the OVO RPC obtains a login context. Every secure RPC process has a login context, which it either inherits from its parent process or establishes itself. The login context requires a name (or **principal**) and a password (or **key**). Since OVO processes usually run without any user interaction, reliance on an inherited login context is not sufficiently secure. For this reason, each process creates its own login context, with a name and password that must be registered at the DCE security service. However, as in UNIX, multiple OVO processes may run within the same login context. Management and maintenance of the login context is carried out internally by the control agent and control manager.

After the authentication process has completed successfully, a connection is established, and the RPC request-reply sequence starts. Authentication can be limited to the connection, the first RPC client-server call, or all RPCs between the client and server.

Example of Process Authentication

The following simple example of communication between an RPC client and an RPC server illustrates the OVO procedure for process authentication:

1. Reads Password

The message agent (RPC client) reads its password from the key file.

2. Logs In

The message agent uses the password to log in to the security server, procure a login context, and obtain a server ticket.

3. Sends Request

The message agent sends an RPC request to the message receiver (RPC server).

4. Verifies Request

The message receiver compares the ticket with the password contained in the key file.

5. Approves Request

If the password matches, the message receiver tells the message agent to proceed with its RPC request.

In this example, the RPC client is the message agent on the managed node, and the RPC server is the message receiver on the management server

About Process Authentication Requirements

In OVO, the management server and the managed nodes run RPC clients and servers at the same time. By running PRC clients and servers simultaneously, OVO is able to limit the requirements of each process for configuration information prior to an RPC call.

Each OVO process requires the following configuration information:

- Name and password
- Security level

This configuration information must be present on both the management server and the managed node.

About Required Names for Processes

OVO associates two **names** with the two types of node in its environment:

- Management server
- Managed node

All management server processes then run under the name associated with the management server, and all managed node processes under the identity of the name associated with the managed node.

About Required Security Levels for Processes

In addition, OVO allows you to select and configure the security level your particular environment requires for an individual managed node: the value is stored in the given RPC-based managed node's `opcinfo` file and in the relevant entry in the database on the management server.

NOTE

For HTTPS-based managed nodes, you can get this value by calling `ovconfget`, or change it by calling `ovconfchg` command-line tool.

For more details, refer to *OVO HTTPS Agent Concepts and Configuration Guide*. See also `ovconfget` and `ovconfchg` man pages for more information.

In this way, security on a given managed node may be changed to handle, for example, the addition of sensitive connections through a firewall.

Troubleshooting Authentication Problems

You can configure OVO to overcome a situation where, owing to the temporary unavailability or misconfiguration of the security service, a process is required either to run in unauthenticated mode or to fail. For example, if a management server process fails (for example, a request sender receives an authentication failure when calling a control agent on a managed node), an error message is generated. This error message displays in the Message Browser window. The administrator is then able to take immediate corrective action (for example, by temporarily changing the security level on the managed node in question to allow the retransmitted request to succeed).

11 **Tuning and Troubleshooting OVO**

In this Chapter

This chapter contains information for administrators who perform performance tuning and troubleshooting for HP OpenView Operations (OVO).

IMPORTANT

The information in this chapter is applicable *only* for RPC-based managed nodes. For details about tuning and troubleshooting on HTTPS-based managed nodes, refer to *OVO HTTPS Agent Concepts and Configuration Guide*. See also *ovconfget* and *ovconfchg* man pages for more information.

Getting More Information

For troubleshooting information not included in this chapter, see the following resources.

Troubleshooting HP OpenView

For more information about HP OpenView troubleshooting, see the following resources:

- ❑ *OVO Software Release Notes*
- ❑ Files in the ReleaseNotes directory:
 /opt/OV/ReleaseNotes
- ❑ OVO online help
- ❑ OVO documentation set
- ❑ OVO documentation for the given platform
- ❑ Oracle database manuals

Troubleshooting HP OpenView Performance Agent

For more information about troubleshooting the HP OpenView Performance Agent, see the following resources:

- *HP OpenView Performance Agent for HP-UX Installation & Configuration Guide*
- *HP OpenView Performance Agent for Sun Solaris Installation & Configuration Guide*

Troubleshooting on the Management Server

For information about troubleshooting management server problems not discussed in this chapter, see the following resources:

- ❑ *Managing Your Network with HP OpenView Network Node Manager*
- ❑ Manuals supplied with the database

Tuning Performance

To improve overall OVO system performance, you can do the following:

❑ **RAM**

Increase the RAM to reduce disk swapping.

❑ **CPU**

Upgrade the CPU.

❑ **Logging and Tracing Commands**

Do not use the LAN/9000 logging and tracing commands `netttl (1M)` and `netfmt (1M)` unless absolutely necessary.

❑ **Physical Disks**

Use different physical disks for the file systems and for swap space.

❑ **Network Lines**

Use high-bandwidth network links between the management server, managed nodes, and display stations.

Improving the Performance of the SNMP Management Platform

To improve SNMP management platform performance, reduce or eliminate HP OpenView Network Node Manager (NNM) processes that you do not use, or that you use only infrequently:

❑ **Network Monitor Daemon**

Stop `netmon (1M)`, increase its polling interval, or unmanage segments that you do not use.

❑ **Windows Object Database Daemon**

Reduce the amount of memory used by the HP OpenView Windows object database daemon, `ovwdb (1M)`, for managing large numbers of nodes.

❑ **NNM Daemons**

Do not use the logging and tracing options provided for the HP OpenView NNM daemons (`trapd`, `netmon`, and so on) unless absolutely necessary.

❑ **Management Server**

Configure the management server as a secondary Domain Name Server (DNS).

❑ **Background Graphics**

Reduce the number of background graphics in the HP OpenView submaps to a minimum.

❑ **Alarm Severity Symbol**

Suppress the appearance of the OVO Alarm Severity symbol in the HP OpenView submaps by changing the OVO `app-defaults` file.

Set the line `Opc.statusPropOnAllNodes` to `False` in the following file:

```
/opt/OV/lib/X11/app-defaults/<language>/Opc
```

The default setting is `True`.

For details about HP OpenView NNM performance tuning, see *Managing Your Network with HP OpenView Network Node Manager*.

Improving the Performance of the Database

To improve database performance, split the database over several disks as described in your Oracle database manuals.

For details about managing an Oracle database, see the documentation supplied with the database and the online documentation in:

```
/opt/OV/ReleaseNotes/opc_db.tuning
```

Improving the Performance of OVO

To increase the speed of OVO, and to reduce the memory needed to run it, reduce the number of active and acknowledged messages in the message browsers:

❑ **Filters**

Specify more precise filters (message conditions) for capturing messages.

❑ **Actions**

Specify more (local) automatic actions with automatic message acknowledgment after successful operation.

❑ **History Database**

Download the history database of acknowledged messages more often.

❑ **Management Server**

Improve processing performance on the management server:

- *Parallel Configuration*

Reduce the number of managed nodes for parallel configuration distribution.

Choose [Actions: Server: Configure...] from the Configure Management Server window.

- *Message Browsers*

Make sure operators close any View Browser or History Browser windows not currently required.

By doing so, you reduce the amount of RAM required for the GUI, as well as the time required to update message browser windows when new messages are intercepted or acknowledged.

- *Operator Workspaces*

Minimize overlapping operator workspaces.

Allocate an operator the same nodes and message groups as another operator only if absolutely necessary.

❑ Managed Nodes

Improve processing performance on the managed nodes:

- *Heartbeat Polling Interval*

Increase the heartbeat polling interval for the managed node activity check.

- *Message Text*

Use message text match conditions with the case-sensitive check as often as possible. This flag can be set in several places, including the Advanced Options window of the Add/Modify/Copy Logfile window.

- *Message and Suppress Conditions*

Change the sequence of the message and suppress conditions so that the messages most frequently required are near the top of the list. This change prevents wasted processing of conditions that cannot find a match to a logfile. (Message and Suppress Conditions window.)

- *Logfile Polling Interval*

Set the polling interval for logfile (Modify Logfile window) and threshold monitoring (Modify Monitor window) as high as possible, while ensuring that they adequate data.

- *Message Buffer*

Set a limit for the message buffer file in the Node Communication Options window (Actions: Node -> Add -> Communication Options). This limit ensures that the file does not grow unchecked and fill the disk if the management server becomes temporarily unavailable. The message agent counts the number of discarded messages, started actions, and message operations like acknowledge requests, and forwards them when the server becomes available again.

NOTE

Because the message agent and the action agents use different mechanisms, some action requests attributed to the final messages buffered in the file may not be executed. It is therefore likely that the message buffer file will contain more messages than action responses.

Improving the Startup Performance of the Motif GUI

To increase the startup speed of the OVO Motif-based operator GUI, do the following:

❑ Disable Logo

If you have a slow network connection between the OVO management server and your X display (for example ISDN), consider disabling the OVO logo.

This can be easily done by setting a resource in the OVO X resources file `/opt/OV/lib/X11/app-defaults/<lang>/OpC:`

```
OpC.showLogo
```

If set to `False`, the OVO login screen and the Help About window do not display the OVO logo. Default is `True`. For details, see the man page `opc(1)`.

❑ Use Cache

In environments with many managed nodes, the operator Motif GUI can take some time before it is fully loaded.

You can improve the startup performance by starting the Motif GUI with the following option:

```
opc -use_cache
```

If you use this option, the Motif GUI uses a cache file to retrieve the current status and configuration of the OVO objects. The cache file is updated when the Motif GUI is closed.

CAUTION

Do *not* use the `use_cache` option if you are using NNM functionality with OVO. Changes in the OVO Windows maps or the NNM object database are *not* detected when running the operator GUI with the `use_cache` option. This means that configuration changes through NNM or other integrated applications, as well as manual changes in the NNM object database, are *not* detected.

Troubleshooting Problems

This section describes how to solve problems with OVO.

About General Issues

When troubleshooting in OVO, keep the following general issues in mind:

❑ **Resources**

OVO is an application that is both memory- and swap-space intensive. Problems may occur simply due to the exhaustion of resources.

❑ **Communication**

Communication between the OVO management server processes is based on DCE remote procedure calls, which may cause occasional failures and time-outs of manager-agent communications.

❑ **Name Services**

If you are using the Berkeley Internet Name Domain (BIND) or similar name services on your network, pay special attention to hosts with multi-hosted interfaces (more than one LAN card).

Preventing Problems

To isolate problems, recover from problems, and prevent problems, follow these general guidelines:

❑ **Installation Requirements**

Make sure that the management server and the managed node system meet the hardware, software, and configuration requirements. For a list of hardware and software requirements, see the *OVO Installation Guide for the Management Server*.

❑ **Required Patches**

Make sure all the required patches are correctly installed.

❑ **Paths**

Make sure that the following directories are included in your *PATH*:

- `/opt/OV/bin/OpC`
- `/opt/OV/bin/OpC/install`

❑ **Product Files**

Do not modify HP OpenView product files (for example, X resources) without first making backup copies of the original files.

❑ **System Resources**

Make sure that you are not using up too much of your management station CPU and system resources by collecting too much data, or by setting polling intervals that are too frequent for object monitoring.

❑ **Process Status**

Verify that all processes are up and running:

- `ovstatus opc`
- `ovstatus ovoacomm`
- `opcsv -status`
- `opcagt -status`
- `opcragt -status`

If a process is not running, simply restart it.

Identifying the Installed Version of OVO

To identify the installed version of OVO, do the following:

❑ **Management Server**

To identify the OVO version installed on the management server, use the command-line tool `ovconfiget`. See *ovconfiget* man page for more information.

❑ **Managed Node**

To identify the OVO version installed on the managed node, look at the entry `OPC_INSTALLED_VERSION` in the `opcinfo` file on the managed node. See Table 11-1 on page 377 for the location of the `opcinfo` file on the various agent platforms.

❑ **UNIX Systems**

To get detailed information about the installed version of OVO on UNIX systems, use the `what(1)` command.

For example, for HP-UX 11.x managed nodes, enter the following:

```
what /opt/OV/bin/OpC/opc*
```

Table 11-1 Location of the opcinfo File on OVO Managed Nodes

OVO	Platform	opcinfo File
Management server on HP-UX and Sun Solaris	HP-UX 11.x	/opt/OV/bin/OpC/install/opcinfo
	Solaris	/opt/OV/bin/OpC/install/opcinfo
	AIX	/usr/lpp/OV/OpC/install/opcinfo
	Linux	/opt/OV/bin/OpC/install/opcinfo
	Novell NetWare	sys:/opt/OV/bin/OpC/install/opcinfo
	Windows	\usr\OV\bin\OpC\install\opcinfo
	Tru64 UNIX	/usr/opt/OV/bin/OpC/install/opcinfo
	SGI IRIX	/opt/OV/bin/OpC/install/opcinfo
Management server on HP-UX	MPE/iX	OPCINFO.BIN.OVOPC
	IBM/ptx	/opt/OV/bin/OpC/install/opcinfo
	Siemens Nixdorf SINIX	/opt/OV/bin/OpC/install/opcinfo

Tracing Problems

To help you investigate the cause of problems, OVO provides problem tracing. Trace logfiles can help you pinpoint when and where problems occur (for example, if processes or programs abort, performance is greatly reduced, or unexpected results appear).

To learn more about OVO tracing, refer to the *HP OpenView Tracing Concepts and User's Guide*.

Analyzing Symptoms

When you encounter a symptom associated with a problem, make a note of all associated information:

❑ **Scope**

What is affected?

- Distinguish between management server and managed node problems.
- If you suspect that a problem exists on a managed node, try to duplicate it on a different node to find out whether it is node-specific.
- Distinguish between the administrator GUI and the operator GUI.
- If you suspect that a problem exists with an operator, try to test the situation it on another operator, to see whether the problem can be duplicated.

❑ **Context**

What has changed?

Determine if anything has changed on your network or with the product configuration:

- Hardware
- Software
- Patches
- Files
- Security
- Configuration
- Name services
- Routing
- Utilization

❑ **Duration**

How long, and how often? Is the problem consistent (fails every time) or intermittent (fails only sometimes)?

Reporting Errors

This section describes how OVO processes and reports errors during operation.

Locations of Error Messages

Error messages are written to two different locations:

- ❑ **Logfiles**

All errors detected by the OVO server or by agent processes are written to the logfile.

- ❑ **Message Browser**

If possible, an OVO message is generated for display in the message browser.

Reporting Errors in Logfiles

In event of a problem, you should always check the OVO error logfiles:

- ❑ **Management Server**

Errors reported by OVO manager processes on the management server during operation are written to the following logfile:

```
/var/opt/OV/log/OpC/mgmt_sv/opcerror
```

- ❑ **Managed Nodes**

Errors reported during the installation of software on the managed nodes are written to the following logfile on the management server:

```
/var/opt/OV/log/OpC/mgmt_sv/inst_err.log
```

- ❑ **Agent Processes**

Errors reported by agent processes during the operation of OVO are written (on the managed node) to the locations specified in Table 11-2 on page 381.

- ❑ **Database**

Oracle database-related errors are reported in the following logfile:

```
/var/opt/OV/log/OpC/mgmt_sv/ora_err.log
```

Table 11-2 shows the locations of logfiles for errors reported by agent processes during the operation of OVO

Table 11-2 **Errors Reported by the Agent Processes**

OVO	Platform	File Name and Location
Management server on HP-UX and Sun Solaris	HP-UX 11.x, Solaris, Linux, Tru64 UNIX, IRIX	/var/opt/OV/log/OpC/opccerror
	AIX	/var/lpp/OV/log/OpC/opccerror
	Novell NetWare	sys:/var/opt/OV/log/OpC/opccerror
	Windows	\usr\OV\log\OpC\opccerror
Management server on HP-UX	IBM/ptx, SINIX/Reliant	/var/opt/OV/log/OpC/opccerror

Reporting Errors through the Message Browser

In most cases, when an error is written to the `opccerror` log files on the management server or on a managed node, OVO generates a message. OVO display this message in the message browser of any users responsible for monitoring the message group, OpC.

Under certain circumstances, it is not possible for OVO to display a message in the operator GUI. Generally, this problem occurs when a required process (for example, the message agent, message receiver, message manager, display manager, or display receiver) is not running or functioning.

If a message is not found in the message browser, make sure that the workspace is configured to receive messages from that managed node.

Forwarding Unmatched Messages

Unmatched messages are messages that do not match message conditions or suppress conditions. Unmatched messages assume the default severity level assigned by the message source template that processes them. Users can change the severity level to enable messages that match the assigned severity level condition to be forwarded.

CAUTION

You should not use the assigned default severity value “Unknown.” If you use this severity level, messages that relate to serious or critical problems are marked as “X” in the “U” (Unmatched) column in the message browser. Such serious or critical messages could be ignored.

Users should report unmatched messages to the OVO administrator. The OVO administrator can then improve the existing templates by adding message or suppress conditions.

Reporting Errors through the GUI Error Dialog Box

Any errors that relate to GUI processes are displayed in an error dialog box, which automatically pops up, as needed. To get more detailed information about an error message displayed there, select one line of the message in the dialog box, and click the [Help] button.

Typical errors that relate to GUI processes include the following:

❑ User Errors

- Syntax errors when typing input
- Semantic errors (for example, unknown system)
- Required objects not selected while performing a task

❑ Communication Problems

Communication problems between user interface processes and the display manager (for example, an action cannot be performed because the management server is down). This includes errors reported from X applications and applications configured as **No Window** started from the Application Desktop, and errors reported by starting operator-initiated actions.

❑ **OVO Errors**

Errors originating from HP OpenView functionality used in the GUI (for example, a submap cannot be created because the HP OpenView Windows map does not have write permissions).

❑ **Database Errors**

Problems in retrieving data from or writing data to the database (for example, it may not be possible to get detailed message information from the database).

All these errors are reported in the error log files. If problems with the database occur, the user receives a general message that a problem exists, while more detailed information is written to the error log file.

Reporting Errors through “stderr” and “stdout” Devices

Errors that occur when starting OVO commands or scripts (for example, `opcagt` and `opcsv`) are reported to the `stderr/stdout` device assigned to the calling shell. Errors reported by terminal applications started from the application desktop are also displayed on `stderr` and `stdout`.

Getting Error Instructions through `opcerr`

For most OVO error messages additional instructional text is available. For example, for error messages reported through the GUI error dialog box, the instructional text can be accessed through the GUI error dialog box. Alternatively, you can use the following command line tool to access the instructional text for an error message:

```
/opt/OV/bin/OpC/Utils/opcerr OpC<set>-<msg>
```

For example, to get the instructional text for error message `OpC10-0001`, enter:

```
/opt/OV/bin/OpC/Utils/opcerr OpC10-0001
```

For some internal error messages, however, OVO provides no additional instructional text. If you need more information about any of these messages, contact your local HP response center.

For more information about `opcerr`, see the man page `opcerr(1M)`.

Filtering Internal OVO Error Messages

Internal OVO error messages can be extracted from the internal Message Stream Interface (MSI). The purpose of this message filtering is to attach automatic and operator-initiated actions, and to treat the message as if it were a normal, visible OVO message.

You can internal OVO enable error message filtering on the managed node and on the management server. Depending on where you have enabled the functionality, all OVO internal messages are sent back to the local message interceptor on the OVO management server or on the managed node. There the messages are viewed and treated in the same way as any other OVO message.

To Enable Internal OVO Error Message Filtering

To enable internal OVO error message filtering, perform one of the following:

- ❑ On the OVO management server, use the command-line tool `ovconfchg`. Enter the following:

```
ovconfchg -ovrg <management_server> -ns opc -set \  
OPC_INT_MSG_FLT TRUE
```

Where *<management_server>* is the name of the OVO management server.

- ❑ Edit the `opcinfo` file on the managed node. Enter the following:

```
OPC_INT_MSG_FLT TRUE
```

You should set up at least one condition for internal OVO error messages in the `opcmsg (1/3)` template (using message group `OpC`) and set the [Suppress Identical Output Messages] button in the Message Correlation window.

Solving Oracle Database Problems

This section explains how to solve specific Oracle database problems.

If opcdbinst or opcdbinit Fails

OVO database was created successfully, but opcdbinst or opcdbinit fails.

Problem

OVO database was created with an internal Oracle DBA connection. However, opcdbinst and opcdbinit connect to the specific **ORACLE_SID** as user **opc_op**.

Solution for HP-UX

Verify the following:

- File `/etc/oratab` exists.
- File `/etc/oratab` is readable by user **opc_op**.
- File `/etc/oratab` contains a line with your **ORACLE_SID**.
- User **opc_op** is properly setup.

Solution for Solaris

Verify the following:

- File `/var/opt/oracle/oratab` exists.
- File `/var/opt/oracle/oratab` is readable by user **opc_op**.
- File `/var/opt/oracle/oratab` contains a line with your **ORACLE_SID**.
- User **opc_op** is properly set up.

If You Cannot Start an OVO Process

OVO process cannot be started.

An error message such as the following is displayed:

```
Database error: ORA-01034 : ORACLE not available
ORA-07318 smsget = open error when opening sgadef.dbf file
HP-UX Error: 2: No such file or directory (OpC50-15)
Could not connect to database openview
Please check that the database processes are running (OpC50-2)
```

Problem

Oracle database services are not running.

Solution

Start the Oracle database:

1. Switch to user oracle by entering:

```
su - oracle
```

2. At the prompt, enter the following commands to start the Oracle database:

```
<ORACLE_HOME>/bin/svrmgrl
```

```
connect internal
```

```
startup
```

```
exit
```

3. Switch back to user root by entering

```
exit
```

If You Cannot Start an Oracle Database

Oracle database cannot be started.

Problem

Oracle database cannot be started because the Oracle resources are already in use.

Solution

Verify the following:

- ❑ Oracle database is not already running.
- ❑ Some interprocess communication (IPC) facilities are not freed by the Oracle processes:

```
ipcs | grep oracle.
```

If there are some IPC facilities left, clean them up using: `ipcrm`.

- ❑ Oracle SGA definition file,
`${ORACLE_HOME}/dbs/sgade${ORACLE_SID}.dbf` still exists.

If this file still exists, remove it.

If other instances of Oracle are running on the same system, shut down these instances before clearing semaphores and shared-memory using `ipcrm(1M)`.

If You Cannot Create an Oracle Database

Cannot create an Oracle database.

The setup program, `opcdbsetup`, exits with following error:

```
insufficient privileges, not connected
```

Problem

`connect internal` requires that the primary group of the DBA user is `dba`. The default DBA user is the UNIX user `oracle`.

Solution

Correct the Oracle DBA user using SAM. Assign the Oracle DBA the group `dba`.

Solving OVO Server Problems

This section explains how to solve specific OVO server problems.

If the OVO Management Server Status is Corrupted

The OVO management server status is completely corrupted, even after the `ovstop opc` and `ovstart opc` sequence.

Problem

There are many corrupted messages in the message browser. Many critical OVO error messages and OVO agents on managed nodes cannot be stopped or started. Configuration distribution does not work. Despite these symptoms, `opcsv -status` may report that not all OVO manager processes are operating correctly.

Solution

Erase all temporary files:

1. Stop all OVO GUIs that are running by exiting the OVO user interface:

```
[File: Exit]
```

2. Stop the OVO management server processes:

```
/opt/OV/bin/ovstop opc ovoacomm ovctrl
```

3. Erase all OVO temporary files:

```
rm -f /var/opt/OV/share/tmp/OpC/mgmt_sv/*
```

All pending messages (that is, messages not yet saved in the database) and all pending actions (that is, automatic actions, operator-initiated actions, scheduled actions, and command broadcast) will be lost.

4. Restart the OVO management server process:

```
/opt/OV/bin/OpC/opcsv -start
```

5. Restart the OVO GUIs:

```
opc
```

If Old Messages are Sent to the External Trouble Ticket System

After a long downtime, old (no longer interesting or valid) messages are sent to the external trouble ticket system or external notification service when restarting the OVO management server.

Problem

Under a heavy system load, or if one instance of the trouble ticket interface or notification service interface is already running, the messages to be forwarded are queued in the following queue file:

```
/var/opt/OV/share/tmp/OpC/mgmt_sv/ttnsq
```

Solution

Erase **ttnsq** before starting the OVO management services again.

If the OVO management processes are stopped for a long time, the pending requests are sent to the external interface after the OVO management server is restarted, even if they are no longer of interest.

If HP OpenView Cannot Resolve a Hostname

When starting the OVO administrator GUI, the HP OpenView Windows (ovw) **Root** window is created, but the following error message is immediately displayed:

```
ovw: Could not resolve hostname (mgmt_server_host_name) for  
licensing
```

Problem

HP OpenView Windows (ovw) does not have permission to look up the name of the management server in the following file:

```
/etc/hosts
```

Hostname lookup is necessary for license checking.

Solution

Make sure that `/etc/hosts` is readable for user **opc_op**:

```
chmod 444 /etc/hosts
```

Solving OVO GUI Problems on the Management Server

This section explains solutions to OVO GUI problems on the management server.

If HP OpenView Help Processes are Still Running after OVO GUI Shutdown

Improper shutdown of the OVO GUI leaves some `ovhelp` processes still running.

Problem

After an improper shutdown of the OVO GUI, some `ovhelp` processes remain running.

Solution

If HP OpenView platform processes and OVO-related services are stopped, you can kill the remaining processes manually:

```
ps -eaf | grep ovhelp
```

```
kill <proc_id>
```

HP OpenView Window Objects are Hidden

HP OpenView Windows (`ovw`) objects have been hidden and are no longer visible.

Problem

As a result of using the third mouse button action “Hide Symbol,” the symbol is no longer displayed on the map. In the HP OpenView status line, the number of hidden symbols is shown.

Solution

Show symbols by clicking the following:

```
[Edit: Show Hidden Objects: For This Submap]
```

If HP OpenView Icon Labels are Not Updated

Icon Labels changed using HP OpenView functionality do not appear to be updated.

Problem

Changing the labels for icons on the OVO Node Bank, Node Group Bank, and so on using HP OpenView functionality does not update the labels as stored in the OVO database. If the icon labels are not updated, the HP OpenView variable `IPMAP_NO_SYMBOL_CHANGES` has no effect.

Solution

Use the OVO dialog boxes (for example, in the `Modify Node` window, `Modify Message Group` window, and so on)."

If "Set User ID" Error Messages Display at OVO GUI Startup

At GUI startup, error messages relating to the "set user ID" and the X colormap display.

Problem

You receive error messages relating to the "set user ID" and the X colormap when you start the Motif GUI. You receive these error messages only when you start the Motif-based GUI as user root.

Solution

You can safely ignore these messages. A defect in the Xt system library causes messages about colors that contain `%s` instead of a color number.

If OVO GUI Processes are Still Running after OVO GUI Shutdown

Improper shutdown of the OVO GUI leaves some GUI processes still running

Problem

After the OVO GUI has aborted while users were still logged on, you log into OVO and receive the following error message:

```
The user is already logged on. (50-17)
```

This error message indicates that some GUI processes may still be running.

Solution

Check for the following processes, and kill them:

```
opcuiadm  
opcuiop  
opcuiopadm  
ovw
```

If these processes are not running, but you still receive the error message, delete the entry for logged-on operators from the OVO database:

```
su - oracle  
svrmgrl  
connect internal;  
select * from opc_op.opc_op_runtime;  
delete from opc_op.opc_op_runtime where name = '<username>';
```

To delete the entry for a specific user who is currently logged in, enter:

```
delete from opc_op.opc_op_runtime;
```

To delete the entry for all users who are currently logged in, enter:

```
commit;  
exit  
exit
```


Solving OVO Installation Problems on UNIX Managed Nodes

This section explains how to solve OVO installation problems on UNIX mixed nodes.

If You are Prompted for a Password after Entering a Valid Password

The installation script `inst.sh (1M)` prompts you for a password in an endless loop, even if the correct password has been specified.

Problem

If no `.rhosts` entry is available for **root** on the managed node, the OVO installation script prompts you for the root password.

If you have specified the correct password and the message is displayed:

```
rexec: Lost connection
```

It is possible that the management server is not yet known on the managed node.

Solution

Add the management server entry to:

```
/etc/hosts
```

Or update your Name Server if you have one.

Solving Problems with Mixed-case Node Names

Unlike the name service, the OVO database is case-sensitive. As a result, the OVO database may not be able to find a node if the name service returns a different case for the same node.

To avoid this problem, OVO lets you convert the node name that is returned by the name service to lower case. This conversion ensures that only lower case node names are used within OVO. The conversion does not change the case of non-IP nodes because they cannot be resolved by the name service.

To enable the lowercase conversion, follow these steps:

1. Stop the OVO GUIs and the server processes.
2. Use the command-line tool `ovconfchg` on the OVO management server. Enter the following:

```
ovconfchg -ovrg <management_server> -ns opc -set \  
OPC_USE_LOWERCASE TRUE
```

Where *<management_server>* is the name of OVO management server.

3. Convert the node names of IP nodes in the OVO database to lower case:

```
/opt/OV/bin/OpC/opcdbidx -lower
```

For more information, see the man page *opcdbidx(1M)*.

4. Restart the OVO server processes and the GUIs.

Solving Installation Problems on MPE/iX Managed Nodes

This section describes how to solve problems on MPE/iX managed nodes. MPE/iX managed nodes are supported by the OVO management server only on HP-UX.

If an Installation Aborts Because the MPE/iX System Name is Unknown

Installation aborts because MPE/iX system name is not known on the management server.

Problem A

The LAN card is not configured with the **ieee** option required for **vt3k** operations.

Solution A

Get the current `lanconfig` statement from `/etc/netlinkrc` on the management server, and resubmit the command with the additional **ieee** parameter.

```
grep lanconfig /etc/netlinkrc  
lanconfig...ieee
```

Problem B

No ARPA-to-NS node-name mapping is defined in `/etc/opt/OV/share/conf/OpC/mgmt_sv/vt3k.conf` and the NS node for the management server is not set, or it belongs to a different domain.

Solution B1

Specify a corresponding mapping in **vt3k.conf**. (See the corresponding section in the *OVO DCE Agent Concepts and Configuration Guide*).

Solution B2

Check and set the NS node name of the management server:

```
nodename  
nodename <ns_name>
```

If an Installation Aborts Because of Interactive Login/Logout UDC

Installation aborts because of interactive login or logout UDC.

Problem

OVO uses **vt3k** during OVO agent software installation. During installation, the interactive login and logout UDCs for **MANAGER.SYS**, **MGR.OVOPC** and **AGENT.OVOPC** are *not* supported.

Solution

Deactivate interactive login and logout UDCs. Note that no interactive login or logout UDCs are allowed.

If Starting an X-Application Causes an Unknown Node Error

MPE/iX “request replies” from the OVO management server through X-redirection from MPE/iX managed nodes fails.

Problem

Starting an X-application from the application desktop (or as an operator-initiated action) produces an action annotation similar to the following:

```
“unknown node: ERROR can't open display”
```

Solution

Verify that the environment variable `DISPLAY` on the management server is set to a long hostname (for example; `xyz.bbn.hp.com:0.0`, not `xyz:0.0` or `xyz:0`). This display string is passed to the agent when it tries to start the X-application by redirecting the display to the management server. The agent may not be able to resolve the short hostname. As a result, the agent may not be able to start the X-application. If an operator-initiated action or automatic action started the application, an annotation is added. If a desktop application or broadcast command failed, an error dialog box pops up.

If You Cannot Install Agent Software on the Managed Node

The agent software installation on MPE/iX managed nodes fails with the following error message:

```
vt3k_opcchk failed
```

Diagnosis

This error occurs when the variable `LANG` is set to a language other than `C` on the MPE/iX managed node.

Solution

Always set `LANG` to `C` before installing the OVO agent software.

If an OVO Configuration is Not Installed on the Managed Node

OVO configuration is not installed on the managed node. For this reason, the OVO logfile encapsulator, message interceptor, console interceptor and event interceptor do not run.

Problem A

The managed node contains several LAN cards, and therefore several IP addresses. Possibly there are several host names. The OVO agents use an IP address not known on the management server for the corresponding host name.

Solution A

Make sure that all the IP addresses of all the managed nodes are known to the management server. Update the **Name Services** or `/etc/hosts` as follows:

```
nslookup <managed_node>
```

Problem B

Similar to Diagnosis A, except the managed node in question belongs to a different subnet or domain, and is configured to have a short hostname.

Solution B

Similar to Solution A, except you also need to configure the managed node hostname as a fully qualified hostname.

Problem C

The managed node is unable to resolve the node name of the management server.

Solution C

Make sure that the management server is known to the managed node.

Perform one of the following actions:

Name Server

Make sure that the management server is registered in the name server, and that the name server is being used by the managed node.

Name services are enabled by adding entries in the following file:

```
RESLVCNF.NET.SYS
```

Local Host Table

Make sure that the management server is listed in the local host table.

The local host table file is:

```
HOST.NET.SYS
```

Solving Installation Problems on Windows Managed Nodes

This section describes how to solve installation problems on Windows managed nodes.

When Windows Managed Nodes Generate Authorization Errors

After the installation of a Windows managed node, you may receive authorization errors when contacting the node from the management server. For example, you may receive the error message OpC30-1100 when executing an action or the error message OpC30-1102 when calling `opcragt -[get|set]_config_var`.

There may be a configuration problem with the DNS and WINS name services on the managed node. If WINS and DNS are used in parallel and WINS is configured to be the first choice before DNS, you may encounter the problems listed above if WINS cannot properly resolve the hostname of the management server. To check whether a configuration problem exists, do the following:

1. On the management server:

Determine the DNS domain and IP address of the management server:

```
nslookup <management_server_hostname>
```

Where <management_server_hostname> is the hostname of the management server.

2. On the Windows managed node:

- a. Resolve the hostname of the managed node with DNS:

```
c:\nslookup <management_server_hostname>
```

The output should be similar to the following:

```
Server: dns.bbn.hp.com  
Address: 15.136.123.123  
Name: mgmtsv.bbn.hp.com  
Address: 15.136.1.2
```

Verify that the DNS domain, the hostname, and the IP address listed are those of the management server.

b. Resolve the hostname of the managed node with WINS:

1. Purge the WINS cache:

```
C:\>nbtstat -R
```

```
Successful purge and preload of the NBT Remote
Cache Name Table.
```

2. Ping the management server:

```
ping "mgmt_sv "
```

Make sure that you use quotes and that there is a space behind the name to force resolution through WINS.

3. Display the WINS name resolution cache:

```
C:\>nbtstat -c
```

```
Local Area Connection:
Node IpAddress: [15.136.3.33] Scope Id: []
                                NetBIOS Remote Cache Name
Table
Name          Type          Host Address  Life
[sec]
-----
-
MGMT_SV      <00> UNIQUE     15.136.1.    567
```

Verify that the NetBIOS name is found and that the IP address listed is that of the management server

If you *cannot* resolve a possible configuration problem of the name services, you can circumvent the problem by setting the following `opcinfo` variable:

```
OPC_RESOLVE_IP <mgmt_server_ip_address>
```

Then restart the OVO agent.

Solving Runtime Problems on All Managed Nodes

This section explains how to solve specific runtime problems on all managed nodes.

If OVO Does Not Work as Expected After an Operating System Upgrade

OVO does not work as expected after an operating system upgrade.

Problem

Updating the operating system might mean that OVO no longer works as expected. For example, system boot and shutdown files have been modified. The file system layout or the command paths could have been changed. The shared libraries have been modified. And so on.

Solution

Verify that the installed operating system version is still supported by OVO:

```
/opt/OV/bin/OpC/agtinstall/opcversion -a
```

If the installed operating system version is not supported by the current version of the OVO agents, ask your HP representative for assistance and available patches.

If an OVO Configuration is Not Installed on the Managed Node

OVO configuration is not installed on the managed node. For this reason, the OVO logfile encapsulator, message interceptor, console interceptor and event interceptor do not run.

Problem A

The managed node contains several LAN cards, and therefore several IP addresses. Possibly there are several host names. The OVO agents use an IP address not known on the management server for the corresponding host name.

Solution A

Make sure that all the IP addresses of all the managed nodes are known to the management server.

Update the **Name Services** or `/etc/hosts` accordingly:

```
nslookup <managed_node>
```

Problem B

Similar to Problem A, except the managed node in question belongs to a different subnet or domain and is configured to have a short hostname.

Solution B

Similar to Solution A, except you must also configure the managed node hostname as a fully qualified hostname.

If OVO Does Not Work as Expected After Application Upgrade

After an application upgrade, OVO no longer works as expected.

Problem

After the upgrade of installed applications on the managed node, logfile encapsulation, MPE/iX console message interception, and so on appear not to work properly. This improper functioning could be caused by different message patterns, localized logfiles, different path or file name of the logfiles, and so on.

Solution

Check the related application manual and update the OVO message sources accordingly.

If You Cannot Start an X-Application on a Managed Node

X application cannot be started on a managed node.

Problem

If you start an X application on a managed node, that system must be allowed to redirect the display to your display station.

Solution

For each managed node where X applications operate, specify on your display station:

```
xhost + <managed_node>
```

To grant access to everyone, enter:

```
xhost +
```

If You Cannot Start an Application from the Application Desktop

Application can no longer be started from the Application Desktop.

Problem A

An application is no longer installed on the managed node.

Solution A

Re-install or remove the application from the administrator's Application Bank, the operator's Application Desktop, or both.

Problem B

An application has been upgraded, and its command path, access security, or something else has been changed.

Solution B

Adapt the OVO default application startup accordingly.

Problem C

User's password for default application startup has been changed.

Solution C

If you change the password on the managed nodes for default users of an application startup from the OVO Application Desktop, you must adapt the password in the OVO configuration, too. This step is necessary only if the application is configured as having a **Window (Input/Output)**, and if no appropriate `.rhosts` or `/etc/hosts.equiv` entry is available.

Problem D

When any kind of application is started (**Window (Input/Output)**, **Window (Output Only)**, **No Window**) the calling user's profile is executed. If the overall execution takes more than 2 seconds, or if the execution completes before anything is written to standard output, OVO assumes that an error has occurred and the application startup is terminated.

Solution D

Simplify the user's profile so that it executes faster or writes more information to standard output. Also, make sure that the user's profile does not prompt for specific input.

Problem E

The command path length (inclusive of parameters) is too long for an application configured as having a **Window (Input/Output)**. Only 70 characters are available for command path and resolved parameters (such as `$OPC_NODES`).

Solution E

Do not specify the full command path. Put this path in the executing user's `PATH` variable. Avoid hard-coded parameters and only pass dynamic parameters. Instead of calling the application with lots of hard-coded parameters, use a script that internally calls the application with the required parameters. Instead of configuring this application to run in a **Window (Input/Output)**, set this option to **No Window**, and start an `hpterm/xterm` on that managed node.

If You Cannot Broadcast a Command or Start an Application

Command broadcast or application startup does not work on all selected systems.

Problem A

Not all systems are controlled. Command broadcasting and application startup is only granted on **controlled nodes**, and not on **monitored**, **messages-allowed**, **disabled**, or **message-allowed nodes**.

Solution A

Change the node type of the managed nodes to **controlled** (unless the node is an **external node**, in which case this is not possible).

Problem B

The command or application is not available on all selected systems.

Solution B

Install the command or application where it is missing.

Problem C

The command or application path is varies (for example, `/usr/bin/ps` for HP-UX 11.x).

Solution C

Use (hard or symbolic) links or copy the command or application to the appropriate destination.

Write a script or program that calls the right command or application, depending on the platform (for example, `my_ps.sh`):

```
#!/bin/sh
ARCH=`uname -s`
if [ ${ARCH} = "HPUX" -o ${ARCH} = "AIX" ]
then
  /bin/ps -eaf
  elif [ ${ARCH} = "AIX" ]
  then
    /usr/bin/ps -ax
  else''
    echo "Unsupported architecture ${ARCH}"
  exit 1
fi
```

Problem D

The command or application parameters are different.

Solution D

Write a script or program using the appropriate parameters. See the example in Solution C.

Problem E

Inconsistent passwords for the calling user on the selected managed nodes. OVO provides only one common password for the assigned default operator on UNIX managed nodes, as well as one common password for the assigned default operator on MPE/IX managed nodes. Furthermore, only one password can be specified for default application startup. So both command broadcasting (using customized user and password) or application startup fails. Note that a password is required only for Window (Input/Output) applications, or if the user changes the default settings.

Solution E

1. Split your broadcast for systems having the same user password.
2. Provide a common password for all selected managed nodes. Be aware of applied password-aging mechanisms. Alternatively, for applications configured as using a Window (Input/Output), a `.rhosts` or `/etc/hosts.equiv` entry is also sufficient.
3. Use the assigned default user for command broadcasting and the startup of applications configured as using a Window (Input/Output). In this case, the action is performed by the OVO action agent and no password need be provided.

If You Cannot Call I/O Applications from the Virtual Terminal

Input/Output applications and the Virtual Terminal open and close a window without performing the application call.

Problem

This problem occurs when Secure Internet Services (SIS) is installed on the management server. The problem is related to the `opcrlogin` program that sometimes receives a `SIGCHLD` from a forked `rlogin/telnet`.

Solution

Restart the application.

If OVO Agents are Corrupted

OVO agents are corrupted, even after running the following sequence:

```
opcagt -stop; opcagt -start
```

Problem

The **ocagt -status** reports that not all OVO agents are up and running, automatic or operator-initiated actions and scheduled actions are not executed, and applications are not started as requested. Actions are not acknowledged, even after a successful run.

Solution for HP-UX

For HP-UX, do the following:

1. Check the status of an OVO managed node by running the following command on that system locally:

AIX **/usr/lpp/OV/OpC/opcagt -status**

Windows **\usr\OV\bin\OpC\opcagt -status**

Tru64 UNIX, IBM/ptx, HP-UX 11.x, Linux, SGI IRIX, Solaris

/opt/OV/bin/OpC/opcagt -status

MPE/iX **opcagt.bin.ovopc -status**

Novell NetWare Use the OVO control agent GUI.

2. Check the local **opcerror** file for indications of where the problem may be originating. For the location of this file, see “Locations of Error Messages” on page 380.
3. If the OVO agent status is corrupt, even after the **opcagt -stop; opcagt -start** sequence, perform the following procedures:
 - “To Clean up and Restart OVO Agents on HP-UX 11.x Managed Nodes” on page 412
 - “To Clean up and Restart OVO Agents on SVR4 Managed Nodes” on page 413
 - “To Clean up and Restart OVO Agents on AIX Managed Nodes” on page 414
 - “To Clean up and Restart of OVO Agents on MPE/iX Managed Nodes” on page 415

Work locally on the managed node as user **root**.

All pending messages not yet sent to the management server and all pending actions (for example, automatic and operator-initiated actions, scheduled actions and command broadcast) will be lost.

Solution for Solaris

For Solaris, do the following:

1. Check the status of an OVO managed node by running the following command on that system locally:

AIX **/usr/lpp/OV/OpC/opcagt -status**

Tru64 UNIX, HP-UX 11.x, Linux, SGI IRIX, Solaris

/opt/OV/bin/OpC/opcagt -status

Windows **\usr\OV\bin\OpC\opcagt -status**

Novell NetWare Use the OVO control agent GUI.

2. Check the local `opcerror` file for indications of where the problem may be originating. For the location of this file, see “Locations of Error Messages” on page 380.

3. If the OVO agent status is corrupt, even after the `opcagt -stop;`
`opcagt -start` sequence, perform the following procedures:
 - “To Clean up and Restart OVO Agents on HP-UX 11.x Managed Nodes” on page 412
 - “To Clean up and Restart OVO Agents on SVR4 Managed Nodes” on page 413
 - “To Clean up and Restart OVO Agents on AIX Managed Nodes” on page 414
 - “To Clean up and Restart of OVO Agents on MPE/iX Managed Nodes” on page 415

When performing these procedures, work locally on the managed node as user **root**.

All pending messages not yet sent to the management server and all pending actions (for example, automatic and operator-initiated actions, scheduled actions and command broadcast) will be lost.

This section contains solutions to the problems presented in “If OVO Agents are Corrupted” on page 409. For all procedures, work locally on the managed node as user **root**.

To Clean up and Restart OVO Agents on HP-UX 11.x Managed Nodes

To clean up and restart OVO agents on HP-UX 11.x managed nodes, follow these steps:

1. Stop OVO agents, including the control agent:

```
/opt/OV/bin/OpC/opcagt -kill
```

2. Verify that all OVO agents are stopped:

```
/opt/OV/bin/OpC/opcagt -status
```

3. Check the list of agent PIDs given by the **opcagt -status** command.

If any PIDs are not stopped, use the **kill (1M)** command:

```
ps -eaf | grep opc kill <proc_id>
```

4. Verify that no OVO processes are still registered with the **llbd** or **dced/rpcd** daemons:

```
/usr/sbin/ncs/lb_admin /opt/dce/bin/rpccp or  
/opt/dce/bin/dcecp
```

5. Remove temporary OVO files:

```
rm -f /var/opt/OV/tmp/OpC/*
```

6. Restart OVO agents:

```
/opt/OV/bin/OpC/opcagt -start
```

To Clean up and Restart OVO Agents on SVR4 Managed Nodes

NOTE

This procedure is for Solaris, Linux, SGI IRIX, and Tru64 UNIX.

To clean up and restart OVO agents on SVR4 managed nodes, follow these steps:

1. Stop OVO agents, including the control agent:

```
/opt/OV/bin/OpC/opcagt -kill
```

On Tru64 UNIX, use the following command:

```
/usr/opt/OV/bin/OpC/opcagt -kill
```

2. Verify that all OVO agents are stopped.

```
opcagt -status
```

3. Verify again that all OVO agents are stopped using the list of agent PIDs given by the **opcagt - status** command.

If any are not stopped, execute the **kill (1M)** command:

```
ps -eaf|grep opc kill <proc_id>
```

4. Verify that no OVO processes are still registered.

Use the **llbd** or **dced/rpcd** daemons:

```
/usr/sbin/ncs/lb_admin
```

```
/opt/dce/bin/rpccp
```

```
/opt/dce/bin/dcecp
```

```
\opt\dcelocal\bin\dcecp
```

5. Remove temporary OVO files:

```
rm -f /var/opt/OV/tmp/OpC/*
```

6. Restart OVO agents:

```
/opt/OV/bin/OpC/opcagt -start
```

To Clean up and Restart OVO Agents on AIX Managed Nodes

To clean up and restart OVO agents on AIX managed nodes, follow these steps:

1. Stop OVO agents, including the control agent:

```
/usr/lpp/OV/OpC/opcagt -kill
```

2. Verify that all OVO agents are stopped:

```
/usr/lpp/OV/OpC/opcagt -status
```

3. Verify again that all OVO agents are stopped using the list of agent PIDs given by the **opcagt-status** command.

If any are not stopped, execute the **kill (1M)** command:

```
ps -eaf|grep opc
```

```
kill <proc_id>
```

4. Verify that no OVO processes are still registered with the **l1bd** or **dced/rpcd** daemons:

```
/etc/ncs/lb_admin /opt/dce/bin/rpccp or /opt/dce/bin/dcecp
```

5. Remove temporary OVO files:

```
rm -f /var/lpp/OV/tmp/OpC/*
```

6. Restart OVO agents:

```
/usr/lpp/OV/OpC/opcagt -start
```

To Clean up and Restart of OVO Agents on MPE/iX Managed Nodes

To clean up and restart OVO agents on MPE/iX managed nodes, follow these steps:

1. Stop OVO agents, including the control agent:

```
opcagt.bin.ovopc -kill
```

2. Verify that all OVO agents are stopped:

```
opcagt.bin.ovopc -status
```

3. Verify again that all OVO agents are stopped using the list of agent PIDs given by the **opcagt-status** command.

If any are not stopped, execute the `kill (1M)` command:

```
showproc ;system;tree;pin=1
```

MPE/iX processes cannot be killed.

4. Verify that no OVO processes are still registered with the `llbd` or `dced/rpcd` daemons:

```
lbadmin.pub.hpncs
```

5. Remove temporary OVO files:

```
purge@.tmp.ovopc
```

6. Restart OVO agents:

```
opcagt.bin.ovopc -start
```

Solving Runtime Problems on UNIX Managed Nodes

This section explains how to solve runtime problems on UNIX managed nodes.

If Actions Do Not Terminate

Automatic action, operator-initiated action, scheduled action, command broadcast, or application hangs and does not terminate.

Problem

Due to programming errors or requests for user input, automatic actions, operator-initiated actions, or scheduled actions can hang and not finish.

Solution

Determine the process ID of the endlessly running action using the `ps` command. Issue a `kill` command for the specific process ID.

If You Cannot Distribute Action Scripts or Programs

Distribution of scripts or programs belonging to actions, monitor, or commands components fails.

Problem A

No disk space is available to store scripts or programs in a temporary or target directory. For details, see the *OVO DCE Agent Concepts and Configuration Guide*.

Solution A

Provide enough disk space and redistribute the components.

Problem B

An instance of the program is running and cannot be overridden on UNIX platforms. OVO moves the `actions|cmds|monitor` directory to a directory with the same name and the extension `.old` before installing the latest binaries. Afterwards, all files in `.old` are erased. If this is not possible because text files are “busy”, the file and the directory are left. During reinstallation of the `actions|cmds|monitor` binaries, OVO tries once again to delete the entries in the `.old` directories. If this is not possible, the OVO control agent generates an error message and stops. For the location of the `actions|cmds|monitor` directories and `.old` directories see the *OVO DCE Agent Concepts and Configuration Guide*.

Solution B

Find the still running instance of the `actions|cmds|monitor` binary and kill it manually. Afterwards re-distribute the actions, comands, and so on.

If a User's Profile is Not Executed as Expected

User's profile is not executed as expected when broadcasting a command or starting an application.

Problem

The profile of the executing user is executed before starting the command or application on the managed node.

The profile execution might not work as expected under the following conditions:

- Profile prompts in a loop for specific user input and does not provide a default setting, if only **Return** has been pressed.
- Strange terminal settings are configured.
- Profile execution spends more than 2 seconds.

Solution

See "Starting Applications and Broadcasts on Managed Nodes" on page 261.

If You Cannot Execute Scripts or Actions on the Managed Nodes

Scripts or other actions on the managed node do not execute, and the action agent log file reports `script not found`.

Problem

The `PATH` variable prepared by the action agent was changed by a startup file.

When OVO agents are started on a system where the korn shell is used, and the root's profile points to a startup file where `PATH` is set explicitly, the `PATH` variable set by the action agent is lost after the script is executed by korn shell.

Solution

Change the setup for user root so the `PATH` variable is set by extending it `PATH=$PATH:/new/path/`

If Semaphores are Not Set Up Properly in the Kernel

The following error message is displayed:

```
Cannot create semaphore, invalid argument
```

Problem

Semaphores are not set up properly in the kernel.

Solution

Use `ipcs` to report on the status of the inter-process communication facilities. Re-configure the kernel accordingly.

Solving Runtime Problems on MPE/iX Managed Nodes

This section explains how to solve runtime problems on MPE/iX managed nodes.

If Command Broadcasting and Application Startup are Slow

Extremely long time for command broadcasting and application startup.

Problem

The command broadcasting and application startup are done within jobs. When the job limit is reached, the jobs are queued. Non-OVO jobs also increase the number of running and pending jobs. By default, OVO runs one job to control its agents and up to four additional jobs for command broadcasting, application startup, or both.

Solution

Increment the job limit (**HPJOBLIMIT**) if required.

If You Cannot Replace Current Commands when Distributing Scripts or Programs

When distributing `command`, `action`, or `monitor` scripts or programs, it may happen that current actions, commands, and monitors cannot be replaced.

Problem

The `commands`, `actions`, or `monitors` are still in use (that is, scripts or programs are running, the text file is busy). You receive a warning to this effect. In most cases, this situation causes no problems because the existing actions, monitors, or commands are not often modified (in other words, the newly-distributed files are equivalent to those in use).

Solution

If you want to explicitly change a program or script that is currently running on MPE/iX, you must stop the MPE agents:

```
opcragt -stop <MPE-NODE>
```

Repeat the distribution, which restarts the agents.

If a Command Broadcast and Application Startup Do Not Terminate

Command broadcast and application startup do not terminate.

Problem

The command broadcasting and application startup are done within jobs named OPCA AJOB. If such a job does not terminate, perform the following solution.

Solution

Do the following:

1. Verify that a job OPCA AJOB is available:

```
showjob
```

If the job is available, get the job numbers;

```
<num>
```

2. If more than one job OPCA AJOB is available, determine the job number you need:

```
listspf o@;seleq=[jobnum=#j<num>]
```

For each found job number, determine the corresponding spool file ID:

```
<spf_id>
```

Check the spool file contents to determine the job number of the hanging job:

```
print o<spf_id>.out.hpspool
```

3. Delete OPCA AJOB:

```
abortjob #j<num>
```

If Operator-initiated Actions Return Invalid Status

Invalid status returned for automatic operator-initiated actions when running in parallel and an action fails.

Problem

OVO uses the same environment for running automatic and operator-initiated actions in parallel, so only one set of job control words (CIERROR, and so on) are available. If one action fails, the execution of all other actions is also interpreted as failed even if they were successful.

Solution

Re-run operator-initiated actions. Verify automatic action results using the appropriate tools, for example, virtual terminal, application startup, and remote command execution.

If an Action Does Not Terminate

Automatic action, operator-initiated action, or scheduled action does not terminate.

Problem

Due to an endless loop programming error, the automatic action, operator-initiated action, or scheduled action does not terminate.

Solution

Find the programming error in your scripts or programs.

After you have fixed the problem, restart the OVO agents:

```
opcagt.bin.ovopc -start
```

If a Critical Error Message 30-511 Displays During Scheduled Actions

Critical error message 30-511 when executing scheduled actions.

Problem

The output of the scheduled action cannot be read correctly.

Solution

The scheduled action executes correctly; you can safely ignore this error message.

If Setting the Port Range for MPE/iX Managed Nodes Has No Effect

Setting the port range for MPE/iX managed nodes has no effect.

Problem

You can set the port range in the `Node Communication Options` window, but this doesn't have any effect. MPE/iX managed nodes cannot communicate with the OVO management server through a firewall.

Solution

There is no workaround available.

If Errors Occur When Executing vt3k Applications

Errors when executing vt3k applications.

Problem

You receive the following errors when executing vt3k applications:

```
01/08/99 17:50:53 ERROR opcuioadm(15633) [odesktop.c:3099]:  
Application Vt3k (Block Mode) cannot be started because the  
selected objects don't match the action Block vt3k in  
registered application Terminal Connect. (OpC60-125)  
  
01/08/99 17:50:53 ERROR opcuioadm(15633) [odesktop.c:3104]:  
OVw Error with OVwCheckAction(Block vt3k): Action and target  
object(s) are not compatible (OpC60-101)
```

Solution

Do the following:

1. Make sure that `/usr/bin/vt3k` is installed on your HP-UX management server.

See “Required Software and Patches for MPE/iX Managed Nodes” on page 73.

2. Edit the registration file:

```
/etc/opt/OV/share/registration/C/terminal
```

Define the actions as follows:

```
Action "Block vt3k"  
{  
    MinSelected 1;  
    MaxSelected 1;  
    SelectionRule (isNode || isInterface);  
    NameField "IP Hostname", "IP Address";  
    Command "xnmvt3k block";  
}  
  
Action "Typeahead vt3k"  
{  
    MinSelected 1;  
    MaxSelected 1;  
    SelectionRule (isNode || isInterface);  
    NameField "IP Hostname", "IP Address";  
    Command "xnmvt3k typeahead";  
}  
  
}
```

3. Enable these applications by removing all lines in the registration file that have the following text:

```
/** Remove comments if you have vt3k on HPUX 10 */
```

Solving Problems with RPC Daemons or Local Location Brokers

This section explains how to solve problems with RPC daemons or local location brokers.

If a Control Agent Does Not Come up on a Node

Control agent does not come up on node, or OVO error log file contains errors indicating an NCS or DCE problem.

Problem

If a registered OVO process stops responding, even though it is running, there may be a problem with the NCS local location broker daemon (`11bd`), or the DCE RPC daemon (`dced/rpcd`).

Solution for UNIX

Check that the `dced/rpcd` is running on the management server, and that either an `11bd` or `dced/rpcd` is running on all managed nodes.

```
ps -eaf | grep dced (rpcd)
```

```
ps -eaf | grep 11bd
```

You can use the tools `rpccp/dcecp` to check that `rpcd/dced` is running. You can use the tool `lb_admin` to check whether all registered services can still be reached or not.

Solution for MPE

If the problem occurs on an MPE/iX node, this tool is also available, but under the name `NSLOOKUP.HPDCE.SYS`.

Solving Problems with the Embedded Performance Component

The embedded performance component is part of the OVO agents and collects performance counter and instance data from the operating system.

This section describes how to enable and disable, and start and stop the embedded performance component process (`coda`). It also includes information about where the embedded performance component stores its database files and status log files.

Enabling and Disabling

You may want to disable the embedded performance component if you have OVPA on the same node, since OVPA collects a superset of the metrics available through the embedded performance component data source. However, the embedded performance component data source in OVO and OVPA can co-exist if you want to use both.

Use the tool `opcsubagt` to enable and disable the process `coda` on managed nodes. This tool is available locally on each managed node platform supported by the embedded performance component.

❑ Enabling

To enable the embedded performance component process (`coda`) on managed nodes, enter:

HTTPS Agents

UNIX: `ovcreg -add <OvDataDir>/conf/perf/coda.xml`

Windows: `ovcreg -add <OvDataDir>\conf\perf\coda.xml`

DCE Agents

AIX: `/usr/lpp/OV/bin/OpC/opcsubagt -enable coda`

True64 UNIX: `/usr/opt/OV/bin/OpC/opcsubagt -enable coda`

UNIX: `/opt/OV/bin/OpC/opcsubagt -enable coda`

Windows: `\usr\OV\bin\OpC\opcsubagt -enable coda`

❑ **Disabling**

To disable the embedded performance component process (coda) on managed nodes, enter:

HTTPS Agents

UNIX: `ovcreg -del coda`

Windows: `ovcreg -del coda`

DCE Agents

AIX: `/usr/lpp/OV/bin/OpC/opcsubagt -disable coda`

True64 UNIX: `/usr/opt/OV/bin/OpC/opcsubagt -disable coda`

UNIX: `/opt/OV/bin/OpC/opcsubagt -disable coda`

Windows: `\usr\OV\bin\OpC\opcsubagt -disable coda`

Starting and Stopping

The embedded performance component process (`/opt/OV/bin/coda`) integrates into the OVO agents as Subagent 12. It can be stopped and started with the `opcagt` (local agent) and `opcragt` (remote agent) commands.

□ Starting

To start the embedded performance component process on managed nodes, enter:

```
/opt/OV/bin/OpC/opcragt -start -id 12 <managed_node>
```

In this instance, `<managed_node>` is the node on which the embedded performance component process is to be started.

□ Stopping

To stop the embedded performance component process on managed nodes, enter:

```
/opt/OV/bin/OpC/opcragt -stop -id 12 <managed_node>
```

In this instance, `<managed_node>` is the node on which the embedded performance component process is to be stopped.

The `-status` option obtains the current status of all agents that are installed on the managed nodes.

For more information about the commands `opcagt(1M)` and `opcragt(1M)`, see their corresponding man pages.

Database Storage

The collected values are stored in a proprietary persistent data store from which they are retrieved and transformed into presentation values. The presentation values can be used by extraction, visualization, and analysis tools such as HP OpenView Reporter and HP OpenView Performance Manager. See the documentation of these products for details.

You cannot extract/export, view, or aggregate the data directly on the managed node. The database has a fixed size, and cannot be controlled, or configured. The database files on the managed nodes are stored in the directories listed in Table 11-3:

Table 11-3

Database Files

Platform	File Name and Location
AIX	<code>/var/lpp/OV/datafiles/coda.db</code>
	<code>/var/lpp/OV/datafiles/coda<number>^a</code>
HP-UX, Linux, Solaris, Tru64 UNIX	<code>/var/opt/OV/datafiles/coda.db</code>
	<code>/var/opt/OV/datafiles/coda<number>^a</code>
Windows NT/2000	<code>\usr\OV\datafiles\coda.db</code>
	<code>\usr\OV\datafiles\coda<number>^a</code>

a. `<number>` is the number of the storage file.

The file `coda.db` contains database information. It is internal to the embedded performance component and cannot be viewed directly by users.

The file `coda<number>` is the storage file which contains the raw performance data. A new storage file is created weekly. For example, `coda00000` is the first storage file. `coda00001` is the one created on the following Sunday. The embedded performance component stores a maximum of five (5) weeks data. The oldest storage file is deleted every five (5) weeks.

Status Logs

The embedded performance component stores status log files in the directories listed in Table 11-4.

Table 11-4 Status Log Files

Platform	File Name and Location
AIX	/var/lpp/OV/log/coda.log
HP-UX, Linux, Solaris, Tru64 UNIX	/var/opt/OV/log/coda.log
Windows NT/2000	\usr\OV\log\coda.log

Accessing the MIB of the Managed Node

OVO requires access to the MIB of the managed node to do the following:

- ❑ Monitor MIB effectively.
- ❑ Automatically resolve node attributes when a new node is configured.

NOTE

For more information about MIB access, see the related `snmpd` man page. For HP-UX, see the *HP OpenView SNMP Agent Administrator's Guide*.

To grant OVO access to the MIB of the managed node, you must ensure that `get-community-name` is set.

Setting the Community Name in `opcinfo`

You can set the `get-community-name` by editing the `opcinfo` file on the managed node. For the location of the `opcinfo` file on all platforms, see Table 11-1 on page 377.

In the `opcinfo` file, add the following line:

```
SNMP_COMMUNITY <community>
```

In this instance, <community> is the community for which the `snmpd` is configured.

If `SNMP_COMMUNITY` is not set, the default community `public` is used. If it is set, the specified community name is used for `snmp-get` operations and should match one of the `get-community` strings in the `snmpd` configuration file.

Setting the Community Name in the Configuration File for the SNMP Daemon

You can set the `get-community-name` by editing the configuration file for the SNMP daemon.

On HP-UX 11.x managed nodes, this file is located under:

```
/etc/SnmpAgent.d/snmpd.conf
```

For `get-community-name`, enter the community name for the SNMP agent.

You can specify no community name, one community name, or more than one community name:

No Community Name

If you do not enter a name, the SNMP agent responds to `get` requests using any community name.

One or More Community Names

If you enter a community name, the SNMP agent responds to `get` requests only using this community name. Add a line for each community name.

Examples:

```
get-community-name: secret
```

```
get-community-name: public
```

Solving OVO Installation Problems with Multi-homed Hosts

Installation of the OVO agent software includes distributing a `nodeinfo` file to the managed nodes. This file contains information about the managed node (for example, the parameter `OPC_IP_ADDRESS`) used by the management server to identify the managed node in communication. The `nodeinfo` file is automatically updated when the administrator modifies the IP address using the `Modify Node` window.

Specifying an IP Address

To send messages to the management server, specify an IP address using the `opcmsg(1)` command:

HP-UX

Use the `netstat(1)` command.

Solaris

Use the `netstat(1M)` command.

Example Output for the `netstat(1)` Command

When you enter the `netstat(1)` command on HP-UX, you get output such as the following:

```
# netstat -r
```

```
Routing tables
```

Destination	Gateway	Flags	Refs	Use	Interface
193.1.4.1	193.1.3.1	UH	0	36598	ni0
127.0.0.1	157.0.0.1	UH	52	1919	lo0
15.136.120	15.136.120.91	U	30	86115	lan0
193.1.3	193.1.3.1	U	7	2904156	ni0
15.136.121	55.136.121.11	U	0	11121	lan1

ni0 Point-to-point connection (PPL, SLIP, or PPP).

lan01/lan1 Ethernet interfaces (lo0 is present on every system and represents the loopback interface).

About Point-to-Point and Ethernet Problems

When you specify an IP address in a point-to-point or Ethernet environment, a number of problems can occur.

Types of Problems

In point-to-point connections and Ethernet environments, the following problems can occur:

No Messages in Browser

Agent processes on the managed node are up and running, but no messages are shown in the browser.

No Agent Processes

Control agent does not start. As a result, no further OVO agent processes run.

No Template Distribution

Templates are not distributed to the managed node.

No Actions or Applications Results

Actions and application results are not received by the management server.

Reasons for Problems

In point-to-point connections and Ethernet environments, problem can occur for the following reasons:

Incomplete Name Service Configuration

To find out how to solve this problem, see “If Your Name Service Configuration is Incomplete” on page 437.

Problems with IP Connectivity

To find out how to solve this problem, see “If You Have IP Connectivity Problems” on page 441.

If Your Name Service Configuration is Incomplete

If the hostname stored in the name service does not contain all host names and IP address associations for a managed node or management server, incomplete name service configuration results. This incomplete name service configuration prevents OVO from applying its authorization algorithm. As a result, messages that would normally be sent by OVO are ignored.

Before sending a message to the IP addresses for a managed node or management server, OVO checks the IP address of the managed node or management server. If OVO does not find the IP address of the sender, it simply discards this message.

To check the name service, use the `nslookup` command:

❑ HP-UX

Use the `nslookup(1)` command.

❑ Solaris

Use the `nslookup(1M)` command.

You can use the name server or `/etc/hosts`:

❑ Name Service

```
# nslookup jacko
Name Server: nameserver.bbn.hp.com
Address: 15.136.129.111
Name: jacko.bbn.hp.com
Address: 15.136.123.138, 15.136.25.14
```

❑ /etc/hosts

```
# nslookup jacko
Using /etc/hosts on : jacko
Name: jacko.bbn.hp.com
Address: 15.136.123.138
Aliases: jacko
```

This command returns only the first IP address.

The managed node uses the IP address of the first network interface card it finds (by scanning the internal network interface list). The order of the network interfaces depends on the interface type installed on the managed node. For example, if an X.25 and an Ethernet interface are installed, the IP address of the X.25 interface is used by the managed node, since this interface comes before the Ethernet interface in the internal network interface list.

If the management server has stored the IP address bound to the Ethernet interface of this managed node in its database, but the name service used by the management server has no association to the X.25 IP address of the managed node, a message sent by this managed node will be rejected.

Problem

For example, if the managed node **jacko.bbn.hp.com** has the IP addresses 193.1.1.1 for the X.25 interface, and 15.136.120.169 for the Ethernet interface, the following happens:

❑ Managed Node

The name service used by the managed node is displayed as follows:

```
/etc/hosts
-----
15.136.120.169 jacko.bbn.hp.com jacko_15      #
Ethernet
193.1.1.1 jacko.bbn.hp.com jacko_x.25      # X.25
```

❑ Management Server

The name service used by the management server is displayed:

```
/etc/hosts
-----
15.136.120.169 jacko.bbn.hp.com jacko
```

In this scenario, as the message contains the IP address 193. 1. 1.1 which is not known on the management server, a message from the managed node **jacko** would be rejected.

There are two ways to resolve this problem.

Solution A

Do the following:

1. Add the second X.25 IP-address to the management server's name service:

```
/etc/hosts
-----
15.136.120.169 jacko.bbn.hp.com jacko
193.1.1.1 jacko.bbn.hp.com jacko_x.25
```

2. Restart OVO.

Solution B

In cases where it is not possible to add host name/IP-address associations (for example, in firewall environments), a special OVO configuration file can contain the association (this configuration file must be created manually):

Do the following:

1. Add a special OVO configuration file with the host name and IP address associations:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/opc.hosts
-----
193.1.1.1 jacko.bbn.hp.com
```

2. Restart OVO.

NOTE

It is also required that all IP addresses of the management server are known by OVO.

3. Specify all host name and IP address associations in one of the following:
 - Name service
 - `opc.hosts` file

Example:

```
Management server "arthur.bbn.hp.com"
/etc/hosts
-----
193.1.4.1          arthur.bbn.hp.com arthur 193
15.136.121.2     arthur.bbn.hp.com arthur
192.1.1.1        arthur.bbn.hp.com arthur-fddi
```

NOTE

OVO uses the fully qualified hostname for identifying a managed node or management server, and for resolving the IP addresses.

Therefore, the following name service entries will not solve the above problem:

```
/etc/hosts
-----
193.1.4.1          arthur.bbn.hp.com arthur 193
15.136.121.2     arthur.bbn.hp.com arthur
192.1.1.1        arthur.bbn.hp.com arthur-fddi
```

In this case, the resolution of **arthur.bbn.hp.com** would only return 193.1.4.1, and not all three addresses.

If You Have IP Connectivity Problems

To check IP connectivity, do the following:

1. Use the `ping(1M)` command on the management server:

- HP-UX
`# ping 193.1.4.1`
- Solaris
`# ping -s 193.1.4.1`


2. Press **Ctrl-C**.

If you receive a message similar to the following, you have a connectivity problem:

```
PING 193.1.4.1: 64 byte packets
----193.1.4.1 PING Statistics----
3 packets transmitted, 0 packets received, 100% packet
loss
```

Problem

If the `ping(1M)` command returns nothing, you have an IP connectivity problem.



In this example, both the managed node and management server have two LAN interfaces. But they are connected only through the 15.136.120 subnet. There is no route from the management server to the managed node through the 193.1.1 subnet, or from the managed node to the management server through the 194.1.1 subnet respectively.

Solution

To use a specific subnet in this environment, follow these steps:

1. Select the IP address of the managed node manually from the GUI.

In the above example, the communication should be bound to subnet 15.136.120. You can select an IP address from the `Add Node` or `Modify Node` window of the OVO administrator. The name service of the management server must contain both IP addresses for the node **jacko.bbn.hp.com**.

2. Edit the `opcinfo` file in the platform-specific install directory on the managed node,

For details about the `opcinfo` file, see Table 11-1 on page 377.

NOTE

The changes in `opcinfo` are lost when the OVO agent software is re-installed.

3. Set the **path** that the managed node uses for communication with the management server.

Specify the following parameter in the `opcinfo` file:

```
OPC_RESOLVE_IP 15.136.120.2.
```

4. Restart the agents of the managed node:

```
/opt/OV/bin/OpC/opcagt -start
```

A corresponding `opcinfo` file could then look like the one shown in the following example:

```
#####  
# File:          opcinfo  
# Description:  Installation Information of ITO Managed Node  
# Package:     HP OpenView IT/Operations  
#####  
OPC_INSTALLED_VERSION A.08.00  
OPC_MGMT_SERVER arthur.bbn.hp.com  
OPC_INSTALLATION_TIME 10/13/01 13:37:44  
OPC_RESOLVE_IP 15.136.120.2
```

Solving NFS Problems

Table 11-5

Problem	The logfile encapsulator reports the warning message: Unable to get status of file <filename>. Stale NFS handle.
Description	The logfile encapsulator can sometimes perceive logfiles set up on NFS as being open, even after they have been removed. This causes an attempted access to fail.
Solution	Change the policy by closing the logfile between reads. Select Window: Message Source Templates to open the Message Source Templates window. Make sure that logfiles are listed, click the desired logfile, then on [Modify...]. In the Modify Logfile window, click [Close after Read].)

12 **About OVO Security**

In this Chapter

This chapter explains security in HP OpenView Operations (OVO).

Types of Security

To improve the security of your OVO system, you need to do much more than configure software.

In particular, you should investigate the following:

❑ **System Security**

Enable the OVO management server and managed node to run on a “trusted” system.

For details, see “About System Security” on page 448.

❑ **Network Security**

Protect (primarily DCE-related) data that is exchanged between the management server and the managed node. Note that DCE security is not supported on Solaris.

For details, see “About Network Security” on page 450.

❑ **OVO Security**

Investigate security-related aspects of application setup and execution, operator-initiated actions, and OVO auditing.

For details, see “About Security in OVO Operations” on page 462 and “About Security in OVO Auditing” on page 475.

NOTE

To find out how OVO behaves in an environment protected by firewalls, see the *OVO Firewall Configuration* white paper.

About System Security

This section describes how OVO behaves in trusted system environments.

NOTE

Before installing and running OVO on any system, you must ensure that the system-level security measures comply with your organization's system security policies. To learn about system-level security policies, see the product documentation for the relevant operating systems as well as your specific company guidelines.

Guidelines for System Security

A secure or “trusted” system uses a number of techniques to improve security at system level. Many different system security standards exist, ranging from standards with industry-wide recognition such as the C2 system developed by the United States Defense Department, to standards that are established and used internally in IT departments within enterprises.

NOTE

Installing and running OVO in a C2-secure environment is not certified.

Different system security standards vary in stringency and apply a variety of system security techniques, including the following:

❑ Authentication

System security standards may impose strict password and user authentication methods for the user login procedure. OVO supports a pluggable authentication module (PAM) for the authentication of users during the Java GUI or Motif GUI login sequences. PAM enables multiple authentication technologies to be added without changing any of the login services, thereby preserving existing system environments. For more information on PAM authentication, see “About PAM Authentication” on page 466.

When imposing system security standards, be aware that password aging and changing can lead to problems with application startup if any passwords have been hard coded in OVO.

❑ **Auditing**

System security standards may require regular auditing of networking, shared memory, file systems, and so on. OVO enables the auditing of any kind of user interaction within OVO. For further details, see “About Security in OVO Auditing” on page 475.

❑ **Terminal Access and Remote Access**

System security standards may include measures to control access to terminals. If the system security policy disallows root login through the network, OVO agents must be installed manually. For platform-specific information about installing an agent manually, see the relevant chapter in the *OVO DCE Agent Concepts and Configuration Guide*.

❑ **File Access**

System security standards may include measures to manage access to files. Some policies recommend the use of access control lists (ACLs). When maintaining the system security standard on a system running OVO, be aware that OVO does not use ACLs. OVO imposes strict file access permissions, and protects important files either by encrypting them or by using digital signatures.

About Network Security

In OVO, network security is designed to improve the security of connections between processes. These secure process connections can be within a network, across multiple networks, or through routers or other restrictive devices.

For example, you could limit access to a network or a section of a network by restricting the set of nodes (with or without OVO agents running on them) that are allowed to communicate with the management server across restrictive routers or even a packet-filtering firewall. It is not important to OVO whether the server or the network of managed nodes are inside or outside the firewall. A management server outside your firewall can manage a network of nodes inside your firewall. Conversely, a management server inside your firewall can manage nodes outside your firewall.

One way of limiting access to a network, and consequently improving the network's inherent security, is to restrict all connections between OVO processes on the management server and a managed node to a specific range of ports. To simplify matters, OVO sets the default value on the managed node to "No security," and allows you to select the security configuration node by node. In this way, you can change the security of a given node, depending, for example, on whether there is a need for the node to communicate across a firewall or through a restricted router.

About HTTPS Security

HTTPS 1.1 based communication is the latest communication technology used by HP for OpenView products and allows applications to exchange data between heterogeneous systems.

HP OpenView's HTTPS communication, through application of the Secure Socket Layer (SSL) protocol, uses authentication to validate who can access data, and encryption to secure data exchange. Now that businesses are sending and receiving transactions across the Internet and private intranets more than ever before, security and authentication assume an especially important role.

HP OpenView's HTTPS communication meets this goal through established industry standards. HTTP protocol and SSL encryption and authentication insure data integrity and privacy. By default, data is compressed, ensuring that data is not transmitted in clear text format, even for non-SSL connections.

In addition:

- All remote messages arrive through the Communication Broker, providing a single port entry to the node.
- You may specify a restricted bind port range for use in configuring firewalls.
- When sending messages, files or objects, you may configure one or more standard HTTP proxies to cross a firewall or reach a remote system.

For further information about HTTPS security in OpC, refer to the *OVO HTTPS-Agent Concepts and Configuration Guide*.

About DCE Security

Network security involves the protection of data that is exchanged between the management server and the managed node. This security is intimately related to DCE. OVO addresses the problem of network security by controlling the authenticity of the parties, in this case the RPC client and the server, before granting a connection and ensuring the integrity of data passed over the network during the connection.

OVO carries out its own, basic authorization checks for communication between the management server and the managed nodes. However, DCE allows you to implement more stringent security at the process level between an RPC client and an RPC server, specifically in the areas of authentication and privacy, or data protection.

The level of data protection is chosen by the RPC client, although the RPC server has the option of deciding whether a chosen level is sufficient. OVO authentication is handled by RPC clients and servers. For example, in the same way that an RPC server needs to determine whether or not an incoming request is from a genuine OVO client, an RPC client also needs to be sure that the server it is calling really is an OVO server.

Configuring DCE

If you want to protect communication between the OVO management server and managed nodes using DCE security mechanisms, you need to carry out some extra configuration steps:

- DCE Server**

Make a DCE server installation available on your local network.

- DCE Nodes**

Make sure all participating nodes are members of DCE cells that are configured to trust one another.

OVO does not require a particular DCE configuration.

For more detailed information on DCE, see the product-specific documentation and “To Configure DCE Nodes to use Authenticated RPCs” on page 454.

Installing DCE Servers

Installing a DCE server provides the following:

- Cell Directory Service (CDS)
- DCE Security Service
- DCE Distributed Time Service (DTS)

Installing DCE Nodes

To set up DCE nodes, all you need to install are the following components:

❑ DCE Runtime Version

Include shared libraries and the necessary client components for authenticated RPC.

❑ RPC Daemon

`rpcd/dced`

These components are necessary on all OVO managed nodes running a DCE OVO agent. As a result, it is not necessary to install additional DCE components on all managed nodes.

About DCE Servers

It is necessary to have at least one Cell Directory Service and a security server running in a DCE cell. These systems should be reliable, powerful (that is, have sufficient CPU and RAM), and connected through a fast network link to all participating OVO nodes. Although an DCE server system can also be an OVO management server or a managed node, it is recommended that the DCE servers be separate from the OVO management server to distribute demand on resources. It is also highly recommended that you consider the option of configuring the DCE server system as an OVO managed node. In this way, OVO can monitor the health and status of the DCE server system.

NOTE

In addition to the DCE runtime package, a dedicated DCE server system requires the DCE server components that have to be purchased separately.

About DCE Nodes

Each managed node running the DCE OVO agent and each management server must be member of a DCE cell. The initial cell member must be a DCE server system. This step configures the DCE cell administrator **cell_admin**, who plays an important role in all further DCE configuration.

Configuring a Node to Run in a DCE Cell

To configure a node to run in a DCE cell, use the DCE utility `dce_config`, which provides a menu-driven configuration of the local node. Run this utility on each node you intend to use for DCE authenticated RPC. OVO nodes that are not also DCE server systems have to be set up as client nodes. For details, see the DCE installation manuals.

To Configure DCE Nodes to use Authenticated RPCs

To configure the OVO management server and managed nodes to use authenticated RPCs, follow these steps:

1. Verify servers and nodes.

Make sure that a DCE server system is set up. Make sure that the management server and each managed node are members of a DCE cell managed by this DCE server system.

To add a node to a DCE cell, run the DCE utility `dce_config` locally on each of the nodes to be added.

2. Login.

As UNIX user `root`, log in as the DCE user `cell_admin`, and execute the following command:

```
dce_login cell_admin <cell_admin password>
```

This command opens a new shell with a DCE login context.

3. Set up the management server.

On the management server, run the following script:

```
/opt/OV/bin/OpC/install/opc_sec_register_svr.sh -s
```

4. Set up each managed node.

On each OVO managed node that requires DCE authentication of RPCs, run one of the following scripts:

- *Remotely*

If automatic password generation has been disabled for the managed node, on the management server enter the following:

```
/opt/OV/bin/OpC/install/opc_sec_register.sh <node1>\  
<node2> ...
```

- *Locally*

On each of the managed nodes, enter the following:

```
/opt/OV/bin/OpC/install/opc_sec_register.sh
```

NOTE

To undo any of the scripts, use the `-remove` option.

5. Set or change security levels for the server or nodes.

Use the OVO GUI to set or change the security levels for the management server or managed nodes with DCE RPCs. By default, the security level is set to No Authentication of RPCs.

CAUTION

To set or change the security level, the domestic version of DCE (U.S. and Canada only: `dced.Dom`) must be installed. If you select a DCE Security Level in the Communication Options window, but have no domestic version installed, the communication between the OVO agent and the management server will fail. If this happens, set the DCE Security Level to No Authentication of RPCs, and remove the entry in the `nodeinfo` file of the RPC-based managed node, or use the `ovconfchg` command-line tool on HTTPS-based managed nodes, see *OVO HTTPS-Agent Concepts and Configuration Guide* and `ovconfchg` man page for more information. Finally, manually restart the OVO agents.

To set or change the security level:

- a. Open the OVO Node Bank window.
- b. Click the node for which you want to change the security level.
- c. Change the default settings for all or individual nodes:
 - *All Nodes*
Change the default setting for all nodes:
Actions:Node->Set Defaults->Communication Options
 - *Individual Node*
Change the default setting for an individual node:
Actions:Node->Modify->Communication Options
- d. Fill in the relevant fields in the Communication Parameters section of the Node Defaults Communication Options window or Node Communications Options window.

For information about the options provided, see the OVO online help.
- e. Close the Node Defaults Communication Options window or Node Communication Options window.
- f. Click [OK] in the OVO Node Defaults or Modify Node window.
- g. If you receive critical messages in the message browser, restart the management server processes.

About RPC Authentication

The DCE security mechanism enables you to protect communication between the OVO management server and its managed nodes using DCE RPC. An important step in the authentication procedure of the DCE RPC process is getting a login context.

About the RPC Login Context

A secure RPC process has a login context, which it either inherits from its parent process or establishes itself. The login context requires a name (**principal**) and a password (**key**), both of which are checked by the DCE security server prior to a connection. Because OVO processes usually run without any user interaction, reliance on an inherited login context is not suitable. As a result, the OVO processes create their own login context with a name and password that must be registered at the DCE security service.

About the RPC Server Ticket

RPC clients use the login context to get a server-specific “ticket” that is then passed with each RPC. The client obtains this ticket from the DCE security service only if it has already passed the authentication process. This ticket contains a key that is not visible to the client application. It is known only to the security service and the server.

Verifying the RPC Ticket

The RPC server verifies the ticket using the server password in the key file. The RPC server rejects non-matching RPCs. If a client receives a successful response from the server, an authentic server processed the request. The only information the server has at this point is whether the client is authentic.

The server extracts the following information from the RPC password:


- Client name
- Level of protection the client has chosen

After the authentication process has completed successfully, a connection is established, and the RPC call sequence initiates.

Example of RPC Authentication in OVO

Figure 12-1 uses the example of OVO message transmission to illustrate the RPC client-server authentication process.

Figure 12-1 DCE RPC Client-server Authentication Process



In this example, the following occurs:

1. RPC client (**opcmsga**) reads its password from the key file
2. RPC client logs in, gets a login context, and obtains a security server ticket
3. RPC client sends a RPC request
4. RPC server (**opcmsgr**) checks the ticket with the password in the key file

Configuring RPC Authentication in OVO

You can configure OVO to carry out the authentication check for the following:

- At the RPC connection to a server
- At the beginning of each RPC client-server call
- For each network packet

About OVO Process Security

In OVO, the management server and the managed nodes simultaneously run both RPC clients and servers. As a result, OVO reduces the process configuration information needed to execute RPC calls.

To execute an RPC call, OVO needs the following configuration information about a process:

- Name and password
- Security level

This configuration information must be present on both the management server and the managed node.

Types of OVO Process Names

In the context of DCE, OVO associates just two **names** (or principals) with the two types of node in its environment:

- Management Server**

Processes run under the name associated with the management server.

- Managed Node**

Processes relating to the managed node in question run under the identity of the name associated with the managed node.

For example, if the OVO management server `garlic.spices.com` and the managed node `basil.herbs.com` are configured to run with authenticated RPCs, the following principals are created:

- `opc/opc-mgr/garlic.spices.com`
- `opc/opc-agt/basil.herbs.com`

About OVO Process Groups

In DCE, a name or principal (`garlic.spices.com`) belongs to a group (`opc-mgr`), which in turn belongs to an organization (`opc`). The only exception to this rule in OVO is the principal `opc-agt-adm`, which is a member of the group and organization `none`, special principal that is primarily used in the administration of accounts and passwords.

Configuring OVO Security Levels

OVO allows you to select and configure the security level that your particular environment requires for each managed node. The value is stored in the `nodeinfo` file of RPC-based managed nodes, and in the relevant entry in the database on the management server.

NOTE

For HTTPS-based managed nodes, you can get this value by calling `ovconfget`, or change it by calling `ovconfchg` command-line tool. For more details, refer to *OVO HTTPS Agent Concepts and Configuration Guide*. See also `ovconfget` and `ovconfchg` man pages for more information.

In this way, security on a given managed node may be changed to handle, for example, the addition of sensitive connections.

It is possible that the process fails or is required to run in the unauthenticated mode due to the temporary unavailability or poor configuration of the security service. OVO can be configured to help you to work around such situations.

For example, if a management server process (for example, the request sender) receives an authentication failure when calling a control agent on a managed node, an error message is generated. This error message displays in the `Message Browser` window. As an OVO administrator, you can then take immediate corrective action, for example, by temporarily changing the security level on the managed node in question to allow the retransmitted request to succeed.

CAUTION

When correcting authentication failures, be careful. An error in the connection can, in certain circumstances, indicate that the system is under attack.

About Secure Shell (SSH)

The OVO agent software can alternatively be installed using the Secure Shell (SSH) installation method. For details, see “Secure Shell Installation Method” on page 57.

Secure Shell (SSH) is a UNIX shell program for logging into, and executing commands on a remote computer. SSH is intended to replace `rlogin` and `rsh`, and provide secure encrypted communications between two untrusted hosts over an insecure network. X11 connections and arbitrary TCP/IP ports can also be forwarded over the secure channel. The SSH provides a number of security features, such as:

- ❑ **Port forwarding**

All communication between two systems is conducted between well-known ports, thereby creating a virtual encrypted communication channel.

- ❑ **RSA authentication**

All logins, even those without a password, use RSA authentication.

- ❑ **Public-key encryption**

All traffic between systems is secured with public-key encryption.

OVO Agent Installation Using Secure Shell

The SSH installation method provides enhanced security for installations that are performed over insecure lines (for example, over the Internet).

Files needed for agent installation are copied using SCP (Secure CoPy), and remote commands are executed using the command execution facility built into SSH. As a result, no one can eavesdrop on or alter communications between systems.

The OVO installation procedure works with any configuration already established on the management server, regardless of security features used, as long as you have set up a passwordless login for user `root` on the managed node. The best way to set up this login is to establish an RSA-based passwordless login. For more information, see “To Install OVO Agent Software Using SSH Installation Method” on page 59.

About Security in OVO Operations

As an OVO administrator, you need to carefully think through the security implications of your OVO configurations. For example, managed nodes allow only those management servers that they recognize as action-allowed managers to execute operator-initiated actions.

Accessing OVO

Only registered OVO users can access the OVO GUI. By default, the users **opc_adm** and **opc_op** are available.

Changing User Names

OVO user names and passwords have no direct relation to UNIX user names and passwords. However, you can use UNIX user names. If you do so, and if the user name is defined in the OVO database, the user is not prompted for OVO password. This is the fastest way to open an OVO GUI. If you use UNIX user names, you should map UNIX user names (1:1) to OVO operator names.

Changing Passwords

As an OVO administrator, you can change operator passwords. However, you cannot see new passwords set by operators (that is, the characters are masked with asterisks). By default, operators can change their own passwords.

To Prevent Operators from Changing Passwords

To remove the change password functionality from all operators, follow these steps:

1. Open the following file:

```
/etc/opt/OV/share/conf/OpC/mgmt_sv/appl/registration/  
C/opc_op/opcop
```

2. Add the following lines to the file:

```
Action "Change Password"  
{  
}
```

About File Access and Permissions

When an OVO user starts an OVO operator GUI session, the working directory is defined by the environment variable `$OPC_HOME` (if set) or `$HOME`. If neither `$OPC_HOME` nor `$HOME` is set, then `/tmp` is the default working directory. For more information on common OVO variables, see “About Variables” on page 154.

Writing to the Default Working Directory

If the UNIX user who starts the OVO operator GUI has no write permission in the default working directory, an error message is displayed when the OVO GUI starts. The operator cannot write files to the default directory unless the directory permissions are changed. This inability to save includes the automatic saving of the broadcast command history file.

Saving Operator Output

If an operator saves application, instruction, or report output to a file without specifying an absolute path, the file is stored in the user’s working directory and owned by the operator’s UNIX user ID, not by `opc_op` (unless the operator logged in as UNIX user `opc_op`). The permissions of the file reflect the value of `umask` as set before the OVO operator GUI was started.

Setting File and Group Permissions

If operators want to share files with other operators, they have to set (or ask the system administrator to set) the file and group permissions for the desired degree of sharing. OVO no longer changes any of these settings automatically. However, OVO operators are not able to make unauthorized changes, and all OVO configuration files remain secure.

NOTE

“Write” permission for a group are overridden by “no write” permission for the owner. In addition, OVO operator ARFs (and related symbolic links and directories) that are changed by the administrator remain readable and traversable by *all* and not just `opc_op`.

Saving Administrator Output

Any files that are created when the administrator saves report and application output are owned by the administrator's UNIX user and saved in the `$OPC_HOME` directory if no absolute path is specified.

About GUI Permissions

This section describes permissions in the Motif-based administrator GUI, the Motif-based operator GUI, and the Java-based operator GUI.

Accessing the Administrator GUI

In the Motif administrator GUI (that is, the GUI that is started when the OVO user `opc_adm` logs on), the UNIX process that is used for making configuration changes, `opcuiadm`, runs with root permissions. However, `opcuiopadm`, the UNIX process that is used for the administrator's browser, runs under the UNIX user ID of the user who started the Motif administrator GUI rather than UNIX user `opc_op`.

It is neither necessary nor specifically recommended to start the Motif administrator GUI as a UNIX user with root privileges (user ID 0). In addition, when saving the output of database reports on the OVO configuration, the owner of the files that are written is the UNIX user who started OVO. Otherwise, the behavior of the administrator GUI is the same as the operator GUI.

Accessing the Motif-based Operator GUI

During installation, the ownership and permissions of the `opcrlogin` utility is set as follows:

```
-r-xr-x--- root opcgrp /opt/OV/bin/OpC/opcrlogin
```

When opening an OVO Virtual Terminal or starting an OVO input/output application on a node, OVO uses the `.rhosts` entry for the operator's UNIX user (if present) instead of the entry for user `opc_op`. By using the `.rhosts` entry, OVO enables the operator to log on without entering a password.

Users start integrated applications (that is, menu items introduced using an OV Service application or registered actions represented by an OV Application) from OVO under the operator's UNIX user, which is not usually `opc_op`.

Accessing the Java-based Operator GUI

The OVO Java-based operator GUI communicates with the OVO management server through port 2531. The `inetd` listens at port 2531 and starts the process `/opt/OV/bin/OpC/opcuiwww` when it receives a request for the service `ito-e-gui`.

By default, the OVO management server accepts connections from any client. You can restrict client acceptance to specific systems by editing the `/var/adm/inetd.conf` file on the management server. Make sure to specify the systems for the service `ito-e-gui`.

About Program Security

This section describes security for HP-UX and MPE/iX programs.

Accessing HP-UX Programs

The HP-UX 11.x programs `/opt/OV/bin/OpC/opc` and `/opt/OV/bin/OpC/opcuiadm` have the s-bit (set user-ID on execution).

Accessing MPE/iX Programs

For MPE/iX, the job `OPCSTRJTJ.BIN.OVOPC` contains the readable password of `AGENT.OVOPC` if the standard `STREAM` facility is used. If you have specified a customized `stream` command in the Advanced Options sub-window of the Add/Modify Node window, no password is inserted in `OPCSTRJTJ.BIN.OVOPC`. This entry is only established during first-time installation, or if the OVO entry is found in `SYSSTART.PUB.SYS`.

Change the job according to your security policies. The job is streamed during system boot by `SYSSTART.PUB.SYS` and is responsible for starting the Local Location Broker (if not yet running) and the OVO agents.

About Database Security

Security of the database is controlled by the operating system and by the database itself. Users must have an operating system logon for either remote or local access to the data. After a user is logged on, security mechanisms of the database control access to the database and tables.

For more information about database security, see *Using Relational Databases with HP OpenView Network Node Manager* and the vendor's manuals supplied with the database.

Starting Applications

Applications run under the account (user and password) specified by the administrator during application configuration. The action agent uses the information in this account before executing an application, that is, it switches to the user specified and then uses the name and password stored in the application request to start the application.

About User Root

If the user account under which the OVO agents are running has been switched to a user other than root, you have to carry out additional configuration steps. For more information, see the man page *opswitchuser(1M)*.

About Password Aging

Application execution can be compromised by the use of password aging.

Password aging is a feature of some system security standards such as C2 that requires passwords to expire after:

- Specified period of time has passed.
- Specified date has been reached.
- Specified number of unsuccessful login attempts have been made.

If password aging is enabled, application startup failures may occur due to the account that a given application uses being temporarily inaccessible. Such failures can be avoided by implementing the OVO pluggable authentication module (PAM) interface, which enables third-party authentication methods to be used while preserving existing system environments.

About PAM Authentication

You can use PAM to retrieve and check user and password information. The user information is saved into a central repository and is accessed by a PAM module. To use PAM for authentication, use command-line tool *ovconfchg* on the OVO management server. For more information, refer to the OVO online help and *ovconfchg* man page.

About Remote Access

This section describes security for remote login and command execution in UNIX and MPE/iX environments.

For more information on user accounts, access to files, and general file permissions, see “About File Access and Permissions” on page 463.

Starting Applications and Broadcast Commands

If OVO operators do not log in with the default user account set up by the OVO administrator, they must use the corresponding passwords for broadcasting commands or starting applications. If operators do not use the correct passwords, the command or application will fail.

Starting I/O Applications

When starting applications configured as **Window (Input/Output)**, operators must do one of the following:

- Specify passwords with the application attributes.
- Provide `.rhosts` entries or `/etc/hosts.equiv` functionality.
- Specify passwords interactively.

About Passwords on DCE Managed Nodes

NOTE

DCE managed nodes are not supported on Solaris.

When executed on the management server with the `-server` option, the OVO utility `opc_sec_register_svr.sh` creates a special user name (principle) `opc-agt-adm`. This user name has the permissions needed to modify accounts on the managed node.

Normally, the OVO agents log into DCE at startup using the primary principal `opc/opc-agt/<hostname>`. However, if this login fails for any reason, the OVO control agent then attempts to login as `opc-agt-adm`, and to generate a new random password for its primary account. The new password updates both the DCE registry and the local keytab file.

Why DCE Logins Fail

Generally, the initial DCE login will fail in only the following situations,

❑ Primary Account is on the Management Server

After installation (or after running for the first time in authenticated mode) if `opc_sec_register.sh` was executed on the management server to create the managed node account. In this case, the local keytab file does not exist. To create the local keytab file, you have to execute `opc_sec_register.sh` locally on the managed node.

❑ Local Keytab was Removed or Corrupted

Keytab file of the managed node was removed or corrupted.

❑ Password Expired While the Control Agent was Not Running

Password of the managed node expired while the control agent was not running. As a result, the control agent is unable to login and generate a new password.

You can rectify any of these problems by creating a primary account manually.

Creating a Primary Account Manually

If the DCD login fails, you can log in on the managed node and run `opc_sec_register.sh` manually:

Disabling the Primary Account

It is possible to simply disable or even remove the `opc-agt-adm` account using standard DCE utilities. However, if you disable or remove the `opc-agt-adm` account, the automatic password recovery process will be compromised. An automatic password recovery process that is compromised does not affect automatic password generation while the agent is running and password expiration is enabled.

Assigning Passwords on Managed Nodes

This section explains how to assign passwords on UNIX, MPE/iX, Microsoft Windows NT, and Novell NetWare managed nodes.

Assigning Passwords on UNIX Managed Nodes

On UNIX managed nodes, the default OVO operator `opc_op` cannot login into the system through normal login, telnet, and so on because of a `*` entry in the `/etc/passwd` file and because `.rhosts` entries are not provided. If you want to provide a virtual terminal or application startup (requiring a **Window (Input/Output)**) for the default OVO operator, set the password or provide `.rhosts` or `/etc/hosts.equiv` functionality.

NOTE

The `opc_op` password should be consistent for all managed nodes.

For example, if `$HOME` is the home directory on the managed node, the `$HOME/.rhosts` entry of the executing user would be:

```
<management_server> opc_op
```

Assigning Passwords on MPE/iX Managed Nodes

NOTE

MPE/iX managed nodes are not supported by OVO for Sun Solaris.

On MPE/iX managed nodes, the default OVO operator `MGR.OVOPR` does not have a password assigned. You can set a password for user `MGR`, for his home group `PUB`, or for the account `OVOPR`.

By default, no passwords are set for the following:

Account Passwords

`OVOPC` and `OVOPR`

Group Passwords

`OVOPC` and `OVOPR`

User Passwords

`MGR.OVOPC`, `AGENT.OVOPC`, and `MGR.OVOPR`

Assigning Passwords on Windows NT Managed Nodes

On Microsoft Windows NT managed nodes, you can assign the password for the OVO account during installation of the agent software. If you do not assign a password for the OVO account, a default password is created. However, a password is not assigned by default.

Assigning Passwords on Novell NetWare Managed Nodes

On Novell NetWare managed nodes, the password for the default operator `opc_op` is not assigned during installation of the agent software.

IMPORTANT

For security reasons, assign a password to `opc_op` with NetWare tools *after* the agent software is installed.

Protecting Configuration Distribution

The command `opctmpldwn` provides a way of bypassing the standard OVO template distribution mechanism: it allows you to download and encrypt OVO templates and configuration data on the management server and then copy it to the target location on the managed nodes. Only assigned logfile, SNMP trap, `opcmsg`, threshold monitor, scheduled action, event correlation, and Manager-of-Manager (MoM) templates are downloaded.

The files are encrypted, either with the default key of the managed node, or with keys generated specifically for the node.

Specific keys can be generated and managed with the OVO key management tools `opcsvskm` and `opcskm`. `opcsvskm` is used to create and export keys on the management server; `opcskm` is used to import keys on the managed nodes. Both tools must be used with the `-t` option so that a template key file is used.

See the man pages `opctmpldwn(1M)`, `opcsvskm(1M)`, and `opcskm(1M)` for more information.

Protecting Automatic and Operator-initiated Actions

Action requests and action responses can contain sensitive information (for example, application password, application responses and so on) that might be of interest to intruders. In a secure system, this is not a problem. However, if the requests and responses have to pass through a firewall system or over the Internet, where packets may be routed through many unknown gateways and networks, then you should take measures required to improve security.

Protecting Shell Scripts

In addition, automatic actions and operator-initiated actions are normally executed as root. To prevent security holes, it is essential that you protect any shell scripts (for example, those used to switch users) by assigning minimal rights and choose carefully the commands which an application uses.

Switching the User for OVO Agents

To further increase security, you can switch the user for OVO agents from user root to specified user account or group.


- To switch the user for OVO HTTPS agents, use the command `ovswitchuser.sh`. For details, see the man page `ovswitchuser(1M)`.
- To switch the user for OVO DCE agents, use the command `opcswitchuser.sh`. For details, see the man page `opcswitchuser(1M)`.

Protecting Remote Actions

Remote actions are automatic or operator-initiated actions executed on a managed node that is controlled by OVO, but is not the originator of the message that triggered the action.

For example, Figure 12-2 shows how Managed Node A sends a message to the OVO management server which then executes the action on Managed Node B.

Figure 12-2 **Example of Remote Actions**



Who Needs to Protect Remote Actions

OVO offers a variety of security mechanisms that prevent the misuse of remote actions. These security measures are especially important for companies that manage systems from more than one customer with one OVO management server. Remote actions designed for the managed nodes of one customer may not be executed on the managed nodes of another. Some of these security mechanisms are active by default. Others must be enabled manually.

Types of Security Mechanisms for Remote Actions

To prevent the misuse of remote actions, OVO offers the following security mechanisms:

❑ Assigning Trusted User to Configuration Files

All OVO configuration files on the managed nodes must belong to a trusted user. By default, this trusted user is the super user. You can change the trusted user (that is, the account under which the OVO agents run) to another user. For details, see the man page *opswitchuser(1M)*.

❑ Encrypting Message Source Templates

By default, OVO message source templates that are assigned and installed on a managed node are encrypted. Encryption protects message source templates from unwanted modifications and misuse.

❑ Disabling Remote Actions

If necessary, you can entirely disable remote actions for *all* managed nodes.

To disable remote actions for all managed nodes, use the command-line tool `ovconfchg` on the OVO management server. Enter the following:

```
ovconfchg -ovrg <management_server> -ns opc -set \  
OPC_DISABLE_REMOTE_ACTIONS TRUE
```

Where *<management_server>* is the name of OVO management server.

By default, `OPC_DISABLE_REMOTE_ACTIONS TRUE` is set to `FALSE`. If you disable remote actions, and a message requests a remote action on a node, the action request will fail continually and an annotation will be added to the message. If you set the parameter to `FALSE` again, the remote action will be executed successfully.

NOTE

The following OVO default templates will fail because the node on which the action will be executed is specified:

- Mailqueue (HP-UX HP-UX 11.x)
- SNMP ECS Traps

❑ **Detecting Faked IP Addresses or Secret Keys**

If you have installed the OVO Advanced Network Security (ANS) extension, you can also check for mismatched sender addresses by using the command-line tool `ovconfchg` on the OVO management server:

```
ovconfchg -ovrg <management_server> -ns opc -set \  
OPC_CHK_SENDER_ADDR_MISMATCH TRUE
```

Where `<management_server>` is the name of OVO management server.

This check reinforces `OPC_DISABLE_REMOTE_ACTIONS TRUE` by detecting any attempts to use faked IP addresses or secret keys that were generated by another node.

If the check detects an IP address and hostname mismatch, all actions that are to be executed on a node other than the message originator are removed from the message. Only local actions that were already started on the message originator are not removed. Failed action requests are documented in annotations, which are added to the message automatically.

About Queue Files

The commands `opcmsg` and `opcmon` use the queue files for the message interceptor (`msgiq`) and the monitor agent (`monagtq`) to communicate with their corresponding processes. The queue files grant read/write permission to all users. You can read sensitive messages by displaying these queue files as a regular user.

CAUTION

The `opcmsg` and `opcmon` commands allow any user to send a message triggering an automatic action, even on another node.

About Security in OVO Auditing

OVO distinguishes between modes and levels of audit control:

- Mode**
Determines who is permitted to change the level of auditing.
- Level**
Determines what kind of auditing information is being collected.

Types of Audit Modes

Your company policy determines which auditing mode you use:

- Normal Audit Control**
Default mode after installation. You can change the level of auditing in the `Configure Management Server` window.
- Enhanced Audit Control**
Can only be set by the user `root`, and cannot be reset without re-initializing the database.

Types of Audit Levels

You can select from the following audit levels:

- No Audit**
OVO does not maintain any auditing information.
- Operator Audit**
Default level after installation.
Maintains audit information about:
 - Operator logins and logouts, including attempted logins
 - Changes to the OVO user passwords
 - All actions started from browsers and the Application Desktop

❑ **Administrator Audit**

OVO maintains audit information about user logins and logouts, including attempted logins and changes to OVO user passwords. In addition, OVO creates **audit entries** when actions are started from the message browsers and in the Application Bank, and when the configuration of OVO users, managed nodes, node groups, or templates changes.

Table 12-1 provides complete overview of the audit areas that are included in the administrator audit level.

Table 12-1 **Audit Areas of the Administrator Audit Level**

Audit Area	Administrator Level		
	GUI ^a	API ^b	CLI ^c
OVO User <ul style="list-style-type: none"> • Logon • Logoff • Change password 	✓ ✓ ✓	✓ ✓ ✓	
Actions, Applications, Broadcasts <ul style="list-style-type: none"> • Start • Add, modify, delete, or hide 	✓ ✓	✓ ✓	
Message Source Templates <ul style="list-style-type: none"> • Add, modify, or delete automatic or operator-initiated action • Add, modify, or delete condition 	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓

Table 12-1 **Audit Areas of the Administrator Audit Level (Continued)**

Audit Area	Administrator Level		
	GUI ^a	API ^b	CLI ^c
Managed Nodes <ul style="list-style-type: none"> • Configure • Distribute actions, monitor, and commands • Change node defaults • Assign template 	✓ ✓ ✓ ✓	✓ ✓ ✓	
Node Groups <ul style="list-style-type: none"> • Add, modify, or delete • Assign managed node 	✓ ✓	✓ ✓	
OVO User Configuration <ul style="list-style-type: none"> • Add, modify, or delete 	✓	✓	
Database Maintenance	✓		
Trouble Ticket	✓		
Notification	✓		

- a. OVO creates an audit entry when the action is carried out using the GUI.
- b. OVO creates an audit entry when the action is carried out using an API. No entry in this column indicates only that no audit information is collected. It does not indicate that no APIs are available.
- c. OVO creates an audit entry when the action is carried out using a command-line interface (CLI). No entry in this column indicates only that no audit information is collected. It does not indicate that no command line interfaces are available.

NOTE

If you change an existing audit level, the new level is applied only after the operator has begun a new OVO session.

Audit information can be written to a report for future review, and can be displayed in the *OVO Reports* window. You can view these reports on your screen, write them to a file, or print them.

CAUTION

Download audit information regularly from the database if you have set the audit level to *Administrator Audit* and you are running OVO in a large environment with a high number of managed nodes and users. Otherwise, your database may quickly run out of space.

To find out how to configure auditing, see the *OVO Administrator's Guide to Online Information*.

Creating the OVO GUI Startup Message

According to the NIST 800-37 standard, usage and criticality of any application should be acknowledged before its startup, as well as allowance for its usage. This is achieved with warning message displayed before the application is started.

By default, the OVO GUI startup message does *not* exist. You can create it by writing your own text in the text editor and storing the message into the database. You can also set and and change its status (enabled or disabled). See “To Create the OVO GUI Startup Message” on page 480 for more details.

The OVO GUI startup message displays, if it is enabled, after the login window. If the agreement defined in this message is accepted, OVO starts. Otherwise, the login sequence is stopped immediately.


If the OVO GUI startup message is disabled, OVO starts right after the login window.

NOTE

You can create the OVO startup message both for Java and Motif GUI.

Figure 12-3 shows the example of the OVO GUI startup message for Java GUI.

Figure 12-3 Example of the OVO GUI Startup Message



OVO GUI Startup Message Prerequisites

Before you create the OVO GUI startup message, you should take the following into account:

- ❑ The startup message is defined and enabled after the OVO installation.

IMPORTANT

It is possible to customize, edit or change the status of OVO GUI startup message only as the user `root`.

- ❑ Startup message is stored in the `opc_mgmt_config` table in the attribute `ovou_license_text`. Refer to *OVO Reporting and Database Schema* for details about the database tables.

NOTE

If you select `Restart Session` in the Motif GUI, the startup message does *not* display, because the OVO management server is the same as it was before you restarted the session.

To Create the OVO GUI Startup Message

To create the OVO GUI startup message, perform the following:

1. Write your own message in the text editor.

The length of the message should *not* exceed 2048 single byte characters or 1024 multi byte characters.

NOTE

To ensure that the startup message is displayed correctly in the startup message window, pay attention to the linefeeds in the text editor while writing the message.

2. Use `opcuistartupmsg` command line tool to store the customized startup message into the database, as well to set or change its status. For more information about the `opcuistartupmsg` tool, see *opcuistartupmsg.1m*.

NOTE

To display the current startup message and its status, enter one of the following in your terminal:

- ❑ `opcuistartupmsg`
- ❑ `opcuistartupmsg -s`

About OVO Security

Creating the OVO GUI Startup Message

13 **Maintaining OVO**

In this Chapter

This chapter contains information for administrators who are responsible for maintaining OVO, and who may need to change the hostname and IP address of the management server and managed nodes.

Maintaining the Management Server

Maintaining the OVO management server includes the following:

- Downloading Configuration Data
- Backing up Data on the Management Server
- Maintaining a Database
- Maintaining the HP OpenView Platform
- Maintaining OVO Directories and Files

Maintaining the Managed Nodes

Maintaining the managed nodes includes the following:

- Managed Node Directories Containing Runtime Data
- Location of Local Logfiles

Maintaining Licenses and Hostnames

In addition, this chapter contains information about:

- Maintaining Licenses
- Changing Hostnames and IP Addresses

Downloading Configuration Data

You should download configuration data as part of your standard maintenance or backup routine. Also, before you significantly change your OVO configuration, you should download configuration data or back up your configuration data. To back up your configuration, see “Backing up Data on the Management Server” on page 488.

Methods for Downloading Configuration Data

You can download configuration data in one of two ways:

Administrator GUI

See Figure 13-1 on page 486.

Command Line

Use the `opccfgdwn (1M)` command.

Both methods enable you to select the parts of the configuration that you want to download. For example, instead of downloading the entire configuration, you may choose to download only the templates.

Parts of the Configuration to be Downloaded

The different parts of the configuration to be downloaded are specified in the following file:


```
/var/opt/OV/share/tmp/OpC_appl/cfgdwn/download.dsf
```

This specification file is required as a parameter by the `opccfgdwn (1M)` command.

About the Download Configuration Data Window

Figure 13-1 on page 486 shows the Download Configuration Data window.

Figure 13-1 Download Configuration Data Window



To Open the Download Configuration Data Window

To open the Download Configuration Data window in the OVO administrator's GUI, select Actions: Server->Download Configuration...

To Download from the Download Configuration Data Window

To find out how to download OVO data using the Download Configuration Data window, see the online help for that window.

Backing up Data on the Management Server

OVO provides two methods for backing up data on the OVO management server:

- ❑ **Offline Backup**

`opc_backup`

- ❑ **Automatic Backup**

`ovbackup.ovpl`

Redistributing Scripts to All Managed Nodes

OVO configuration data is stored on the management server and the managed nodes. If the restored configuration on the management server does not match the current configuration on a managed node, errors relating to missing instructions or incorrectly assigned templates may occur. After you have restored a backup, you should redistribute the templates, action, command and monitor scripts to all managed nodes using the `Force Update` option.

About Backup and Recover Tools

When recovering data, use the recover tool corresponding to the backup tool originally used to back up the data. For example, use `opc_recover` to restore data backed up with `opc_backup`. Use `ovrestore.ovpl` to recover data backed up with `ovbackup.ovpl`. And so on.

About Archive Log Mode in Oracle

Archive log mode is mode used by Oracle to save data automatically and periodically. Changes to data files stored in **redo log files**. These redo log files are subsequently archived. For more information about archive log mode and redo log files, see the Oracle documentation. To find out how to set up archive log mode in OVO, see “Maintaining a Database” on page 501, as well as the *OVO Administrator’s Guide to Online Information*.

About Offline Backups

You can use the `opc_backup` tool to perform partial or full backups of data on the management server:

Partial Backup

OVO configuration data only. Includes current messages and history messages.

Full Backup

Includes the OVO binaries and installation defaults.

In either case, you have to shut down all OVO GUIs and stop all OpenView services, including the OVO server processes. Then, you shut down the Oracle database, and perform an offline backup.

Advantages of Offline Backups

Backing up data offline has the following advantages:

- Archive log mode is not needed:
 - Better overall performance
 - Less disk space required
- Binaries are backed up (if full mode is used).

Disadvantages of Offline Backups

Backing up data offline has the following disadvantages:

- You can recover data only to the state of the most recent full backup.
- You must stop all OV services and GUIs.

Types of Offline Backup Functions

For an overview of the backup functions, see man pages `opc_backup(1M)` and `opc_recover(1M)`.

About Automatic Backups

To carry out a complete automatic backup of the database while the GUI and server processes are running, OVO integrates its own backup and restore scripts with those provided by the Network Node Manager (NNM):

- ❑ `ovbackup.ovpl`
- ❑ `ovrestore.ovpl`

Automatic backups are designed to be run with `cron` jobs or through scheduled OVO actions. For more information about the automatic NNM backup scripts, as well as the automated-backup scripts provided by OVO, see “About the `ovbackup.ovpl` Command” on page 494 and “About the `ovrestore.ovpl` Command” on page 496.

Advantages of Automatic Backups

Automatic backups have the following advantages:

- ❑ **OVO GUI**

There is no need to exit the OVO GUI, although OVW actions are not possible for a short time (for example, starting applications in the Application Desktop window).

- ❑ **Processes and Services**

OVO server processes, OVO Operator Web GUI services, trouble ticket services, and notification services remain fully operational.

- ❑ **Database**

Partial recovery of the Oracle database is possible.

For example, you could recover the Oracle database as follows:

- Up to a given time
- Individual damaged tablespaces

Disadvantages of Automatic Backups

Automatic backups have the following disadvantages:

❑ Archive Log Mode

Oracle archive log mode must be enabled:

- Reduces overall performance
- Requires more disk space

❑ Binaries

No binaries are backed up

Excluding Temporary Files from Automatic Backups

Temporary files (for example, queue files) are excluded from automatic backups. When a backup starts, the OVO GUI pops up a notification window and some OVW maps remain blocked for the duration of the backup. If a task cannot be completed before the backup starts, the task remains idle until the backup is finished. After the backup is finished, the task resumes and completes.

Excluding Oracle Files from Automatic Backups

Automatic backups do not include the Oracle online, redo, and log files, which cannot be backed up while the database is running. However, Oracle does allow you to mirror these files on different disks so that they can be recreated in the event of problems. For details, see the Oracle documentation.

About the Archive Log Mode in Oracle

The scripts provided by OVO for automated backups use the online backup method from Oracle, which requires the database run in **archive log** mode. The Oracle archive log mode is not the default setting for the Oracle database. You have to configure archive log mode manually. In archive log mode, Oracle stores any changes to data files between full backups in numbered **redo log files**. The redo log files are used in the event of a shut down to restore a configuration from the most recent, full backup. For details, see Oracle's product documentation.

To Enable Archive Log Mode in Oracle

To enable archive-log mode in Oracle:

1. Close all OVO open sessions.
2. Stop `ovw` by:

Enter the following:

```
ovstop
```

3. Shut down the database.
4. Set the archive log parameters in the `init.ora` file:

```
$ORACLE_HOME/dbs/init${ORACLE_SID}.ora
```

- a. To start the archive process, uncomment the following line:

```
log_archive_start = true
```

If the line is not already in the `init.ora` file, add it.

- b. To specify the archive directory, uncomment the following line:

```
log_archive_dest =  
<ORACLE_BASE>/admin/<ORACLE_SID>/arch/
```

Fill in the corresponding values for `<ORACLE_BASE>` and `<ORACLE_SID>`.

NOTE

For Oracle 8, make sure to add a slash (/) to the directory path (for example, `<ORACLE_BASE>/admin/<ORACLE_SID>/arch/`). If you do not add a slash, Oracle will use the wrong archive log directory name.

- c. To define the names of the archived log files, uncomment the following line:

```
log_archive_format = "T%TS%S.ARC"
```

5. Start the database and enable archive log mode.

Enter the following commands as user `oracle`:

```
sqlplus /nolog
SQL>connect / as sysdba
SQL>startup mount
SQL>alter database archiveolog;
SQL>alter database open;
SQL>exit
```

6. *Recommended*: Make a *full* offline backup of the database.

Shut down the database again. Then make a full off line backup of the database as a foundation for later online backups.

About the `opcwall` Command

The command-line utility `opcwall(1)` enables you to notify all running OVO Motif GUIs of an imminent automated backup.

This command accepts the following options:

```
opcwall {-user <user_name>} <Message Text>
```

<code><user_name></code>	Name of the operator you want to receive the message.
<code><Message Text></code>	Text of the message you want the operator to see.
<code>-user</code>	If not specified, all operators receive the message.

For example, you can configure `opcwall` to inform users ten minutes before the backup is scheduled to start that, if they want to continue to work, they can use the Java GUI for the duration of the backup.

About the `ovbackup.ovpl` Command

The automated backup command `ovbackup.ovpl` pauses running processes and flushes their data to disk before backing up the NNM databases and the data of integrated applications. After the backup has completed, the NNM processes are resumed.

The command accepts the following options:

```
ovbackup.ovpl [-operational] [-analytical] [-d \<destination>]
```

`-d` If specified, the following location is used:

```
<destination>/ovbackup
```

If *not* specified, the following default location is used:

```
/var/opt/OV/tmp/ovbackup
```

<destination>

Destination must be a file system (that may be mounted) and should contain sufficient space to complete the backup.

Approximately 300MB of free disk space is required to backup a fresh OVO installation. Bigger environments require more disk space. You complete the backup itself using a command such as `fbackup` to save the backup to an archive medium such as a tape device. For more information on the command-line options for `ovbackup.ovpl`, see the man page `ovbackup.ovpl(1M)`.

`-operational`

If specified, or if no option is specified, backs up operational data, as follows:

1.R

1. uns all backup scripts found in the directory:

```
$OV_CONF/ovbackup/pre_pause/
```

Scripts include the OVO script `ito_oracle.sh`, which performs the online backup of the Oracle database outside the `ovpause` timeframe, and moves the old archive log files to the staging

area. These archive logs are *not* subsequently restored. They are only required if the backup is corrupt and an earlier backup has to be used.

2. Calls `ovpause` to pause all NNM processes (and block OVW API calls).

3. Runs all backup scripts found in the directory:

```
$OV_CONF/ovbackup/checkpoint/operational/
```

Scripts include the OVO script `ito_checkpoint.sh`, which reads the current time stamp of Oracle, copies offline redo logs not moved by `ito_oracle.sh` to the staging area, and copies the OVO configuration in the file system that is not backed up by `nnm_checkpoint.ovpl`.

The NNM script `nnm_checkpoint.ovpl` backs up all operational NNM databases and also backs up the directory `$OV_CONF`, which includes some OVO configuration files, the NNM database (flat) files, and the NNM configuration files.

4. Calls `ovresume` to resume operation of NNM processes.

5. Runs all backup scripts found in the directory:

```
$OV_CONF/ovbackup/post_resume
```

-analytical

If specified, or if no option is specified, backs up analytical data.

Runs all backup scripts found in the directory:

```
$OV_CONF/ovbackup/checkpoint/analytical
```

Scripts include `nnm_checkpoint.ovpl`. Option also backs up the NNM analytical repository if the embedded database is used

NOTE

The `ovbackup.ovpl` command stores progress information in the file `/var/opt/OV/tmp/ovbackup.log`.

About the `ovrestore.ovpl` Command

The `ovrestore.ovpl` command restores a backup or parts of a backup created with `ovbackup.ovpl`.

TIP

Before running `ovrestore.ovpl`, make sure that `/opt/OV/bin` is included in your `PATH`.

Before starting, `ovrestore.ovpl` verifies that no OpenView or integrated processes are running.

This command accepts the following command-line options:

`ovrestore.ovpl [-operational] [-analytical] [-d \<destination>]`

`-operational` If selected, or if no option is selected, restores operational data.

Run all of the restore scripts found in the directory; `$OV_CONF/ovbackup/restore/operational/` including `ito_restore.sh` and `nnm_restore.ovpl`.

The `ito_restore.sh` script restores the Oracle database asking you to choose between the following restore options:

- *To State of Last Backup*
Restore to the state of the last backup.
- *To Most Recent State of Backup*
Restore to the most recent state of the backup. A roll forward is performed, based on the offline redo logs from the backup and the offline redo logs on the system.

`-analytical` If selected, or if no option is selected, restore analytical data.

Runs all of the restore scripts found in the directory:

`$OV_CONF/ovbackup/restore/analytical/`

Scripts include `nnm_restore.ovpl`.

- d Specify the directory where the backup image resides. You can use this option only if you still have the backup on disk. Otherwise, you will need to restore the image to disk from the archive medium before running the command and option.

For more information on the command-line options, see the man page `ovrestore.ovpl(1M)`.

NOTE

The `ovrestore.ovpl` command stores progress information in the same file as `ovbackup.ovpl`:

```
/var/opt/OV/tmp/ovbackup.log
```

The `ito_restore.sh` script is integrated into the `ovrestore.ovpl` command.

About the `ito_restore.sh` Script in the `ovrestore.ovpl` Command

The `ito_restore.sh` script, which is integrated in the `ovrestore.ovpl` command, allows you to restore the complete Oracle database. You can restore the database either to the state of the backup or to the most recent state (a roll forward is done based on the offline redo logs).

However, the Oracle archive log mode offers more possibilities, such as:

Recovering Specified Corrupt Data Files

You can retrieve single, corrupt data files from the backup and recover them with offline redo logs.

Recovering Data up to a Specified Time

With a backup and offline redo logs, you can recover data up to a specified point in time.

Recovering Configuration Data after an Automatic Backup

Automatic backup scripts back up only configuration data and dynamic data. If binaries or static configuration files are lost, you have to recover them before restoring the database.

You can recover binaries or static configuration files in one of the following ways:

❑ Re-install OVO

If Software Distributor indicates that OVO is already installed, you may need to use the option `Reinstall Files` even if the same revision already exists.

❑ Run a Full Offline Backup

Use a full offline backup that was taken with `opc_backup` with the `full` option.

❑ Restore a Full Offline Backup

Restore a full offline backup of the complete system.

Restoring a Database to its State at the Latest Backup

Restoring the database to its state at the time of the last backup requires data contained in the backup only. As a result, you can restore the database even if you have to re-install OVO. However, the restoring the database in this way is incorrect in Oracle because the *latest* state of the database is not restored. In addition, Oracle log numbers are reset in the control files and in the online redo logs. The control files are restored from a backup control file. Missing online redo log files are re-created by the Oracle recover process.

Recovering a Database to its Latest State

Recovering the database to the latest state more complicated than restoring the database to its state at the time of the last backup. Recovering the database to its last state uses not only the data contained in the backup but also data on the system itself (that is, online redo logs and archive logs since the last backup). In addition, this method may introduce inconsistencies between the configuration files (restored to the state of the backup) and the data in the database (restored to the latest possible state).

Recovering a database to its latest state works only if the following restrictions apply:

❑ **Control Files**

All control files must exist. Normally, control files are mirrored. If one of the control file still exists, it can be copied from one location to the other. However, this should be done by an Oracle DBA. The scripts will only restore to the latest state if all control files exist.

❑ **Redo Log Files**

All online redo log files must exist. Online redo log files can be mirrored. If one of the online redo log files in a log group still exists, it can be copied to the other locations. This should be done by an Oracle DBA. The scripts will only restore to the latest state if all redo log files exist.

❑ **Oracle Log Number**

The Oracle log number has not been reset since the backup.

❑ **Archived Redo Logs**

All archived redo logs made since the backup still exist.

❑ **OVO Users**

No OVO users have been modified since the backup, which modifies files in the file system.

❑ **ECS Templates**

No ECS templates have been added since the backup.

To Remove OVO Queue Files

OVO queue files are neither backed up with the automated backup scripts nor deleted during the restore. In addition, the messages in the queue files at the time of the backup are *not* in the database and are processed only when the OVO processes are next restarted.

If corrupt queue files prevent the server processes from being started, remove the queue files.

To remove the queue files, follow these steps:

1. Stop all OVO server processes:

```
/opt/OV/bin/ovstop ovctrl
```

2. Remove a selected temporary file or all temporary files:

```
rm -f /var/opt/OV/share/tmp/OpC/mgmt_sv/*
```

3. Restart the OVO server processes:

```
/opt/OV/bin/ovstart
```

Maintaining a Database

To ensure that your OVO database runs efficiently, you should perform the following tasks periodically:

❑ **Download History Messages and Audit Information**

Download history messages and audit information using the Database Maintenance window. To restore previously backed up history messages or audit information, see the man page `opchistupl(1m)` or `opcaudupl(1m)`.

❑ **Back up the OVO Configuration**

Back up the OVO configuration regularly. For details, see “Backing up Data on the Management Server” on page 488.

❑ **Re-organize the Database**

Re-organize the database using `opcdbreorg`. This tool frees empty pages and re-organizes the B-trees. For more details, see the man page `opcdbreorg(1m)`.

❑ **Move Messages into the History Database**

If a very large number of messages have been produced (for example, by an inappropriately configured template), operators may find that their Message Browser takes a long time to open. In this case, as user root, use the command-line utilities `opcack` or `opcackmsg` to acknowledge these messages and move them to the history database. For details, see the `opcack(1m)` and `opcackmsg(1m)` man pages.

❑ **Add Disks**

The OVO database files automatically consume the extra disk space required to cope with any growth. If a disk runs out of space, you can use other disks to add additional files for a tablespace. For details, see the Oracle information.

❑ **Review Audit Files**

Every time a user runs the command `connect internal`, Oracle adds an audit file to the directory `$ORACLE_HOME/rdbms/audit`. Because the monitor template `mondbfile` runs the `connect internal` command roughly every ten minute, you should review the files in this directory regularly and, if necessary, remove them.

Configuring a Database on Multiple Disks

Although using the Oracle archive log mode helps to reduce the loss of data after backing up and restoring a database, Oracle offers additional ways to avoid data loss in the unlikely event that a disk fails.

If you can access more than one disk, you should review the following configuration tips. Use the information provided when implementing similar scenarios in your own OVO environment.

To Move Oracle Control Files to the Second Disk

To move one or more Oracle control files to the second disk, follow these steps:

1. Create the directories on the second disk:

```
mkdir -p /u02/oradata/openview  
chown oracle:dba /u02/oradata/openview
```

2. Shutdown the database
3. Move selected control file(s) to a directory on the other disk, for example from disk /u01 to disk /u02:

```
mv /u01/oradata/openview/control03.ctl \  
/u02/oradata/openview/control03.ctl
```

4. Modify the control file names in the following file:

```
$_ORACLE_HOME/dbs/init${ORACLE_SID}.ora
```

Example of *old* control file names:

```
control_files = (/u01/oradata/openview/control01.ctl,  
                /u01/oradata/openview/control02.ctl,  
                /u01/oradata/openview/control03.ctl)
```

Example of *new* control file names:

```
control_files = (/u01/oradata/openview/control01.ctl,  
                /u01/oradata/openview/control02.ctl,  
                /u02/oradata/openview/control03.ctl)
```

5. Restart the database.

To Create Another Set of Mirrored Online Redo Logs

You can create a second (or even third) set of mirrored, online redo logs on the second (or third) disk. OVO installs Oracle in such a way that, by default, it has three redo log groups, each containing one member.

The following procedure creates a second set of redo log files in the directory. `/u02/oradata/openview`. Modify the directory names (and repeat the steps) as required.

To create a second set of redo logfiles, follow these steps:

1. Create the directories on the second disk.

Example:

```
mkdir -p /u02/oradata/openview
```

```
chown oracle:dba /u02/oradata/openview
```

2. As user `oracle` in `svrmgr1`, enter the following:

```
connect internal;
```

```
alter database add logfile member  
'/u02/oradata/openview/redo01.log' to group 1;
```

```
alter database add logfile member  
'/u02/oradata/openview/redo02.log' to group 2;
```

```
alter database add logfile member  
'/u02/oradata/openview/redo03.log' to group 3;
```

```
exit
```

Maintaining the HP OpenView Platform

To maintain the HP OpenView platform, periodically verify that the trap daemon logfile, `trapd.log`, has not grown too large. A large trap daemon logfile can reduce the performance of OVO.

A backup file of `trapd.log` is also provided:

```
/var/opt/OV/log/trapd.log.old
```

If you no longer need the entries, erase the trap daemon logfile:

```
/var/opt/OV/log/trapd.log .
```

For details about system maintenance in HP OpenView NNM, see *Managing Your Network with HP OpenView Network Node Manager*.

Maintaining OVO Directories and Files

To maintain OVO directories and files, follow these guidelines:

❑ **Do Not Clean Up the Management Server Directory**

Important runtime data is contained in the `mgmt_sv` directory:

```
/var/opt/OV/share/tmp/OpC/mgmt_sv
```

Do not clean up this directory unless you are unable to use another solution or there are too many unprocessed and old messages.

❑ **Back up and Erase the Software Installation File**

If you no longer need the logfiles, you should backup and then erase the continuously growing OVO software installation, update, and de-installation logfile:

```
/var/opt/OV/log/OpC/mgmt_sv/install.log.
```

The `inst_err.log` and `inst_sum.log` logfiles do not continuously grow because they are generated for each OVO software (de-)installation and update.

❑ **Back up and Erase the Error Logfile**

You should backup and then erase the OVO error and warning logfile and its backups:

```
/var/opt/OV/log/OpC/mgmt_sv/opcerrror
```

OVO uses an automatic backup logfile mechanism having up to four files.

If the `opcerrror` logfile size is greater than 1 MB, OVO automatically does the following:

- Moves `opcerro2` to `opcerro3` (if exists).
- Moves `opcerro1` to `opcerro2` (if exists).
- Moves `opcerrror` to `opcerro1`.

Maintaining the Managed Nodes

On the managed nodes, you should periodically back up, and then erase, local OVO logfiles (and their backups). OVO uses 90% of the specified log directory size for local message logging, and 10% for error and warning logging. OVO also uses an automatic backup mechanism for the logfiles (four on UNIX and Solaris, nine on MPE/iX).

For example, the configured size of a UNIX log directory is 10 MB.

The size of a UNIX log directory is allocated in the following way:

❑ **Message Logging**

OVO allocates 9 MB for local message logging.

Given that there are four logfiles, if the `opcmsg1g` file size is greater than 2.25 MB, OVO does the following:

- Moves `opcmsg12` to `opcmsg13` (if exists).
- Moves `opcmsg11` to `opcmsg12` (if exists).
- Moves `opcmsg1g` to `opcmsg11`.

❑ **Error and Warning Message Logging**

OVO allocates 1 MB for local error and warning message logging.

Given that there are four logfiles, if the `opcerro` file size is greater than 0.25 MB, OVO does the following:

- Moves `opcerro2` to `opcerro3` (if exists).
- Moves `opcerro1` to `opcerro2` (if exists).
- Moves `opcerro` to `opcerro1`.

About Managed Node Directories with Runtime Data

Table 13-1 shows the managed node directories that contain important runtime data.

Table 13-1 Managed Node Directories Containing Runtime Data

OVO	Operating System on the Managed Node	Directories Containing Runtime Data
Management server on HP-UX and Sun Solaris	AIX	/var/lpp/OV/tmp/OpC /var/lpp/OV/tmp/OpC/bin /var/lpp/OV/tmp/OpC/conf
	HP-UX 11.x, Linux, Solaris, Tru64 UNIX, IRIX	/var/opt/OV/tmp/OpC /var/opt/OV/tmp/OpC/bin /var/opt/OV/tmp/OpC/conf
	Novell NetWare	SYS:/var/opt/OV/tmp/OpC SYS:/var/opt/OV/tmp/OpC/bin SYS:/var/opt/OV/tmp/OpC/conf
	Windows	\usr\OV\tmp\OpC\ <node> </node> \usr\OV\tmp\OpC\bin\intel \usr\OV\tmp\OpC\conf\ <node>< td=""> </node><>
Management server on HP-UX	IBM/ptx, SINIX/Reliant	/var/opt/OV/tmp/OpC /var/opt/OV/tmp/OpC/bin /var/opt/OV/tmp/OpC/conf
	MPE/iX	TMP.OVOPC TMPACT.OVOPC TMPCMDS.OVOPC TMPCONF.OVOPC TMPMON.OVOPC Z.OVOPC

Unless there is *no* alternative, or if there are too many unprocessed and old messages, *do not* clean up these directories.

Location of Local Logfiles

Table 13-1 shows where local logfiles reside on HP-UX 10.x/11.x and Windows managed nodes.

Table 13-2 Local Logfiles on HP-UX 10.x/11.x and Windows Managed Nodes

Logfile	Windows	HP-UX 10.x and 11.x
Default logfile path	/usr/OV/log/OpC/<node>	/var/opt/OV/log/OpC
OVO errors/warnings	opcerror opcerro (1-3)	opcerror opcerro (1-3)
OVO messages	opcmsglg opcmsgl (1-3)	opcmsglg opcmsgl (1-3)

Table 13-3 shows where local logfiles reside on AIX and MPE/iX managed nodes.

Table 13-3 Local Logfiles on AIX and MPE/iX Managed Nodes

Logfile	AIX	MPE/iX
Default logfile path	/var/lpp/OV/log/OpC	LOG.OVOPC
OVO errors/warnings	opcerror, opcerro (1-3)	OPCERROR OPCERRO (1-8)
OVO messages	opcmsglg, opcmsgl (1-3)	OPCMSGLG OPCMSGL (1-8)

Whenever possible, avoid local logging into MPE/iX managed nodes. Logging into MPE/iX managed nodes can slow down your system because of the way in which seeks are implemented in large MPE/iX files.

Also, check the size of the file OPCMSGLG.LOG.OVOPC regularly. After you perform a backup, purge the file. To limit the size of this file, you can also change the value for Max. Size in the Node Communication Options window.

Table 13-4 shows where local logfiles reside on other HP-UX managed nodes.

Table 13-4 Local Logfiles on Other Managed Nodes (HP-UX)

Logfile	Tru64 Unix, IBM/ptx, Linux, SGI IRIX/Reliant, Novell NetWare, and Solaris
Default logfile path	/var/opt/OV/log/OpC
OVO errors/warnings	opcerror, opcerro (1-3)
OVO messages	opcmsglg, opcmsg (1-3)

Table 13-5 shows where local logfiles reside on other Solaris managed nodes.

Table 13-5 Local Logfiles on Other Managed Nodes (Solaris)

Logfile	Linux, Novell NetWare, Solaris, Tru64 UNIX and SGI IRIX
Default logfile path	/var/opt/OV/log/OpC
OVO errors/warnings	opcerror, opcerro (1-3)
OVO messages	opcmsglg, opcmsg (1-3)

Maintaining Licenses

OVO uses the OVKey license mechanism to install and maintain product licenses. The OVKey license technology is based on node-locked licenses with license passwords in a license file, not on a central license server.

Advantages of OVKey Licenses

One clear and significant advantage of this approach is that you do *not* need to set up a license server that handles the licenses. In addition, you can use the product behind firewalls and in MC/Service Guard environments.

Replacing Instant On Licenses with OVKey Licenses

OVO provides a command-line tool, `opcllic`, to maintain the licenses. For more information about the command-line interface, see “About the Command-line License Maintenance Tool” on page 512.

After installing OVO, you replace the **Instant On** licence with the correct license. The licence maintenance tool `opcllic` ensures that the license file does not contain more than one server license.

Types of Licenses

License types relate very strictly to the OVO product structure. Each sub-product or licensable feature has its own license type and product number. However, not all licenses will be required for OVO to run. In some cases a message in the Message Browser window informs you when no license is available, or a license has expired.

For more detailed information on the types of licenses available in OVO, see Table 13-6 on page 511.

Table 13-6 License Types for OVO

License Type		Description
Management Stations	OVO Management Server	OVO license. Includes a full NNM license (Enterprise NNM).
	Development Kit	Limited management server license with 5 nodes. NNM can manage a maximum of 25 objects with this license.
	Instant-on ^a	Same as the OVO management server license. Runtime is 120 days.
	Emergency ^a	Same as the OVO management server license. Runtime is 14 days.
	Evaluation	Evaluation license with full functionality. Runtime is 120 days.
Management Server Upgrades	OVO Management Server upgrade for NNM	Full OVO management server license.
OVO Extensions	OVO Managed Nodes	Managed node licenses.
	HP OpenView Service Navigator ^b	Service management with OVO.
OV Extensions (not handled by OVO)	ECS Designer	Event correlation services for NNM and OVO.
	HP OpenView Reporter	OVO-specific service reports.

- a. Not installed with `opcl`. Generated at runtime by the management server.
- b. Included with the OVO management server license.

About the Command-line License Maintenance Tool

OVO provides a command-line interface for the maintenance of licenses.

The principal license maintenance tool, `opcllic`, enables you to do the following:

- ❑ List the installed licenses
- ❑ Add and delete licenses
- ❑ Check for inconsistencies
- ❑ Check whether the user has enough licenses for his environment

Syntax for the `opcllic` Command

Use the following syntax for the `opcllic` command accepts:

```
opcllic [ { -add [-force] <"license_pwd"> <"annotation">
        { -delete <"license_pwd"> <"annotation"> } |
        { -list } |
        { -report } |
        { -help } ]
```

You must enter the license password on one line and enclosed it quotation marks.

Parameters for the `opcllic` Command

Use the following parameters with the `opcllic` command:

<code>-add</code>	Adds new license passwords.
	Does not allow more than one server license password in the license file.
	Passwords added using unsupported methods are invalid. OVO will not start, and the invalid passwords must be removed with <code>opcllic</code> (see <code>list</code>).
	Use the optional <code>-force</code> parameter to replace licenses or to install a server password. The server license password is <i>not</i> overwritten if the <code>force</code> parameter is not set. A warning message is written to <code>stdout</code> instead.

-list	<p>Lists the installed OVO licenses.</p> <p>Supports <i><license_types></i>. For more information on what types of licence are available in OVO, see Table 13-6 on page 511.</p>
-delete	<p>Delete a specified license password <i><license_pwd></i>.</p> <p>An <code>ProductNameShortOVO</code> management server license may <i>not</i> be removed with the <code>delete</code> option.</p> <p>It can only be removed or replaced with the following:</p> <p>-add -force <"license_pwd"> <"annotation"></p>
-report	<p>List details of the installed licenses:</p> <ul style="list-style-type: none">• OVO management server license type: Start/end time• OVO managed node licenses [#total #used #free <i><Tier></i>]• Warnings for duplicate or invalid license passwords
-help	<p>Lists <code>opclirc</code> usage information (that is, all command-line parameters).</p>

Changing Hostnames and IP Addresses

It is not uncommon for a node to have more than one IP address and hostname. If a node becomes a member of another subnet, you may need to change its IP addresses. In this case, the IP address or fully qualified domain name may change.

NOTE

For the HTTPS-based Windows nodes, you can also specify the IP address as dynamic. You can do this from the `Add/Modify Node` window.

In general, on HP-UX and Solaris systems, the IP address and the related hostname are configured in one of the following:

- `/etc/hosts`
- Domain Name Service (DNS)
- Network Information Service (NIS on HP-UX, NIS+ on Solaris)

OVO also configures the hostname and IP address of the management server for the managed node in the management server database.

If you are moving from a non-name-server environment to a name-server environment (that is, DNS or BIND), make sure the name server can access the new IP address.

Hostnames work within IP networks to identify a managed node. While a node may have many IP addresses, the hostname is used to pinpoint a specific node. The system hostname is the string returned when you use the UNIX `hostname(1)` command.

To Change the Hostname or IP Address of the Management Server

To change the hostname or IP address of the management server, follow these steps:

1. **De-install the OVO agent software from the management server.**

Before changing the hostname of the management server, you must de-install the OVO agent software from the management server. To find out how to de-install the agent software, see the section “De-installing OVO Software from the Managed Nodes” on page 62.

2. **Request new licenses from the HP Password Delivery Service.**

For more information about OVO licensing, see the *OVO Installation Guide for the Management Server*.

3. **Stop all OVO processes on your management server.**

Stop the manager, agent, and GUI processes running on the system:

- a. Stop *all* running OVO GUIs by selecting `Map:Exit`.
- b. Stop the OVO agents on your management server by entering:

```
/opt/OV/bin/ovc -kill
```

- c. Stop the OVO manager processes by entering:

```
/opt/OV/bin/ovstop ovctrl
```

- d. Verify that no OVO processes are running by entering:

```
ps -eaf | grep opc
```

```
ps -eaf | grep ovc
```

- e. If an OVO process is still running, kill it manually by entering:

```
kill <proc_id>
```

All OVO intelligent agents on OVO managed nodes start buffering their messages.

4. Make sure the database is running.

If the database is not running, start it by entering:

```
/sbin/init.d/ovoracle start
```

For more information about the Oracle database, see the *OVO Installation Guide for the Management Server*.

5. Change the IP address or node name of the OVO management server in the OVO database.

Use the following “old name / new name” scheme:

```
/opt/OV/contrib/OpC/opcchgaddr -force -label <label> \  
IP <old_addr> <old_name> IP <new_addr> <new_name>
```

-force

Name service is not consulted.
Database is not checked for
duplicate node names.

-label <label>

Modifies the label of the node to
<label>. The new label is
displayed in the Node Bank.

<old_addr>

IP address of the old node.

<new_addr>

IP address of the new (renamed)
node.

<old_name>

Name of the old node.

<new_name>

Name of the new (renamed) node.

6. Shut down the database.

Enter the following:

```
/sbin/init.d/ovoracle stop
```

7. Stop OpenView.

Stop OpenView and all other integrated services (including OVO).

Enter the following:

```
/opt/OV/bin/ovstop
```

```
/opt/OV/bin/ovc -kill
```

8. Modify the OVO management server configuration.

To change the hostname, enter the following:

```
ovconfchg -ovrg server -ns opc -set MANAGER <new_name>
ovconfchg -ovrg server -ns opc -set OPC_MGMT_SERVER\
<new_name>
ovconfchg -ovrg server -ns opc -set CERTIFICATE_SERVER\
<new_name>
```

NOTE

You do not need to change the CERTIFICATE_SERVER if an other system is set as a certificate server.

Edit also the following files and replace any occurrence of the old hostname with the new one:

```
/var/opt/OV/share/databases/openview/ovwdb/ovserver
/etc/opt/OV/share/conf/ovspmd.auth
/etc/opt/OV/share/conf/ovwdb.auth
/etc/opt/OV/share/conf/ovw.auth
/opt/oracle/product/<version>/network/admin/listener.ora
/opt/oracle/product/<version>/network/admin/sqlnet.ora
/opt/oracle/product/<version>/network/admin/tnsnames.ora
/opt/oracle/product/<version>/network/admin/tnsnv.ora
```

9. Reconfigure the OVO management server system with the new hostname or IP address.

For details, see the *HP-UX System Manager's Guide*.

To change the host name permanently, run the special initialization script `/sbin/set_parms`.

If you are moving from a non-name-server environment to a name-server environment, make sure the name server has the new hostname or IP address available.

10. Restart the OVO management server system.

To Reconfigure the OVO Management Server After Changing its Hostname or IP Address

To reconfigure the management server after changing its hostname or IP address, follow these steps:

1. **Stop the management server.**

Enter the following:

```
/opt/OV/bin/ovstop opc ovoacomm ovctrl
```

2. **Start the OpenView Topology Manager Daemon Service.**

Enter the following:

```
/opt/OV/bin/ovstart ovtopmd
```

3. **Update the OVO management server registration.**

If you have changed the hostname, update the OVO management server registration.

Enter the following:

```
rm /etc/opt/OV/share/conf/OpC/mgmt_sv/svreg  
touch /etc/opt/OV/share/conf/OpC/mgmt_sv/svreg  
  
/opt/OV/bin/OpC/install/opcsvreg -add \  
/etc/opt/OV/share/conf/OpC/mgmt_sv/itosvr.reg
```

To find out how to reconfigure additionally installed subagent packages, see the manuals supplied with these packages.

4. **Stop the netmon process.**

If the netmon process automatically starts when the system starts, stop the netmon process.

Enter the following:

```
/opt/OV/bin/ovstop netmon
```

5. **Remove all entries from the SNMP configuration cache.**

Enter the following:

```
/opt/OV/bin/xnmsnmpconf -clearCache
```

6. Update the creation time of objects contained in the `ovtopmd` database.

Enter the following:

```
/opt/OV/bin/ovtopofix -U
```

This command causes the objects to display again in all maps the next time they are synchronized.

7. Restart the `netmon` process.

Enter the following:

```
/opt/OV/bin/ovstart netmon
```

8. Update OpenView with the changed hostname

Enter the following:

```
ping <new_hostname>
```

9. Update the OpenView Topology Database.

Enter the following:

```
/opt/OV/bin/nmdemandpoll <new_name>
```

10. Make sure the database is running.

If the database is not running, start it with by entering the following:

```
/sbin/init.d/ovoracle start
```

For information on the Oracle database, see the *OVO Installation Guide for the Management Server*.

11. Start OpenView.

Start OpenView and all other integrated services (including OVO):

```
/opt/OV/bin/ovstart
```

NOTE

At this point, the agent starts forwarding its buffered messages.

12. Log in to the OVO GUI.

Start the OVO GUI, and log in as administrator. Enter the following:

```
/opt/OV/bin/OpC/opc
```

13. Verify the templates.

Verify that the templates are still assigned to the new node.

14. Redistribute all Event Correlation templates.

If you have changed the hostname, redistribute all Event-correlation templates assigned to the management server.

Select Actions:Server->Install / Update Server Templates from the menu bar of the Node Bank window.

15. Update the managed nodes or management server.

Do one of the following:

- *Management Server*

If you are running your system in a multi-management-server environment (using flexible-management features), perform the following steps on the management server:

- a. Perform the following steps only on those nodes that contain the modified OVO management server:

1. Shut down the OVO agents by entering:

```
/opt/OV/bin/OpC/opcagt -kill
```

2. On RPC-based managed nodes, update the agent `opcinfo` file with a new hostname for the management server. For the location of the `opcinfo` file on the RPC-based managed nodes, see Table 11-1 on page 377.

On HTTPS-based managed nodes, use a command-line tool `ovconfchg` to update it with a new management server hostname. For more details on how to use the `ovconfchg`, refer to *OVO HTTPS Agent Concepts and Configuration Guide*. See also `ovconfget` and `ovconfchg` man pages for more information.

3. Restart the OVO agent processes by entering:

```
/opt/OV/bin/OpC/opcagt -start
```

- b. If the modified OVO management server is configured as a primary manager for some managed nodes, update those managed nodes by running the following command from the modified OVO management server:


```
/opt/OV/bin/OpC/opcragt -primmgr [ -all | \  
[ -nodegrp <group>...] <node>...]
```

- c. Make sure that your hostname and IP address changes are reflected in all configurations and templates across the entire flexible-management environment.

To find out how to setup, modify, or distribute the templates in a flexible-management environment, see man page `opcmmom(4)`.

16. **Modify the hostname and IP address on all management servers.**

If you have setup manager-to-manager message forwarding, modify the hostname and IP address manually on all management servers that have the changed system in their node bank.

Also, check message-forwarding and escalation templates on the management servers for occurrences of the old hostname or IP address.

Check the following file:

```
/etc/opc/OV/share/conf/OpC/respmgrs/msgforw/escmgr
```

Modify message-forwarding and escalation templates on the management servers, as needed.

17. **Modify the OVO managed nodes configuration.**

Perform the following steps on all managed nodes that are configured in the Node Bank and which are running an OVO agent:

- a. Shut down the OVO processes on the managed nodes. Enter the following:

```
/opt/OV/bin/opcagt -kill
```

- b. Enter the following:

```
ovconfchg -ns opc -set MANAGER <new_name>  
ovconfchg -ns sec.core.auth -set MANAGER <new_name>  
ovconfchg -ns sec.cm.client -set CERTIFICATE_SERVER\  
<new_name>
```

NOTE

You do *not* need to change the `CERTIFICATE_SERVER` if an other system is set as a certificate server.

- c. Restart the OVO agent processes. Enter the following:

```
/opt/OV/bin/opcagt -start
```

18. Re-install the agent software on the management server.

Re-install the OVO agent software when you have finished this task.

To Change the Hostname or IP Address of a Managed Node

NOTE

If you are running OVO in a distributed management server (MoM) environment server environment, make sure that you perform all steps described below also on all management server systems that control or monitor the modified node.

NOTE

The `System acquires IP dynamically (DHCP) checkbox`, available *only* for HTTPS-based managed nodes, allows you to perform your OVO managed node's IP address change in a safer and a more comfortable way. This is most useful if your managed node is an DHCP client, or if you have set IP address change of managed node(s) ahead.

NOTE

If you are using Service Navigator, check the service configuration file for `opcservice` command. If the service configuration file contains hostnames and IP addresses, they may need to be changed before you run the `opcservice` again. For more information, refer to the *Service Navigator Concepts and Configuration Guide*.

For managed nodes, the hostname or IP address change can be performed using the `opc_node_change.pl` script located in `/opt/OV/bin/OpC/utils` directory on the management server. The `opc_node_change.pl` script does the following:

- Verifies that the new IP address and hostname are resolvable on the management server.
- Verifies that the new IP address and hostname are *not* already used by other managed nodes.
- Verifies that all management server processes including the database processes are running.
- Changes the IP address of hostname in the OVO database.
- On managed nodes only:
 - if the IP address has changed, ensures that the new IP address is configured with the OVO agent software.
 - if the hostname has changed, ensures that all currently assigned templates are redistributed.
- Updates the OpenView Network Node Manager if required.

Perform the following steps to change the hostname or IP address on the managed node:

1. Execute the `opc_node_change.pl` script on the management server:

```
opc_node_change.pl -oldname <OLD_FQDN> -oldaddr \  
<OLD_IP_ADDR> -newname <NEW_FQDN> -newaddr \  
[, <NEW_IP_ADDR>, ...]
```

where `<OLD_FQDN>` is old fully qualified name of the managed node

where `<OLD_IP_ADDR>` is the old IP address of the managed node

where `<NEW_FQDN>` is new fully qualified name of the managed node

where `<NEW_IP_ADDR>` is the new IP address of the managed node

Depending on the NNM functionality used on the managed node, the following options need to be specified in addition:

- `-nnmupdate`

if NNM functionality is used on the managed node, the NNM needs to be updated using the `-nnmupdate` option. This option needs the information of the `netmask` and the Adapter/MAC address of the managed node. The MAC address can either be passed by option `-macaddr` in hexadecimal notation or by a callback command line utility passed as a parameter to `-hook` option. The command line utility will get the `<NEW_FQDN>` and

<NEW_IP_ADDR> as parameters. It *must* exit with exit status 0 and pass the MAC address by printing the string MAC=XX:XX:XX:XX:XX:XX to standard output. One example of such commandline utility is `opcgetmacaddr.sh` which can be found in the `/opt/OV/contrib/OpC` directory on the management server.

For more information about `opc_node_change.pl` script use the `-help` option.

- `-nnmtopofix`

use this option whenever you encounter problems with nodes changed their name or IP address. Note that this option has a high time and resource consumption.

NOTE

On DCE/NCS nodes only, and for hostname only changes on OVO managed nodes, force OVO to recreate templates in the database by removing chached templates from the last distribution:

```
cd /etc/opt/OV/share/conf/OpC/mgmt_sv/templates
```

```
rm -rf `find . -type f`
```

-
2. Reload the operator GUI.

NOTE

Responsible operators running the Motif GUI might get an popup message for reloading their browsers.

-
3. On DCE/NCS nodes only, and for hostname only changes on OVO managed nodes, redistribute templates to all managed nodes as follows:
 - a. In one of the main windows, select Actions:Agents->Distribute
 - b. In the Distribute OVO Software and Configuration window, select the component [Templates]
 - c. Select [Force Update] and [Nodes in list requiring update].

- d. Select the managed nodes in the Node Bank window and click [Get Map Selections] in the Distribute OVO Software and Configuration window.
- e. Click [OK].

Changing Hostnames and IP Addresses in a Cluster Environment

It is not uncommon for a node in a cluster environment to have more than one IP address and hostname. If a node becomes a member of another subnet, you may need to change its IP addresses. In this case, the IP address or fully qualified domain name may change.

NOTE

For the HTTPS-based Windows nodes, you can also specify the IP address as dynamic. You can do this from the `Add/Modify Node` window.

In general, on HP-UX and Solaris systems, the IP address and the related hostname are configured in one of the following:

- `/etc/hosts`
- Domain Name Service (DNS)
- Network Information Service (NIS on HP-UX, NIS+ on Solaris)

OVO also configures the hostname and IP address of the management server for the managed node in the management server database.

If you are moving from a non-name-server environment to a name-server environment (that is, DNS or BIND), make sure the name server can access the new IP address.

Hostnames work within IP networks to identify a managed node. While a node may have many IP addresses, the hostname is used to pinpoint a specific node. The system hostname is the string returned when you use the UNIX `hostname(1)` command.

To Change the Virtual Hostname or IP Address of the Management Server

To change the virtual hostname or IP address of the management server, perform these steps on the cluster node where the OVO management server is running:

1. **Request new licenses from the HP Password Delivery Service.**

For more information about OVO licensing, see the *OVO Installation Guide for the Management Server*.

2. **Disable monitoring for the OVO management server.**

To disable monitoring, enter the following command:

```
/opt/OV/sbin/ovharg -monitor ov-server disable
```

3. **Stop all OVO processes on your management server.**

Stop the manager, agent, and GUI processes running on the system:

- a. Stop *all* running OVO GUIs by selecting `Map:Exit`.

- b. Stop the OVO agents on your management server by entering:

```
/opt/OV/bin/ovc -kill
```

- c. Stop the OVO manager processes by entering:

```
/opt/OV/bin/ovstop ovctrl
```

- d. Verify that no OVO processes are running by entering:

```
ps -eaf | grep ovc
```

```
ps -eaf | grep ovc
```

- e. If an OVO process is still running, kill it manually by entering:

```
kill <proc_id>
```

All OVO intelligent agents on OVO managed nodes start buffering their messages.

4. Make sure the database is running.

If the database is not running, start it by entering:

```
/sbin/init.d/ovoracle start force
```

For more information about the Oracle database, see the *OVO Installation Guide for the Management Server*.

5. Change the IP address or node name of the OVO management server in the OVO database.

Use the following “old name / new name” scheme:

```
/opt/OV/contrib/OpC/opcchgaddr -force -label <label> \  
IP <old_addr> <old_name> IP <new_addr> <new_name>
```

-force

Name service is not consulted.
Database is not checked for
duplicate node names.

-label <label>

Modifies the label of the node to
<label>. The new label is
displayed in the Node Bank.

<old_addr>

IP address of the old node.

<new_addr>

IP address of the new (renamed)
node.

<old_name>

Long hostname of the old node.

<new_name>

Long hostname of the new
(renamed) node.

6. Stop OpenView.

Stop OpenView and all other integrated services (including OVO).

Enter the following:

```
/opt/OV/bin/ovstop
```

```
/opt/OV/bin/ovc -kill
```

7. Shut down the database.

Enter the following:

```
/sbin/init.d/ovoracle stop force
```


8. Modify the OVO management server configuration.

To change the hostname, enter the following:

```
ovconfchg -ns sec.core.auth -set MANAGER <long_hostname>
ovconfchg -ovrg server -ns opc -set OPC_MGMT_SERVER \
<long_hostname>
ovconfchg -ovrg server -ns sec.cm.client -set \
CERTIFICATE_SERVER <long_hostname>
ovconfchg -ovrg server -ns bbc.cb -set SERVER_BIND_ADDR \
<new_IP_address>
```

NOTE

You do not need to change the CERTIFICATE_SERVER if an other system is set as a certificate server.

Edit also the following files and replace any occurrence of the old hostname with the new one:

```
/var/opt/OV/share/databases/openview/ovwdb/ovserver
/etc/opt/OV/share/conf/ovspmd.auth
/etc/opt/OV/share/conf/ovwdb.auth
/etc/opt/OV/share/conf/ovw.auth
/etc/opt/OV/share/conf/ov.conf
```

On *each* cluster node replace the hostname with the new one:

```
/opt/oracle/product/<version>/network/admin/listener.ora
/opt/oracle/product/<version>/network/admin/sqlnet.ora
/opt/oracle/product/<version>/network/admin/tnsnames.ora
/opt/oracle/product/<version>/network/admin/tnsnv.ora
```

9. Start OVO integrated services.

Start OVO integrated services by entering:

```
ovc -start
```

10. Set the cluster configuration

a. Stop the OVO server HA Resource group by entering:

```
/opt/OV/bin/ovharg_config ov-server -stop <node_name>
```

- b. Change the cluster configuration to use new IP address.

- For VERITAS Cluster Server, enter:

```
/opt/OV/bin/ovharg_config ov-server -set_value \
ov-ip Address <new_IP_address>
```

- For Sun Cluster, enter:

```
/opt/OV/bin/ovharg_config ov-server -delete \
ov-application

/opt/OV/bin/ovharg_config ov-server -delete ov-ip

/opt/OV/bin/ovharg_config ov-server -add ov-ip \
NULL VirtualHostname <network_interface> \
<new_IP_address> <new_IP_netmask>
```

For <network_interface>, enter the name of NAFO group for Sun Cluster 3.0, and the name of IPMP group for Sun Cluster 3.1.

```
/opt/OV/bin/ovharg_config ov-server -add \
ov-application ov-ip,ov-dg OVAApplication
```

- For MC/ServiceGuard, edit the
/etc/cmcluster/ov-server/ov-server.cnt1
file on *all* cluster nodes. Replace IP[0]=<old_IP_address>
with IP[0]=<new_IP_address>.

- c. Start the OVO server HA Resource group by entering:

```
/opt/OV/bin/ovharg_config ov-server -start \
<node_name>
```

To Reconfigure the OVO Management Server After Changing its Virtual Hostname or IP Address

To reconfigure the management server after changing its virtual hostname or IP address in a cluster environment, follow these steps:

1. **Disable the HARG monitoring.**

Enter the following:

```
/opt/OV/sbin/ovharg -monitor ov-server disable
```

2. **Stop the management server.**

Enter the following:

```
/opt/OV/bin/ovstop opc ovoacomm
```

3. **Start the OpenView Topology Manager Daemon Service.**

Enter the following:

```
/opt/OV/bin/ovstart ovtopmd
```

4. **Update the OVO management server registration.**

If you have changed the hostname, update the OVO management server registration.

Enter the following:

```
rm /etc/opt/OV/share/conf/OpC/mgmt_sv/svreg
touch /etc/opt/OV/share/conf/OpC/mgmt_sv/svreg
/opt/OV/bin/OpC/install/opcsvreg -add \
/etc/opt/OV/share/conf/OpC/mgmt_sv/itosvr.reg
```

To find out how to reconfigure additionally installed subagent packages, see the manuals supplied with these packages.

5. **Stop the netmon process.**

If the netmon process automatically starts when the system starts, stop the netmon process.

Enter the following:

```
/opt/OV/bin/ovstop netmon
```

6. Remove all entries from the SNMP configuration cache.

Enter the following:

```
/opt/OV/bin/xnmsnmppconf -clearCache
```

7. Update the creation time of objects contained in the ovtopmd database.

Enter the following:

```
/opt/OV/bin/ovtopofix -U
```

This command causes the objects to display again in all maps the next time they are synchronized.

8. Restart the netmon process.

Enter the following:

```
/opt/OV/bin/ovstart netmon
```

9. Update OpenView with the changed hostname

Enter the following:

```
ping <new_hostname>
```

10. Update the OpenView Topology Database.

Enter the following:

```
/opt/OV/bin/nmdemandpoll <new_name>
```

11. Make sure the database is running.

If the database is not running, start it with by entering the following:

```
/sbin/init.d/ovoracle start
```

For information on the Oracle database, see the *OVO Installation Guide for the Management Server*.

12. Start OpenView.

Start OpenView and all other integrated services (including OVO):

```
/opt/OV/bin/ovstart
```

13. Enable the HARG monitoring.

Enter the following:

```
/opt/OV/lbin/ovharg -monitor ov-server enable
```

NOTE

At this point, the agent starts forwarding its buffered messages.

14. Get the information on the virtual management server node.

After the OVO management server is running and the HARG monitoring is enabled, you must obtain the following information concerning the virtual management server node:

NOTE

Make sure to save this information, since you will need it to be able to accomplish procedures that follow.

a. Cluster related information.

To obtain the cluster related information, use the following command:

```
/opt/OV/bin/OpC/Utils/opcnode -list_virtual \  
node_name=<mgmt_sv_node>
```

You will get the output similar to the following:

```
cluster_package=<ha_resource_group>  
node_list="nodeA nodeB"
```

b. List of templates assigned to the virtual management server node.

To obtain the list of templates, use the following command:

```
/opt/OV/bin/OpC/Utils/opcnode -list_ass_tmpls \  
node_name=<mgmt_sv_node> net_type=NETWORK_IP
```

You will get the output similar to the following:

```
List of Templates and Template Groups assigned to  
'<mgmt_sv_node>':
```

```
=====  
|GRP| HA Virtual Management Server  
=====
```

15. Remove the virtual management server node.

Enter the following:

```
/opt/OV/bin/OpC/utlils/opcnode -del_node \  
node_name=<mgmt_sv_name> net_type=NETWORK_IP
```

16. Add new virtual management server node to the server database.

Enter the following:

- For Solaris:

```
/opt/OV/bin/OpC/utlils/opcnode -add_node \  
node_name=<mgmt sv long hostname> \  
node_label=<mgmt sv short hostname> \  
net_type=NETWORK_IP \  
comm_type=COMM_BBC \  
id='opt/OV/bin/ovcoreid -ovrg server' \  
group_name=solaris \  
mach_type=MACH_BBC_SOL_SPARC
```

- For HP-UX:

```
/opt/OV/bin/OpC/utlils/opcnode -add_node \  
node_name=<mgmt sv long hostname> \  
node_label=<mgmt sv short hostname> \  
net_type=NETWORK_IP \  
comm_type=COMM_BBC \  
id='opt/OV/bin/ovcoreid -ovrg server' \  
group_name=hp_ux \  
mach_type=MACH_BBC_HPUX_PA_RISC
```

17. Configure newly added virtual management server node.**NOTE**

Make sure that the information you add is the same as the one you obtained from the deleted node.

- a. Assign templates to the virtual management server node.

Enter the following:

```
/opt/OV/bin/OpC/Utils/opcnode -assign_tmpl \  
node_name=<mgmt_sv_name> \  
templ_name="<template_list>" \  
templ_type=TEMPLATE_GROUP \  
net_type=NETWORK_IP
```

For the `templ_name` attribute enter all templates and template groups that were assigned to the deleted virtual management server node.

NOTE

You can also assign the templates from the Motif GUI.

- b. Set virtual host parameters.

Enter the following:

```
/opt/OV/bin/OpC/Utils/opcnode -set_virtual \  
node_name=<mgmt_sv_name> \  
cluster_package=<HARG name> \  
node_list="<HARG members>"
```

For attributes `cluster_package` and `node_list`, use the values obtained from the deleted virtual management server node.

18. Log in to the OVO GUI.

Start the OVO GUI, and log in as administrator. Enter the following:

```
/opt/OV/bin/OpC/opc
```

19. Verify the templates.

Verify that the templates are still assigned to the new node.

20. Reassign and redistribute all Event Correlation templates.

If you have changed the hostname, reassign and redistribute all Event-correlation templates assigned to the management server.

Select Actions:Server->Install / Update Server Templates from the menu bar of the Node Bank window.

21. Update the managed nodes or management server.

Do one of the following:

- *Management Server*

If you are running your system in a multi-management-server environment (using flexible-management features), perform the following steps on the management server:

- a. Perform the following steps only on those nodes that contain the modified OVO management server:

1. Shut down the OVO agents by entering:

```
/opt/OV/bin/OpC/opcagt -kill
```

2. On RPC-based managed nodes, update the agent `opcinfo` file with a new hostname for the management server. For the location of the `opcinfo` file on the RPC-based managed nodes, see Table 11-1 on page 377.

On HTTPS-based managed nodes, use a command-line tool `ovconfchg` to update it with a new management server hostname. For more details on how to use the `ovconfchg`, refer to *OVO HTTPS Agent Concepts and Configuration Guide*. See also `ovconfget` and `ovconfchg` man pages for more information.

3. Restart the OVO agent processes by entering:

```
/opt/OV/bin/OpC/opcagt -start
```

- b. If the modified OVO management server is configured as a primary manager for some managed nodes, update those managed nodes by running the following command from the modified OVO management server:

```
/opt/OV/bin/OpC/opcragt -primmgr [ -all | \  
[ -nodegrp <group>...] <node>...]
```

- c. Make sure that your hostname and IP address changes are reflected in all configurations and templates across the entire flexible-management environment.

To find out how to setup, modify, or distribute the templates in a flexible-management environment, see man page `opcmon(4)`.

22. Modify the hostname and IP address on all management servers.

If you have setup manager-to-manager message forwarding, modify the hostname and IP address manually on all management servers that have the changed system in their node bank.

Also, check message-forwarding and escalation templates on the management servers for occurrences of the old hostname or IP address.

Check the following file:

```
/etc/opc/OV/share/conf/OpC/respmgrs/msgforw/escmgr
```

Modify message-forwarding and escalation templates on the management servers, as needed.

23. Modify the OVO managed nodes configuration.

Perform the following steps on all managed nodes that are configured in the Node Bank and which are running an OVO agent:

- a. Shut down the OVO processes on the managed nodes. Enter the following:

```
/opt/OV/bin/ovc -kill
```

- b. Enter the following:

```
ovconfchg -ns opc -set MANAGER <new_name>
ovconfchg -ns sec.core.auth -set MANAGER <new_name>
ovconfchg -ns sec.cm.client -set CERTIFICATE_SERVER\
<new_name>
```

NOTE

You do *not* need to change the CERTIFICATE_SERVER if an other system is set as a certificate server.

- c. Restart the OVO processes. Enter the following:

```
/opt/OV/bin/ovc -start
```

24. Re-install the agent software on the management server.

Re-install the OVO agent software when you have finished this task.

To Change the Hostname or IP Address of a Managed Node

NOTE

If you are running OVO in a distributed management server (MoM) environment server environment, make sure that you perform all steps described below also on all management server systems that control or monitor the modified node.

NOTE

The `System acquires IP dynamically (DHCP)` checkbox, available *only* for HTTPS-based managed nodes, allows you to perform your OVO managed node's IP address change in a safer and a more comfortable way. This is most useful if your managed node is an DHCP client, or if you have set IP address change of managed node(s) ahead.

NOTE

If you are using Service Navigator, check the service configuration file for `opcservice` command. If the service configuration file contains hostnames and IP addresses, they may need to be changed before you run the `opcservice` again. For more information, refer to the *Service Navigator Concepts and Configuration Guide*.

For managed nodes, the hostname or IP address change can be performed using the `opc_node_change.pl` script located in `/opt/OV/bin/OpC/utils` directory on the management server. The `opc_node_change.pl` script does the following:

- Verifies that the new IP address and hostname are resolvable on the management server.
- Verifies that the new IP address and hostname are *not* already used by other managed nodes.
- Verifies that all management server processes including the database processes are running.
- Changes the IP address of hostname in the OVO database.
- On managed nodes only:

- if the IP address has changed, ensures that the new IP address is configured with the OVO agent software.
- if the hostname has changed, ensures that all currently assigned templates are redistributed.
- Updates the OpenView Network Node Manager if required.

Perform the following steps to change the hostname or IP address on the managed node:

1. Execute the `opc_node_change.pl` script on the management server:

```
opc_node_change.pl -oldname <OLD_FQDN> -oldaddr \  
<OLD_IP_ADDR> -newname <NEW_FQDN> -newaddr \  
<NEW_IP_ADDR> [, <NEW_IP_ADDR>, ...]
```

where `<OLD_FQDN>` is old fully qualified name of the managed node

where `<OLD_IP_ADDR>` is the old IP address of the managed node

where `<NEW_FQDN>` is new fully qualified name of the managed node

where `<NEW_IP_ADDR>` is the new IP address of the managed node

Depending on the NNM functionality used on the managed node, the following options need to be specified in addition:

- `-nnmupdate`

if NNM functionality is used on the managed node, the NNM needs to be updated using the `-nnmupdate` option. This option needs the information of the `netmask` and the Adapter/MAC address of the managed node. The MAC address can either be passed by option `-macaddr` in hexadecimal notation or by a callback command line utility passed as a parameter to `-hook` option. The command line utility will get the `<NEW_FQDN>` and `<NEW_IP_ADDR>` as parameters. It *must* exit with exit status 0 and pass the MAC address by printing the string `MAC=XX:XX:XX:XX:XX:XX` to standard output. One example of such command line utility is `opcgetmacaddr.sh` which can be found in the `/opt/OV/contrib/OpC` directory on the management server.

For more information about `opc_node_change.pl` script use the `-help` option.

- `-nnmtopofix`

use this option whenever you encounter problems with nodes changed their name or IP address. Note that this option has a high time and resource consumption.

2. Reload the operator GUI.

NOTE

Responsible operators running the Motif GUI might get an popup message for reloading their browsers.

In this Appendix

This chapter provides information about the following:

- ❑ About OVO APIs on Managed Nodes
- ❑ About OVO Managed Node Libraries

About OVO APIs on Managed Nodes

Table A-1 describes commands associated with application program interfaces (APIs) on HP OpenView Operations (OVO) managed nodes.

Table A-1 OVO APIs on Managed Nodes

API	Command	Description
N/A	opcmaack (1)	Acknowledges an OVO message received from the message agent on the managed node and sent to the management server.
opcmon (3)	opcmon (1)	Feeds the current value of a monitored object into the OVO monitoring agent on the local managed node.
opcmsg (3)	opcmsg (1)	Submits a message to the OVO message interceptor on the local managed node.

For detailed information about these commands, see the man pages.

An example of how the API functions are used is available in the following file on the management server:

```
/opt/OV/OpC/examples/progs/opcapitest.c
```

For the corresponding makefiles, see the *OVO DCE Agent Concepts and Configuration Guide*.

About OVO Managed Node Libraries

NOTE

Customer applications must be linked to OVO using the libraries, as well as the link and compile options, in the *OVO DCE Agent Concepts and Configuration Guide*. Integration is only supported if applications are linked.

OVO C functions are available in a shared library. The related definitions and return values are defined in the OVO include file, `opcap_i.h`. For the location of the include file, the required libraries and the makefile on your managed node platform, see the *OVO DCE Agent Concepts and Configuration Guide*.

An example of how the API functions are used is available in the following file on the management server:

```
/opt/OV/OpC/examples/progs/opcapitest.c
```

This directory also contains the makefiles for building the examples. These makefiles use the compile and link options needed to correctly build an executable.

In this Appendix

This appendix describes HP OpenView Operations (OVO) tables and tablespaces in databases.

For detailed information about the OVO tables in the RDBMS, see the *OVO Reporting and Database Schema*.

About OVO Tables and Tablespaces in an Oracle Database

An Oracle database uses tablespaces to manage available disk space. You can assign datafiles of a fixed size to tablespaces. The size of the various datafiles assigned to a tablespace determines the size of the tablespace. Table B-1 on page 547 shows the default tablespace design and the assigned database tables.

To increase the size of a tablespace, you must add a datafile of a particular size to the tablespace. You can do this interactively using the Oracle tool, Server Manager, or using the `sql` command: `alter tablespace add datafile.`

For more information about improving the performance of your database see the online documentation in:

`/opt/OV/ReleaseNotes/opc_db.tuning`

Table B-1 OVO Tables and Tablespaces in an Oracle Database

Tables	Tablespace	Size	Comments
opc_act_messages	OPC_1	SIZE 4M AUTOEXTEND ON NEXT 6M MAXSIZE 500M DEFAULT STORAGE (INITIAL 2M NEXT 2M PCTINCREASE 0)	Tables with a heavy load. Indexes are not on the same disk as the table, thus providing extra tablespace.
opc_anno_text opc_annotation opc_msg_text opc_orig_msg_text	OPC_2	SIZE 5M AUTOEXTEND ON NEXT 6M MAXSIZE 500M DEFAULT STORAGE (INITIAL 1M NEXT 1M PCTINCREASE 0)	Tables with a heavy load. Indexes are not on the same disk as the table, thus providing extra tablespace.

Table B-1 OVO Tables and Tablespaces in an Oracle Database (Continued)

Tables	Tablespace	Size	Comments
opc_node_names	OPC_3	SIZE 1M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 256K NEXT 256K PCTINCREASE 0)	Table with very frequent access.
All other tables	OPC_4	SIZE 26M AUTOEXTEND ON NEXT 2M MAXSIZE 340M DEFAULT STORAGE (INITIAL 64K NEXT 1M PCTINCREASE 0)	None.
Default tablespace of user opc_op	OPC_5	SIZE 1M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 32K NEXT 1M PCTINCREASE 0)	None.

Table B-1 OVO Tables and Tablespaces in an Oracle Database (Continued)

Tables	Tablespace	Size	Comments
opc_hist_messages	OPC_6	SIZE 4M AUTOEXTEND ON NEXT 2M MAXSIZE 500M DEFAULT STORAGE (INITIAL 2M NEXT 2M PCTINCREASE 0)	Tables with a heavy load. Indexes are not on the same disk as the table, thus providing extra tablespace.
opc_hist_msg_text	OPC_7	SIZE 4M AUTOEXTEND ON NEXT 2M MAXSIZE 500M DEFAULT STORAGE (INITIAL 2M NEXT 2M PCTINCREASE 0)	Tables with a heavy load. Indexes are not on the same disk as the table, thus providing extra tablespace.
opc_hist_orig_text	OPC_8	SIZE 4M AUTOEXTEND ON NEXT 2M MAXSIZE 500M DEFAULT STORAGE (INITIAL 2M NEXT 2M PCTINCREASE 0)	Tables with a heavy load. Indexes are not on the same disk as the table, thus providing extra tablespace.

Table B-1 OVO Tables and Tablespaces in an Oracle Database (Continued)

Tables	Tablespace	Size	Comments
opc_hist_annotation opc_hist_anno_text	OPC_9	SIZE 6M AUTOEXTEND ON NEXT 2M MAXSIZE 500M DEFAULT STORAGE (INITIAL 2M NEXT 2M PCTINCREASE 0)	Tables with a heavy load. Indexes are not on the same disk as the table, thus providing extra tablespace.
opc_service_log opc_service	OPC_10	SIZE 6M AUTOEXTEND ON NEXT 6M MAXSIZE 500M DEFAULT STORAGE (INITIAL 2M NEXT 2M PCTINCREASE 0)	Tables with a heavy load. Indexes are not on the same disk as the table, thus providing extra tablespace.
Temporary data (used for sorting)	OPC_TEMP	SIZE 1M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 512K NEXT 512K PCTINCREASE 0)	None.

Table B-1 OVO Tables and Tablespaces in an Oracle Database (Continued)

Tables	Tablespace	Size	Comments
Index tablespace for active messages	OPC_INDEX1	SIZE 13M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 1M NEXT 1M PCTINCREASE 0)	Disk other than than for the following tablespaces: opc_act_messages
Index tablespace for history messages	OPC_INDEX2	SIZE 10M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 1M NEXT 1M PCTINCREASE 0)	Disk other than that for the following tablespaces: opc_hist_messages
Index tablespace for service logging	OPC_INDEX3	SIZE 10M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 1M NEXT 1M PCTINCREASE 0)	Disk other than for the following tablespaces: opc_service_log

About non-OVO Tables and Tablespaces

Table B-2 describes non-OVO tablespaces.

Table B-2 Non-OVO Tablespaces

Tables	Tablespace	Size	Comments
System tables	SYSTEM	SIZE 50M DEFAULT STORAGE (INITIAL 16K NEXT 16K PCTINCREASE 50)	None
Temporary data	TEMP	SIZE 2M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 100K NEXT 100K PCTINCREASE 0)	None
Rollback segments	RBS1	SIZE 1M AUTOEXTEND ON NEXT 1M MAXSIZE 500M DEFAULT STORAGE (INITIAL 500K NEXT 500K MINEXTENTS 10 PCTINCREASE 0)	Tablespace with a heavy load.

Table B-2 Non-OVO Tablespaces (Continued)

Tables	Tablespace	Size	Comments
Tablespace for Oracle Tool Tables (for example, Report Writer)	TOOLS	SIZE 1M AUTOEXTEND ON NEXT 1M MAXSIZE 100M DEFAULT STORAGE (INITIAL 100K NEXT 100K PCTINCREASE 0)	None

About OVO Tables and Tablespaces in the Database

About non-OVO Tables and Tablespaces

In this Appendix

This appendix describes the man pages available in the following areas:

- Man Pages in OVO
- Man Pages for OVO APIs
- Man Pages for HP OpenView Service Navigator
- Man Pages for the OVO Developer's Kit APIs

Accessing and Printing Man Pages

You can access the OVO man pages from the command line, from online help, or in HTML format on your management server.

To Access an OVO Man Page from the Command Line

To access an OVO man page from the command line, enter the following:

```
man <manpagename>
```

To Print a Man Page from the Command Line

To print an OVO man page from the command line, enter the following:

```
man <manpagename> | col -1b | lp -d printer_name
```

To Access the Man Pages in HTML Format

To access the OVO man pages in HTML format, from your Internet browser, open the following location:

```
http://<management_server>:3443/ITO_MAN
```

In this URL, <management_server> is the fully qualified hostname of your management server.

Man Pages in OVO

This section describes man pages in OVO.

Table C-1 **OVO Man Pages**

Man Page	Description
call_sqlplus.sh(1)	Calls SQL*Plus.
inst.sh(1M)	Installs OVO software on managed nodes.
inst_debug(5)	Debugs an installation of the OVO agent software.
ito_op(1M)	Launches the OVO Java-based operator or Service Navigator GUI.
ito_op_api_cli(1M)	Enables calling the Java GUI Remote APIs.
opc(1 5)	Starts the OVO GUI.
opc_audit_secure(1M)	Locks the audit level in the OVO database, and allows directories for the history and audit download to be set.
opc_backup(1M)	Interactively saves the OVO environment for Oracle.
opc_backup(5)	Backs up the OVO configuration.
opc_chg_ec(1M)	Changes circuit names in event correlation (EC) templates in the OVO database.
opc_recover(1M)	Interactively recovers the OVO environment for Oracle.
opc_recover(5)	Recovers the OVO configuration.
opcack(1M)	Externally acknowledges active messages.
opcackmsg(1M)	Externally acknowledges active messages using message IDs.
opcackmsgs(1M)	Externally acknowledges active messages using specific message attributes.
opcactivate(1M)	Activates a pre-installed OVO agent.
opcadddbf(1M)	Adds a new datafile to an Oracle tablespace.

Table C-1 OVO Man Pages (Continued)

Man Page	Description
opcagt (1M)	Administers agent processes on a managed node.
opcagtregr (1M)	Registers subagents.
opcagtutil (1M)	Parses the agent platform file, and performs operations with extracted data.
opcaudupl (1M)	Uploads audit data into the OVO database.
opcaudwn (1M)	Downloads audit data into the OVO database.
opccfgdwn (1M)	Downloads configuration data from the database to flat files.
opccfgout (1M)	Configures condition status variables for scheduled outages in OVO.
opccfgupld (1M)	Uploads configuration data from flat files into the database.
opcchgaddr (1M)	Changes the address of nodes in the OVO database.
opccltconfig (1M)	Configures OVO client filesets.
opccconfig (1M)	Configures an OVO management server.
opccsa (1M)	Provides the functionality for listing, mapping, granting, denying and deleting specified certificate requests.
opccsacm (1M)	Performs the ovcm's functionality for manually issuing new node certificate and using the installation key.
opcdbidx (1M)	Upgrades the structure of the OVO database.
opcdbinit (1M)	Initializes the database with the default configuration.
opcdbinst (1M)	Creates or destroys the OVO database scheme.
opcdbpwd (1M)	Changes the password of the OVO database user <code>opc_op</code> .
opcdbreorg (1M)	Re-organizes the tables in the OVO database.
opcdbsetup (1M)	Creates the tables in the OVO database.

Table C-1 OVO Man Pages (Continued)

Man Page	Description
opcddcode (1M)	Views OVO encrypted template files.
opcerr (1M)	Displays instruction text for OVO error messages.
opcgetmsgids (1m)	Gets message IDs to an original message ID.
opchbp (1M)	Switches heartbeat polling of managed nodes on or off.
opchistdwn (1M)	Downloads OVO history messages to a file.
opchistupl (1M)	Uploads history messages into the OVO database.
opcmack (1)	Acknowledges an OVO message by specifying the message ID.
opcmgrdist (1M)	Distributes the OVO configuration between management servers.
opcmom (4)	Provides an overview of OVO MoM functionality.
opcmomchk (1)	Checks syntax of MoM templates.
opcmon (1)	Forwards the value of a monitored object to the OVO monitoring agent on the local managed node.
opcmsg (1)	Submits a message to OVO.
opcpat (1)	Tests a program for OVO pattern matching.
opcragt (1M)	Remotely administers agent services for OVO on a managed node.
opcskm (3)	Manages secret keys.
opcsqlnetconf (1M)	Configures the OVO database to use an Net8 connection.
opcsv (1M)	Administers OVO manager services.
opcsvreg (1M)	Registers server configuration files.
opcsvskm (1M)	Manages secret keys on the management server.
opcsw (1M)	Sets the software status flag in the OVO database.
opcswitchuser (1M)	Switches the ownership of the OVO agents.

Table C-1 OVO Man Pages (Continued)

Man Page	Description
opctempl (1M)	Maintains templates in files.
opctemplate (1M)	Enables and disables templates.
opctmpldwn (1M)	Downloads and encrypts OVO message source templates.
opcwall (1)	Sends a message to currently logged in OVO users.
ovocomposer (1M)	Performs tasks related to OV Composer.
ovocomposer (5)	Describes the Correlation Composer, an HP OpenView Operations (OVO) event correlation feature.
ovtrap2opc (1M)	Converts the trapd.conf file and the OVO template file.

Man Pages for OVO APIs

This section describes man pages for OVO application program interfaces (APIs).

Table C-2 **OVO API Man Pages**

Man Page	Description
opcmon (3)	Forwards the value of a monitored object to the OVO monitoring agent on the local managed node.
opcmsg (3)	Submits a message to OVO.

Man Pages for HP OpenView Service Navigator

This section describes man pages for the HP OpenView Service Navigator.

Table C-3 **Service Navigator Man Pages**

Man Page	Description
<code>opcservice(1M)</code>	Configures HP OpenView Service Navigator.
<code>opcsvcattr(1M)</code>	Add, change or remove service attributes.
<code>opcsvcconv(1M)</code>	Converts service configuration files of HP OpenView Service Navigator from the previous syntax to the Extensible Markup Language (XML).
<code>opcsvcdwn(1M)</code>	Downloads service status logs of HP OpenView Service Navigator to a file.
<code>opcsvcterm(1M)</code>	Emulates an interface to HP OpenView Service Navigator. The interface inputs Extensible Markup Language (XML) markup into <code>stdin</code> and outputs Extensible Markup Language (XML) markup to <code>stdout</code> .
<code>opcsvcupl(1M)</code>	Uploads service status logs of HP OpenView Service Navigator into the OVO database.

Man Pages for the OVO Developer's Kit APIs

This section describes man pages for the OVO Developer's Kit application program interfaces (APIs).

Table C-4 **OVO Developer's Toolkit Man Pages**

Man Page	Description
<code>msiconf(4)</code>	Configures the OVO message manager.
<code>opc_comif_close(3)</code>	Closes an instance of the communication queue interface.
<code>opc_comif_freedata(3)</code>	Displays free data that was allocated by <code>opc_comif_read()</code> .
<code>opc_comif_open(3)</code>	Opens an instance of the communication queue interface.
<code>opc_comif_read(3)</code>	Reads information from a queue.
<code>opc_comif_read_request(3)</code>	Reads information from a queue.
<code>opc_comif_write(3)</code>	Writes information into a queue.
<code>opc_comif_write_request(3)</code>	Writes information into a queue.
<code>opc_connect_api(3)</code>	Connects OVO.
<code>opc_distrib(3)</code>	Distributes the OVO agent configuration.
<code>opcagtmon_send(3)</code>	Forwards the value of a monitored object to OVO.
<code>opcagtmsg_api(3)</code>	Handles messages on OVO agents.
<code>opcanno_api(3)</code>	Manages OVO message annotations.
<code>opcapp_start(3)</code>	Starts an OVO application.
<code>opcappl_api(3)</code>	Configures and starts OVO applications.
<code>opcapplgrp_api(3)</code>	Configures OVO application groups.
<code>opcconf_api(3)</code>	Gets OVO configuration.

Table C-4 OVO Developer's Toolkit Man Pages (Continued)

Man Page	Description
opcdata(3)	Accesses the attributes of the OVO data structure.
opcdata_api(3)	Describes how to access the OVO data structure using the OVO Data API.
opcif_api(3)	API to work with the OVO Message Stream Interface.
opciter(3)	OVO iterator to step through opcdata container.
opcmsg_api(3)	Manages OVO messages.
opcmsggrp_api(3)	Manages OVO message groups.
opcmsgreggrpcond_api(3)	Creates and modifies OVO message regroup conditions.
opcnode_api(3)	Configures OVO managed nodes.
opcnodegrp_api(3)	Configures OVO node groups.
opcnodehier_api(3)	Configures OVO node hierarchies.
opcprofile_api(3)	Configures OVO user profiles.
opcregcond(3)	Accesses fields of the OVO registration condition structure.
opcsvc_api(3)	C++ classes for Service Navigator.
opctempl_api(3)	Configures OVO message source templates.
opctempfile_api(3)	Configures OVO templates using template files.
opctemplgrp_api(3)	Configures OVO template groups.
opctransaction_api(3)	Starts, commits, and rolls back transactions.
opcuser_api(3)	Configures OVO users.
opcversion(3)	Returns the string of the OVO library that is currently used.

About OVO Man Pages

Man Pages for the OVO Developer's Kit APIs

Symbols

< \$# > variable, AR:165
 < \$ * > variable, AR:165
 < \$ \ > + 1 > variable, AR:165
 < \$ \ > + 2 > variable, AR:166
 < \$ \ > 1 > variable, AR:165
 < \$ \ > - 2 > variable, AR:166
 < \$ \ > - n > variable, AR:166
 < \$ @ > variable, AR:165

Numerics

< \$ 1 > variable
 logfiles, AR:162
 SNMP traps, AR:165

A

A message attribute, AR:76
 < \$ A > variable, AR:166
 aa* temporary file, AR:359
 About Virtual Terminal, DCE:174
 access
 See also accessing
 file permissions, AR:463
 remote, AR:467
 restrictions, CG:56
 terminal, CG:226
 accessing
 See also access
 files, CG:226
 GUI
 administrator, AR:464
 Java, AR:465
 Motif, AR:464
 Jovw, AR:336–AR:338
 man pages
 command line, AR:557
 HTML format, AR:557
 managed node MIB, AR:433–AR:434
 NNM, AR:328–AR:330
 OpenView applications, CG:156
 OVO, AR:462
 programs
 HP-UX, AR:465
 MPE/iX, AR:465
 quick filters, CG:214
 terminal, CG:177
 account, primary, AR:468

acknowledgements
 See also acknowledging messages;
 messages
 annotating, CG:366
 automatic, CG:166
 description, CG:183
 reviewing, CG:184
 acknowledging messages
 See also acknowledgements; messages
 escalated messages, CG:453
 message keys, CG:365
 notification messages, CG:475
 ACL Info application, DCE:438
 actagtp pipe file, AR:358
 actagtq queue file, AR:358
 action
 See also actions
 agents, AR:255
 variables, AR:160–AR:161
 Action Report, AR:110
 action-allowed managers
 configuring, CG:459
 specifying, CG:469
 ACTIONALLOWMANAGERS keyword,
 AR:120
 actions
 See also action
 applying to all nodes in hierarchy,
 CG:233–CG:234
 automatic, CG:51–CG:52
 centralizing, CG:305
 control-switched messages, CG:474
 enabling on secondaring manager, CG:468
 evaluating results, CG:164
 integrating applications as, AR:255–AR:256
 operator-initiated, CG:53–CG:54
 overview, CG:51–CG:54
 protecting, AR:471–AR:474
 responding to messages, CG:393
 scheduled, AR:169
 stderr, CG:164
 stdout, CG:164
 verifying
 automatic, CG:165–CG:166
 operator-initiated, CG:167
 Actions policy, CG:134
 activating

Master Index

- managed nodes
 - AIX, DCE:43–DCE:45
 - HP-UX, DCE:93–DCE:96,
DCE:331–DCE:333
- active message browser
 - See also* filtered message browser; history
 - message browser; message browser;
 - pending messages browser
- figure, CG:92
- overview, CG:96–CG:97
- actreqp pipe file, AR:353
- actreqq queue file, AR:353
- actresp pipe file, AR:353
- actrespq queue file, AR:353
- Adapters application, DCE:209
- Add Configuration window, CG:314
- Add MPE/iX Console Messages window,
CG:423
- Add Node for External Events window,
CG:236
- Add SNMP Trap window, CG:418
- adding
 - annotations, CG:179
 - message groups, CG:252, AR:73
 - nodes to OVO, CG:236–CG:248
 - external nodes, CG:238
 - from IP submaps, CG:241
 - from OVO Add Node window,
CG:242–CG:245
 - internal nodes, CG:236
 - methods, CG:229
 - node groups, AR:71
 - with templates, CG:314
 - OVO variables, CG:174
 - SNMP trap templates, CG:418
 - tabs to browser pane, CG:214
- administrative rights
 - See also* OVO administrator
- administrator. *See* template administrators;
OVO administrator
- administrator-defined defaults, CG:191
- advanced options
 - message conditions, CG:408
 - MPE/iX console messages, CG:424
- advantages
 - backups
 - automatic, AR:490
 - offline, AR:489
 - flexible management, CG:447
 - operator message browser, CG:223
 - OVKey licenses, AR:510
 - template groups, CG:310
- agdbserver monitor template, AR:221
- agent accounts
 - Windows NT/2000, DCE:364–DCE:366
- agent filesets in OVOPC-CLT
 - English-only, DCE:82
 - generic, DCE:82
- agent profile
 - alternative users, HTTPS:77
 - patching, HTTPS:80
 - sudo, HTTPS:81
 - upgrading, HTTPS:80
- agents. *See* action agents; OVO agents
- AIX managed nodes
 - DCE
 - configuring, DCE:40–DCE:41
 - requirements, DCE:36
 - HACMP
 - installing agents, DCE:52–DCE:53
 - resetting IP, DCE:50
 - NCS requirements, DCE:36
- OVO
 - activating, DCE:43–DCE:45
 - default operator, DCE:61
 - de-installing agents, DCE:54
 - directory structure, DCE:60
 - file locations, DCE:60
 - hardware requirements, DCE:33
 - include file, DCE:63
 - installation requirements,
DCE:33–DCE:36
 - installation tips, DCE:37–DCE:39
 - installing agents, DCE:42–DCE:45
 - libraries, DCE:62–DCE:64
 - logfile locations, AR:508
 - makefile, DCE:64
 - organization, DCE:60–DCE:61
 - overview, DCE:31–DCE:65
 - preconfigured elements, DCE:55–DCE:57
 - removing agents, DCE:54
 - scripts and programs, DCE:58–DCE:59
 - SMIT User Interface, DCE:57
 - SNMP event interceptor, DCE:56
 - software requirements, DCE:33–DCE:36

- system resource files, DCE:61
- troubleshooting IP aliases,
 - DCE:49–DCE:50
- OVPA, AR:207
- alarmgen monitor template, AR:221
- All Active Details Report, AR:114
- All Active Messages Report, AR:110, AR:114
- All History Details Report, AR:114
- All History Messages Report, AR:114
- All Pending Details Report, AR:114
- All Pending Messages Report, AR:114
- alternative accounts
 - Windows NT/2000, DCE:365–DCE:366
- alternative users, HTTPS:70
 - agent profile, HTTPS:77
 - changing default port, HTTPS:76
 - comparison with DCE agents, HTTPS:84
 - configuring the management server,
 - HTTPS:75
 - installation, HTTPS:73
 - limitations, HTTPS:71
 - patching, HTTPS:80
 - preparation, HTTPS:72
 - sudo, HTTPS:81
 - upgrading, HTTPS:80
- analyzing
 - data with OVPA, AR:208
 - symptoms in OVO, AR:379
- annotating
 - acknowledgements, CG:366
 - messages
 - escalated, CG:454
 - notification, CG:475
- annotations
 - overview, CG:179–CG:181
 - reviewing, CG:164–CG:165
- APIs
 - man pages
 - Developer’s Kit, AR:564
 - OVO, AR:562
 - managed nodes, AR:543
 - message, CG:391–CG:392
 - MSI, AR:260
 - Novell NetWare, DCE:220–DCE:221
 - opcmsg (3), DCE:113
- application
 - ping, HTTPS:184
 - registered with communication broker,
 - HTTPS:185
 - status, HTTPS:185
- Application Desktop window, CG:60
- Application message attribute, AR:77
- applications
 - accessing OpenView, CG:156
 - assigning to operators, AR:245
 - Broadcast, CG:164
 - Citrix MetaFrame, DCE:438–DCE:441
 - configuring templates, CG:329
 - customizing, CG:171
 - HP-UX
 - ASCII SAM, DCE:101
 - EMS Resources, DCE:118–DCE:119
 - Motif SAM, DCE:101
 - integrating into OVO
 - actions, AR:255–AR:256
 - Application Desktop, AR:246–AR:247
 - broadcast command, AR:254
 - components, AR:245
 - Ethernet Traffic HP as an OV application,
 - AR:250
 - HP applications, AR:245
 - monitoring applications, AR:257
 - NNM, AR:247, AR:248–AR:253
 - OpenView plug-in, AR:246
 - overview, AR:243–AR:262
 - OVO applications, AR:246
 - intercepting messages, AR:259
- Java GUI
 - comparisons, AR:318
 - OpenView, AR:330–AR:332
- monitoring logfiles, AR:258
- Motif GUI, AR:318
- MPE/iX, DCE:172–DCE:174
- Novell NetWare
 - NetWare Tools, DCE:209–DCE:212
 - NMA, DCE:212–DCE:214
 - overview, DCE:204–DCE:214
- OVO
 - description, CG:54
 - types, CG:235
- OVPA, AR:218
- solving problems, CG:170–CG:171
- SSP Tools, DCE:306
- starting, CG:170

Master Index

- accounts, AR:466
 - I/O, AR:467
 - managed nodes, AR:261–AR:262
 - remotely, AR:467
 - tailored set, CG:207
 - variables, AR:171–AR:186
 - Windows NT/2000, DCE:394–DCE:426
 - Applications folder
 - figure, CG:75
 - overview, CG:75
 - applying actions to all nodes in hierarchy, CG:233–CG:234
 - architecture
 - communication broker, HTTPS:228
 - HTTPS agent, HTTPS:27
 - OVO in a Cluster environment, DCE:451
 - scalable, CG:443–CG:491
 - archive log mode
 - database
 - description, AR:491
 - enabling, AR:492–AR:493
 - description, AR:488
 - ARPA hostnames, mapping to NS node
 - names, DCE:178–DCE:181
 - ASCII character sets, AR:291
 - ASCII SAM, DCE:101
 - assigning
 - applications to operators, AR:245
 - passwords
 - managed nodes, AR:468–AR:470
 - MPE/iX, AR:469
 - Novell NetWare, AR:470
 - UNIX, AR:469
 - Windows NT, AR:470
 - templates
 - distributing, CG:315
 - managed nodes, CG:313
 - overview, CG:313–CG:315
 - attributes
 - custom message
 - overview, CG:147
 - viewing, CG:148
 - message
 - examining, CG:144
 - modifying, CG:145
 - message forwarding, CG:449
 - message forwarding templates, AR:138
 - messages, AR:75–AR:77
 - MPE/iX console message templates
 - defaults, CG:424
 - Audit Report, AR:110
 - auditing, CG:226
 - levels, AR:475–AR:478
 - modes, AR:475
 - security, AR:475–AR:478
 - Auditlog application, DCE:438
 - authentication, CG:226
 - configuring DCE nodes to use authenticated RPCs, AR:454
 - PAM, AR:466
 - processes, AR:363–AR:365
 - RPC, AR:457–AR:458
 - troubleshooting, HTTPS:199
 - Automatic (De-)Installation option, AR:51
 - automatic actions
 - corrective actions, CG:393
 - process, CG:51–CG:52
 - protecting, AR:471
 - rerunning, CG:165
 - reviewing, CG:165
 - automatic backups
 - advantages, AR:490
 - disadvantages, AR:491
 - excluding files
 - database, AR:491
 - temporary, AR:491
 - overview, AR:490–AR:497
 - recovering configuration data, AR:498–AR:500
 - automatic de-installation
 - See also* de-installing
 - AIX, DCE:54
 - HP-UX, DCE:96
 - Linux, DCE:140
 - automatic installation
 - See also* installing
 - AIX, DCE:42
 - automating standard scenarios, CG:364
 - avoiding duplicate messages, CG:417
- B**
- backing up data on management server, AR:488–AR:500
 - backup

certificate, HTTPS:212
 Backup message group, AR:72
 backups
 automatic, AR:490–AR:497
 recovering configuration data,
 AR:498–AR:500
 offline, AR:489
 server, CG:469
 tools, AR:488
 backup-server template, AR:117
 Bad Logs (10.x/11.x HP-UX) logfile, DCE:98
 bbc.ini configuration file, HTTPS:220
 bbcutil, HTTPS:37
 benefits, OVO, CG:33
 binaries
 common, AR:190
 customized, AR:191
 filenames, AR:194
 Boot the NetWare Server (NCF) application,
 DCE:209
 Bound Protocols application, DCE:209
 Broadcast application, CG:164, DCE:172
 broadcast commands
 integrating applications, AR:254
 starting
 on managed nodes, AR:261–AR:262
 remotely, AR:467
 broadcasting commands
 overview, CG:175–CG:176
 browser pane
 adding tabs, CG:214
 figures
 disabled, CG:203
 main window, CG:89
 message browser, CG:90
 popup menu, CG:115
 hiding, CG:203
 overview, CG:89–CG:91
 popup menus, CG:115
 Browser Settings dialog box
 figure, CG:213
 browsing messages effectively,
 CG:134–CG:138
 buffering messages
 description, CG:37
 parameters, AR:132
 service hours, CG:439
 building managed nodes, CG:227

Bull DPX/20, DCE:59

C

<\$C> variable, AR:166
 C2 security
 techniques, CG:226
 Cancel Reboot application, DCE:394
 case-sensitivity in pattern-matching, CG:339
 catalogue, message, CG:318
 central
 competence centers, CG:450–CG:451
 management server
 action-allowed manager, CG:459
 configuring, CG:462
 description, CG:459
 secondary manager, CG:460
 centralizing actions, CG:305
 Cert. State Overview, AR:112
 certificate
 backup, HTTPS:212
 opscvcertbackup, HTTPS:212
 restore, HTTPS:212
 certificate client, HTTPS:48, HTTPS:53
 certificate server, HTTPS:48, HTTPS:52
 merging, HTTPS:56
 multiple, HTTPS:55, HTTPS:59
 sharing, HTTPS:61
 certificates, HTTPS:51
 add node to node bank, HTTPS:162
 creating, HTTPS:155
 delete request, HTTPS:161
 deny, HTTPS:161
 deploying automatically, HTTPS:158
 deployment troubleshooting, HTTPS:208
 distributing, HTTPS:155
 generation, HTTPS:164
 grant request, HTTPS:161
 hostname, HTTPS:156
 installation key, HTTPS:169
 IP address, HTTPS:156
 managing, HTTPS:161
 manual deployment, HTTPS:169
 map to selected node, HTTPS:163
 mapped to, HTTPS:156
 OvCoreID, HTTPS:156
 platform, HTTPS:157
 requests window, HTTPS:156

Master Index

- select all mapped requests, HTTPS:162
 - select all unknown nodes, HTTPS:162
 - troubleshooting, HTTPS:199
 - troubleshooting OvCoreIds, HTTPS:209
 - certification authority, HTTPS:52
 - cfgchanges file, AR:353
 - Change Operator Password dialog box
 - figure, CG:186
 - changing
 - character set
 - logfile encapsulator, AR:291
 - managed node, AR:290
 - communication types, AR:54–AR:56
 - defaults
 - property type of all messages forwarded to OVO, AR:240
 - WMI policy name, AR:240
 - hostnames, AR:514–AR:526
 - IP addresses, AR:514–AR:526
 - look and feel of Java GUI, CG:197
 - operator passwords
 - overview, CG:186
 - OVO administrator responsibility matrix, CG:224
 - passwords, AR:462
 - refresh interval, CG:193
 - user names, AR:462
- character code conversion, AR:298–AR:304
- character sets
 - ASCII, AR:291
- changing
 - logfile encapsulator, AR:291
 - managed nodes, AR:290
- converting, AR:298–AR:304
- English language
 - configuring, AR:298–AR:301
 - supported, AR:289
 - types, AR:292–AR:294
- Euro symbol, AR:287
- external on managed nodes, AR:291–AR:295
- ISO 8859-15, AR:287
- Japanese language
 - configuring, AR:302–AR:304
 - supported, AR:290
 - types, AR:294
- logfile encapsulator, AR:295–AR:297
- Spanish language
 - supported, AR:289
- charts
 - current state, CG:152
 - history, CG:154
- Check alarmdef application, AR:218
- Check parm application, AR:218
- choosing web browser, CG:204
- Citrix MetaFrame
 - applications, DCE:438–DCE:441
 - integration
 - configuring agent, DCE:434
 - configuring server, DCE:435
 - ICA Browser service, DCE:435
 - installing agent, DCE:434
 - logfile templates, DCE:437
 - monitored objects, DCE:436
 - overview, DCE:433–DCE:437
 - Program Neighbourhood service, DCE:436
 - software requirements, DCE:433
 - versions supported, DCE:433
- classifying unmatched messages, CG:49
- client-server concept, CG:33–CG:35
- clone images, HTTPS:128
- closing
 - EMS GUI, DCE:116
 - messages, CG:178
- cluster, HTTPS:146
- Cluster administration
 - overview, DCE:449–DCE:465
- clusters, mixed, AR:194
- CMIP events
 - forwarding, CG:416–CG:417
 - overview, CG:414–CG:421
- coda, CG:398
- coda process, AR:355
- Cold Boot the NetWare Server (NCF)
 - application, DCE:209
- collecting messages, CG:319–CG:321
- colored_message_lines option
 - ito_op, AR:321
 - itoopec, AR:323
- colors
 - figures
 - message browser, CG:94
 - object pane, CG:140
 - shortcut bar, CG:140
 - message browser, CG:215
 - Message Groups folder, CG:73

- messages
 - changing, CG:94
 - locations, CG:139–CG:141
- Nodes folder, CG:71
- columns, message browser
 - customizing, CG:216
 - hiding, CG:217
 - showing, CG:217
- command line
 - accessing man pages, AR:557
 - activating OVO agents
 - AIX, DCE:43
 - Solaris, DCE:282
 - interface, AR:136
 - license maintenance tool, AR:512–AR:513
 - NNM tools, AR:332
- command tracing, AR:67
- commands
 - agent, HTTPS:33
 - bbcutil, HTTPS:37
 - broadcasting, CG:175–CG:176
 - HTTPS communication, HTTPS:37
 - integrating applications as broadcast, AR:254
 - opccsa, HTTPS:39
 - opccsacm, HTTPS:39
 - opcctrlow, AR:332
 - opclie
 - parameters, AR:512–AR:513
 - syntax, AR:512
 - opcmaphnode, AR:332
 - opcpwall, AR:493
 - ovbackup.ovp, AR:494–AR:495
 - ovc, HTTPS:37
 - ovcert, HTTPS:39
 - ovconfget, HTTPS:37
 - ovcoreid, HTTPS:37
 - ovpolicy, HTTPS:38
 - ovrc, HTTPS:38
 - ovrestore.ovpl, AR:495–AR:497
 - stderr, CG:164
 - stdout, CG:164
 - synchronizing with OVO agent character set, AR:286
- communication
 - competence centers, CG:451
 - configuration file, HTTPS:220
 - configuration parameters, HTTPS:218
 - firewall and internet, HTTPS:233
 - firewall and proxies, HTTPS:232
 - firewall scenarios, HTTPS:232
 - in OVO, HTTPS:26
 - links
 - central server configuration, CG:462
 - manufacturing environment, CG:457
 - OVO, AR:347–AR:348
 - OVO troubleshooting, HTTPS:204
 - software types
 - changing, AR:54–AR:56
 - description, AR:39–AR:40
 - troubleshooting, HTTPS:190, HTTPS:192
- communication broker
 - applications registered, HTTPS:185
 - architecture, HTTPS:228
- community name
 - opcinfo file, AR:433
 - SNMP daemon configuration file, AR:434
- comparing messages with conditions
 - match conditions, CG:335–CG:337
 - preconfigured templates, CG:37
- competence centers
 - communication flow, CG:451
 - configuring, CG:451
 - distributing responsibility, CG:450–CG:451
 - overview, CG:450–CG:451
- component
 - embedded performance, CG:398
- components
 - HTTPS agent, HTTPS:27
- components in subproducts
 - English, DCE:83
- components, integrating into OVO, AR:245
- compression setting types, CG:373
- concepts
 - client-server, CG:33–CG:35
 - message forwarding, CG:472
 - trouble ticket system, AR:265
 - user, CG:55–CG:61
- Condition No. window, CG:410
- conditions
 - advanced threshold monitoring, CG:409–CG:410
 - applying to events, CG:335
 - match, CG:335–CG:337

Master Index

- message
 - description, CG:334–CG:337
 - overview, CG:330–CG:354
 - setting up, CG:333–CG:334
- modifying, CG:338
- multiple for threshold monitoring, CG:411–CG:412
- organizing, CG:337–CG:338
- pattern-matching examples, CG:339–CG:340
- regroup
 - defining, CG:382
 - examples, CG:383
- selecting, CG:338
- sequence, CG:355
- SNMP trap templates
 - defining, CG:418–CG:419
 - example, CG:420
- specifying for message templates, CG:390
- status variables, AR:133
- suppress
 - deploying, CG:356
 - description, CG:334–CG:337
- threshold monitor examples, CG:413
- types, CG:338
- CONDSTATUSVARS keyword, AR:119
- Config alarmdef application, AR:218
- Config parm application, AR:218
- Config perflbd.rc application, AR:218
- Config ttd.conf application, AR:218
- configuration
 - See also* configuring
 - bbc.ini file, HTTPS:220
 - communication parameters, HTTPS:218
 - deployment, HTTPS:31, HTTPS:89
 - distributing OVO agent to managed nodes, AR:189
 - downloading data, AR:485–AR:487
 - file
 - distributing, CG:470–CG:471
 - downloading, CG:470
 - responsible manager, CG:463–CG:464
 - uploading, CG:470
 - installing on managed nodes, AR:187–AR:203
 - loading default, CG:187–CG:193
 - protecting distribution, AR:470
 - push, HTTPS:93
 - server
 - multiple parallel, HTTPS:94
 - updating on managed nodes, AR:187–AR:203
- Configure Management Server window, AR:193
- configuring
 - See also* configuration
 - application-specific templates, CG:329
 - automatic acknowledgements, CG:166
 - basic Distributed Event Interception, DCE:100
 - central server, CG:459
 - Citrix MetaFrame
 - agent, DCE:434
 - server, DCE:435
 - competence centers, CG:451
 - database on multiple disks, AR:502–AR:503
 - DCE
 - AIX, DCE:40–DCE:41
 - managed nodes, AR:452
 - management server, AR:452
 - SINIX RM/Reliant, DCE:260
 - Tru64 UNIX, DCE:326–DCE:327
 - ECS event interception, DCE:101
 - EMS templates, DCE:120
 - escalation policies, CG:453
 - event correlation, CG:430
 - filenames on MPE/iX managed nodes, DCE:171
 - filtered message browsers, CG:209
 - flexible management templates, AR:117–AR:153
 - HTTPS nodes, HTTPS:100
 - managed nodes
 - description, CG:38
 - hierarchies, CG:459
 - regional management servers, CG:461–CG:462
 - management server
 - central, CG:462
 - English language, AR:298–AR:301
 - Japanese language, AR:302–AR:304
 - regional, CG:461–CG:462
 - responsible, CG:463–CG:471

- NNM access with command-line tools, AR:332
- node
 - authenticated RPCs, AR:454
 - DCE cell, AR:454
- notification service, AR:268
- OpenView Operations for Windows
 - agents for OVO management server, AR:232–AR:234
 - servers to forward messages to OVO, AR:235–AR:240
- OVO
 - agents for OpenView Operations for Windows management server, AR:228–AR:231
 - elements, CG:219–CG:301
 - messages forwarded from OpenView Operations for Windows, AR:237–AR:239
 - preconfigured elements, AR:69–AR:186
 - proxies, HTTPS:140
 - RPC authentication in OV, AR:458
 - scheduled outages, CG:442
 - service hours, CG:442
 - templates
 - message forwarding, AR:138
 - message source, CG:308
 - multiple, CG:326
 - threshold monitors, CG:408
 - time-indifferent templates, CG:466
 - timeouts for report generation, AR:109
 - trouble ticket system, AR:269
 - VantagePoint for Windows
 - agents on OpenView Operations for Windows management server, AR:239
- Configuring_DCE, DCE:40
- Connections application, DCE:209
- console messages, MPE/ix, CG:422–CG:425
- console settings
 - saving, CG:195–CG:197
- consolidating messages in browser, CG:306
- continuous message generation, CG:405
- control
 - files, AR:502
 - follow-the-sun, CG:448–CG:450
 - managed nodes, CG:228
 - message
 - sharing, CG:473
 - switching, CG:473–CG:474
- controller tool, AR:333–AR:334
- converting
 - character sets, AR:298–AR:304
 - managed node files
 - EUC, AR:303
 - ROMAN8, AR:300
 - managed nodes to EUC, AR:306
 - management server to EUC, AR:305
- copying and pasting nodes, CG:242
 - See also* dragging and dropping nodes
- corrective actions
 - automatic, CG:393
 - managed node, CG:37
 - operator-initiated, CG:393
- Corrective Actions workspace
 - description, CG:84
 - evaluating action results, CG:164
- correlating
 - events
 - description, CG:45, CG:427–CG:428
 - NNM, CG:431
 - overview, CG:427–CG:434
 - messages, CG:359
 - different sources, CG:429
 - flexible management environments, CG:434
 - managed nodes, CG:429, CG:432
 - management server, CG:429, CG:433
 - messages and events, CG:357
- counter-based suppression, CG:375
- CPU Info application, DCE:210
- creating
 - configuration file
 - responsible managers, CG:463
 - message
 - source templates, CG:309
 - status, CG:319
 - mirror online redo logs, AR:503
 - primary account manually, AR:468
 - SD-UX depot on remote node, DCE:87–DCE:88
 - template
 - group hierarchies, CG:311
 - groups, CG:311
- Critical message severity level, AR:74

Master Index

- Cron (10.x/11.x HP-UX) logfile, DCE:98
- Cron (RedHat Linux) template, DCE:142
- Cron (Solaris) template, DCE:288
- ctrlp pipe file, AR:353
- ctrlq queue file, AR:353
- current state chart
 - figures
 - bar chart, CG:152
 - pie chart, CG:153
 - overview, CG:152
- custom message attributes
 - adding to your message, CG:348
 - overview, CG:147
 - setting defaults, CG:324
 - viewing, CG:148
- customer-specific sub-tree on management server, DCE:81
- Customize Message Browser Columns dialog box
 - figures
 - Custom tab, CG:138
 - General tab, CG:137
- customized job stream facility
 - preparing OVO, DCE:163
 - setting up on MPE/iX managed nodes, DCE:162
- customizing
 - applications, CG:171
 - binaries, AR:191
 - Java GUI, CG:185
 - message browser columns
 - attributes, CG:136
 - layout, CG:216
 - message event notification, CG:208
 - operator environment, CG:185
 - OVPA, AR:209
 - popup menus, CG:206–CG:207
 - reports
 - administrator, AR:113
 - operator, AR:115
 - scripts, AR:191
 - shortcut bar, CG:204
- D**
- daemons
 - DCE
 - MPE/iX, DCE:157
 - NCS, DCE:157
 - RPC
 - MPE/iX, DCE:157
 - troubleshooting, AR:427
 - SNMP, AR:434
 - SSP snmpd, DCE:307
 - data, backing up on management server, AR:488–AR:500
 - database
 - archive log mode
 - description, AR:488, AR:491
 - enabling, AR:492–AR:493
 - configuring on multiple disks, AR:502–AR:503
 - excluding files from automatic backups, AR:491
 - group, message target rule example, CG:465
 - improving performance, AR:371
 - maintaining, AR:501
 - moving control files to second disk, AR:502
 - recovering, AR:498–AR:499
 - removing queue files, AR:500
 - reports, AR:109–AR:116
 - restoring, AR:498
 - restricting access, AR:116
 - security, AR:465
 - tables and tablespaces
 - non-OVO, AR:552
 - OVO, AR:547
 - troubleshooting, AR:385–AR:387
 - Database message group, AR:72
 - Date message attribute, AR:77
 - DCE
 - changing, AR:54–AR:56
 - configuring
 - AIX, DCE:40–DCE:41
 - managed nodes, AR:452
 - management server, AR:452
 - SINIX RM/Reliant, DCE:260
 - Tru64 UNIX, DCE:326–DCE:327
 - description, AR:39
 - nodes
 - configuring to run in DCE cell, AR:454
 - configuring to use authenticated RPCs, AR:454
 - description, AR:453
 - installing, AR:453

- login failure, AR:468
- passwords, AR:467–AR:468
- removing
 - AIX, DCE:41
 - SINIX RM/Reliant, DCE:261
 - Tru64 UNIX, DCE:327
- security, AR:451–AR:456
- servers
 - description, AR:453
 - installing, AR:452
- DCE agent comparison, HTTPS:31
- commands, HTTPS:33
- configuration deployment, HTTPS:31
- distribution managers, HTTPS:32
- multiple parallel configuration servers, HTTPS:32
- performance, HTTPS:33
- processes, HTTPS:34
- resource requirements, HTTPS:32
- troubleshooting, HTTPS:35
- DCE agents
 - alternative user concept, HTTPS:84
 - migrate from HTTPS, HTTPS:117
 - migrate to HTTPS, HTTPS:113
- debugging software (de-)installation, AR:67–AR:68
- Description message attribute, AR:77
- def_browser option, AR:321
- def_help_url option, AR:323
- def_look_and_feel option
 - ito_op, AR:321
 - itoopec, AR:323
- default OVO operator
 - AIX, DCE:61
 - HP-UX, DCE:108
 - Linux, DCE:148–DCE:149
 - MPE/iX, DCE:177
 - Novell NetWare, DCE:218
 - Sequent DYNIX, DCE:235
 - SGI IRIX, DCE:249
 - SINIX RM/Reliant, DCE:267
 - Solaris, DCE:296
 - Tru64 UNIX, DCE:348
 - Windows NT/2000, DCE:430
- default_browser option, AR:323
- defaults
 - assigned by
 - administrator, CG:191
 - OVO, CG:188
 - IP map, AR:336
 - loading configuration, CG:187–CG:193
 - management server setup, CG:446
 - message
 - groups, AR:71–AR:73
 - mapping on MPE/iX, DCE:165
 - templates on MPE/iX, CG:424
 - node groups, AR:71
 - script and program directory, AR:266
 - threshold monitor, CG:409
 - trap and event interception, CG:414
 - WMI policy name, AR:240
 - working directory, AR:463
- Define Configuration window, CG:313
- defining
 - conditions
 - messages, CG:408
 - regroup, CG:382
 - SNMP trap templates, CG:418–CG:419
 - message groups, CG:50
 - report printer, AR:109
 - scheduled outages, CG:441
 - service hours, CG:440
 - templates
 - logfiles, CG:388
 - messages, CG:389, CG:418
 - MPE/iX console messages, CG:423
- de-installation
 - agent software, HTTPS:145
 - automatic, HTTPS:145
 - manual, HTTPS:145
 - problems, HTTPS:145
- de-installation debugging
 - disabling, AR:68
 - enabling, AR:68
 - facilities, AR:67
- de-installing
 - See also* automatic de-installation; installing; manual de-installation; removing; standard de-installation
 - OVO agents from managed nodes
 - AIX, DCE:54
 - automatically, AR:62–AR:63
 - HP-UX, DCE:96
 - Linux, DCE:140–DCE:141

Master Index

- manually, AR:63
- MPE/iX, DCE:163
- Sequent DYNIX, DCE:230
- SGI IRIX, DCE:244
- SINIX RM/Reliant, DCE:262
- Solaris, DCE:285
- Tru64 UNIX, DCE:334
- Windows NT/2000, DCE:385
- OVPA managed nodes
 - HP-UX, AR:216
 - Solaris, AR:216
- De-installing Agents, DCE:140
- De-installing Agents Automatically, DCE:140
- delegating manager responsibilities, CG:468
- delete request, HTTPS:161
- deleting
 - message groups, AR:73
 - node groups, AR:71
- delta distribution, HTTPS:94
- deny request, HTTPS:161
- deploy, HTTPS:31
 - certificates, HTTPS:169
 - certificates automatically, HTTPS:158
 - root certificate, HTTPS:54
- deploying suppress unmatched conditions, CG:356
- depot nodes, DCE:86
- DESCRIPTION keyword, AR:119
- detecting problems
 - browsing messages effectively, CG:134–CG:138
 - early, CG:305
 - message
 - event notification, CG:133
 - severity coloring, CG:139–CG:141
 - monitoring OVO, CG:131
 - overview, CG:130
 - searching object tree, CG:132
 - viewing messages in message browser, CG:133
- Developer's Kit APIs man pages, AR:564
- DHCP
 - agent management, HTTPS:154
 - HTTPS agents, HTTPS:152
 - NNM synchronization, HTTPS:154
 - opnode variables, HTTPS:153
 - variables, HTTPS:153
- Diagnostic Dashboard workspace
 - accessing OpenView applications, CG:156
 - overview, CG:83
- Diagnostics application, DCE:395
- Digital UNIX. *See* Tru64 UNIX managed nodes
- directories
 - See also* files; target directories; temporary directories
 - AIX, DCE:59, DCE:176
 - HP-UX, DCE:103, DCE:146
 - maintaining, AR:505
 - Novell NetWare, DCE:216
 - runtime data on managed nodes, AR:507
 - Sequent DYNIX, DCE:233
 - SGI IRIX, DCE:247
 - SINIX RM/Reliant, DCE:265
 - Solaris, DCE:294
 - Tru64 UNIX, DCE:338
 - Windows NT/2000, DCE:428
 - working, AR:463
- directory
 - OVDataDir, HTTPS:36
 - OVInstallDir, HTTPS:36
 - structure, HTTPS:36
- disabled nodes
 - See also* disabling
 - description, CG:228
 - managing, CG:247
- disabling
 - See also* disabled nodes; enabling
 - (de-)installation debugging, AR:68
 - primary account manually, AR:468
- disadvantages of backups
 - automatic, AR:491
 - offline, AR:489
- Disconnect application, DCE:439
- Disk Space application, DCE:173
- Disks application, DCE:210
- disks, multiple, AR:502–AR:503
- Display a File application, DCE:210
- display modes, ownership, CG:163, CG:292–CG:293
- display option
 - ito_op, AR:321
 - itooprc, AR:323
- displaying
 - available OVO agent versions, AR:65
 - installed OVO agent versions, AR:65

- message
 - defaults, CG:326
 - groups, AR:72
 - dispp<#> pipe file, AR:353
 - dispq<#> queue file, AR:353
 - Distributed Computing Environment. *See* DCE
 - Distributed Event Interception
 - configuring, DCE:100
 - description, DCE:99
 - distributing
 - See also* distribution
 - configuration file
 - other servers, CG:470–CG:471
 - responsible managers, CG:464
 - managed nodes
 - OVO agent configuration, AR:189
 - scripts and programs, AR:190–AR:194
 - responsibility in competence centers, CG:450–CG:451
 - templates
 - assigned, CG:315
 - description, CG:305
 - message source, CG:315–CG:316
 - distribution
 - See also* distributing
 - lists
 - controlling size, CG:477–CG:479
 - overview, CG:477–CG:480
 - manager, AR:191
 - scripts and programs
 - AIX, DCE:58–DCE:59
 - HP-UX, DCE:103–DCE:105
 - Linux, DCE:144–DCE:146
 - MPE/iX, DCE:175–DCE:176
 - Novell NetWare, DCE:215–DCE:216
 - requirements, AR:190
 - Sequent DYNIX, DCE:232–DCE:233
 - SGI IRIX, DCE:246–DCE:247
 - SINIX RM/Reliant, DCE:264–DCE:265
 - Solaris, DCE:293–DCE:294
 - tips, AR:190–AR:193
 - Tru64 UNIX, DCE:337–DCE:338
 - UNIX, AR:194
 - Windows NT/2000, DCE:427–DCE:428
 - distribution manager, HTTPS:32, HTTPS:92
 - documentation, related
 - OVPA, AR:223–AR:224
 - documenting solutions, CG:40
 - acknowledging messages, CG:183–CG:184
 - annotating messages, CG:179–CG:181
 - overview, CG:178
 - printing, CG:182
 - domain, worldwide management, CG:448
 - Download Configuration Data window
 - description, AR:486–AR:487
 - figure, AR:486
 - opening, AR:487
 - downloading
 - configuration
 - data, AR:485–AR:487
 - files, CG:470
 - OVPA documentation, AR:223
 - dragging and dropping nodes, CG:242
 - See also* copying and pasting nodes
 - dual-homed host, HTTPS:139
 - duplicate messages
 - avoiding, CG:417
 - suppressing
 - flexible management environments, CG:378
 - management server, CG:376–CG:378
 - overview, CG:370
 - DYNIX. *See* Sequent DYNIX managed nodes
- ## E
- E message attribute, AR:77
 - <\$E> variable, AR:166
 - <\$e> variable, AR:166
 - ECS
 - configuring, DCE:101
 - elements, preconfigured, AR:71–AR:108
 - embedded performance component, CG:398
 - troubleshooting, AR:428–AR:432
 - EMS
 - See also* EMS Resources application
 - errors, DCE:119
 - GUI
 - closing, DCE:116
 - overview, DCE:116–DCE:117
 - starting, DCE:116, DCE:117
 - viewing resource instances, DCE:116
 - opcmgs (3) API, DCE:113
 - overview, DCE:113–DCE:120

Master Index

- OVO Application Bank window,
 - DCE:118–DCE:119
- resource hierarchy
 - command line, DCE:120
 - GUI, DCE:116–DCE:117
 - OVO Application Bank window,
 - DCE:118–DCE:119
- sending notifications to OVO, DCE:120
- templates
 - configuring, DCE:120
 - threshold monitoring, DCE:113–DCE:115
- EMS Resources application
 - See also* EMS
 - description, DCE:118
 - sample output, DCE:118
 - syntax, DCE:119
- enabling
 - See also* disabling
 - (de-)installation debugging, AR:68
 - actions on secondary manager, CG:468
 - archive log mode in database,
 - AR:492–AR:493
 - duplicate message suppression on
 - management server, CG:377–CG:378
 - internal OVO error message filtering,
 - AR:384
 - operators
 - to control OVO agents, AR:252–AR:253
 - to manage IP networks in IP map, AR:249
 - SD-UX, DCE:89
- encapsulator, logfile, CG:384
- Enforced ownership mode, CG:162, CG:294
- English
 - agent filesets in OVOPC-CLT, DCE:82
 - components in subproducts, DCE:83
- English language
 - character sets, AR:292–AR:294
 - HP-UX configuration and related character sets, AR:298
 - management server, AR:298–AR:301
 - processing managed node files,
 - AR:300–AR:301
- environmental variables, AR:155
- environments
 - customizing operator GUI, CG:185
 - English language
 - character sets, AR:292–AR:294
 - description, AR:289
 - managed nodes with Japanese management server, AR:291
 - flexible management, CG:434
 - Japanese language
 - description, AR:290
 - external character sets, AR:294
 - flexible management, AR:305–AR:306
 - running English-language GUI, AR:278
 - loading default configuration,
 - CG:187–CG:193
 - OVO administrator, CG:221–CG:224
 - securing, CG:225–CG:226
 - Spanish language
 - description, AR:289
- errors
 - EMS, DCE:119
 - getting instructions with opcerr, AR:383
 - logfiles, AR:380
 - messages
 - filtering internal, CG:426, AR:384
 - locations, AR:380
 - reporting
 - GUI Error Dialog Box, AR:382–AR:383
 - message browser, AR:381
 - overview, AR:380–AR:384
 - stderr and stdout devices, AR:383
- escalating messages, CG:177
 - See also* messages
 - acknowledgements, CG:453
 - annotations, CG:454
 - guidelines, CG:453
 - overview, CG:452–CG:455
 - policy, CG:453
 - process, CG:454–CG:455
- escmgr template, AR:117
- establishing remote host equivalence,
 - DCE:308
- Ethernet problems, AR:436
- Ethernet Traffic HP, integrating as an OV application, AR:250
- EUC
 - managed node, AR:303
 - management server, AR:305
- Euro
 - displaying in Motif GUI, AR:278
- Euro symbol, AR:287

- evaluating action results, CG:164
 - evaluating messages
 - severity, CG:318
 - sources, CG:317–CG:318
 - Event Monitoring Service. *See* EMS
 - <\$EVENT_ID> variable, AR:162
 - events
 - applying conditions, CG:335
 - CMIP, CG:414–CG:421
 - correlating
 - configuration, CG:430
 - description, CG:427–CG:428
 - event streams, CG:45
 - NNM, CG:431
 - overview, CG:427–CG:434
 - synchronizing, CG:431
 - template example, CG:435–CG:438
 - with messages, CG:357
 - description, CG:44–CG:45
 - Distributed Event Interception, DCE:99–DCE:100
 - ECS event interception, DCE:101
 - interceptor, CG:431
 - monitoring
 - EMS, DCE:113–DCE:120
 - HP-UX, DCE:113–DCE:120
 - resetting
 - HACMP 4.2.2, DCE:51
 - HACMP 4.3.1, DCE:51–DCE:52
 - SNMP, CG:414–CG:421
 - tracing, AR:67
 - example.m2 template, AR:117
 - example.m3 template, AR:118
 - examples
 - conditions
 - MPE/iX console message, CG:424–CG:425
 - regroup, CG:383
 - SNMP trap, CG:420
 - message target rules
 - database group, CG:465
 - printing group, CG:465
 - remote action flow, AR:472
 - RPC authentication in OVO, AR:458
 - scripts
 - notification service, AR:266
 - trouble ticket system, AR:266
 - templates
 - event correlation, CG:435–CG:438
 - flexible management, AR:124, AR:146–AR:153
 - follow-the-sun responsibility switch, AR:148–AR:149
 - message forwarding between
 - management servers, AR:150–AR:151
 - responsibility switch, AR:146–AR:147
 - scheduled outages, AR:153
 - service hours, AR:152
 - time, AR:141–AR:143
 - exceptions warnings, system, AR:343
 - excluding
 - files from automatic backups, AR:491
 - networking commands from streamed jobs, DCE:161
 - exporting SSP logfiles directory, DCE:308
 - external
 - character sets, AR:291–AR:295
 - monitors, CG:396
 - nodes
 - adding, CG:238
 - characteristics, CG:239
- F**
- <\$F> variable, AR:166
 - Failures policy, CG:134
 - features
 - Java and Motif GUIs, AR:320
 - OVO, CG:17
 - file tree, management server, DCE:76–DCE:81
 - filenames
 - binary, AR:194
 - MPE/iX, DCE:171
 - files
 - See also* directories; include file; logfiles; makefile
 - access, CG:226, AR:463
 - configuration
 - responsible managers, CG:463–CG:464
 - control, AR:502
 - converting managed node
 - EUC, AR:303
 - ROMAN8, AR:300
 - excluding from automatic backups
 - database, AR:491

Master Index

- temporary, AR:491
- HP_OV_consoleSettings, CG:196
- include file
 - AIX, DCE:63
 - HP-UX, DCE:112
 - Linux, DCE:151
 - MPE/iX, DCE:182
 - Novell NetWare, DCE:222
 - Sequent DYNIX, DCE:237
 - SGI IRIX, DCE:251
 - Solaris, DCE:299
 - Tru64 UNIX, DCE:351
 - Windows NT/2000, DCE:432
- itoopec, AR:323–AR:327
- location
 - AIX, DCE:60
 - HP-UX, DCE:108
 - Linux, DCE:148
 - MPE/iX, DCE:177
 - Novell NetWare, DCE:217
 - Sequent DYNIX, DCE:234
 - SGI IRIX, DCE:248
 - SINIX RM/Reliant, DCE:266
 - Solaris, DCE:295
 - Tru64 UNIX, DCE:347
 - Windows NT/2000, DCE:430
- maintaining, AR:505
- makefile
 - AIX, DCE:64
 - HP-UX, DCE:112
 - Linux, DCE:151
 - MPE/iX, DCE:183
 - Novell NetWare, DCE:223
 - Sequent DYNIX, DCE:238
 - SGI IRIX, DCE:252
 - SINIX RM/Reliant, DCE:270
 - Solaris, DCE:300
 - Tru64 UNIX, DCE:352
 - Windows NT/2000, DCE:432
- mapping, DCE:180
- .opc_brc_history, CG:176
- opcinfo, AR:433
- OVO agent configuration
 - location, AR:362
 - types, AR:361
- permissions, AR:463
- pipe
 - managed nodes, AR:358–AR:359
 - management server, AR:353–AR:354
- process
 - managed node, AR:357–AR:360
 - management server, AR:353–AR:354
- processing managed node
 - English, AR:300–AR:301
 - Japanese, AR:303–AR:304
- processing management server
 - ISO 8859-15, AR:299
 - Shift JIS, AR:302
- queue
 - managed nodes, AR:358–AR:359
 - management server, AR:353–AR:354
 - removing, AR:500
 - security, AR:474
- SNMP daemon configuration, AR:434
- system resource
 - AIX, DCE:61
 - HP-UX, DCE:109
 - MPE/iX, DCE:178
 - Novell NetWare, DCE:218
 - Sequent DYNIX, DCE:236
 - SGI IRIX, DCE:250
 - SINIX RM/Reliant, DCE:268
 - Solaris, DCE:296
 - Tru64 UNIX, DCE:349
 - Windows NT/2000, DCE:431
- filesets
 - list OV installed, HTTPS:186
 - basic inventory, HTTPS:186
 - detailed inventory, HTTPS:187
 - native inventory, HTTPS:187
- Filter Messages dialog box
 - figure, CG:158
- Filter Settings folder
 - figure, CG:76
 - overview, CG:76–CG:77
- filtered message browser
 - See also* active message browser; history message browser; message browser; pending messages browser
- active
 - figure, CG:96
 - overview, CG:96–CG:97
- configuring, CG:209

- history
 - figure, CG:98
 - investigating problems, CG:157–CG:158
 - overview, CG:98
- pending
 - investigating problems, CG:159
 - overview, CG:99
 - saving settings, CG:212–CG:213
- filtering messages
 - conditions, CG:330–CG:354
 - description, CG:49
 - internal error messages, CG:426, AR:384
 - managed node, CG:355
 - management server, CG:355
 - multiple templates, CG:328
 - sources, CG:330–CG:331
- Find dialog box
- figures
 - advanced search, CG:132
 - basic search, CG:132
- finding impacted Service Navigator services, CG:156
- firewall
 - internet communication, HTTPS:233
 - proxies, HTTPS:232
 - scenarios, HTTPS:232
- flexible management environments
 - advantages, CG:447
 - correlating messages, CG:434
 - overview, CG:446–CG:456
 - suppressing duplicate messages, CG:378
- Japanese-language environments, AR:305–AR:306
- templates
 - configuring, AR:117–AR:153
 - examples, AR:146–AR:153
 - follow-the-sun responsibility switch, AR:148–AR:149
 - keywords, AR:119–AR:123
 - location, AR:117
 - message forwarding between
 - management servers, AR:150–AR:151
 - responsibility switch, AR:146–AR:147
 - scheduled outages, AR:153
 - service hours, AR:152
 - syntax, AR:124–AR:129
 - types, AR:117
- flow charts
 - communication in competence centers, CG:451
 - communication links
 - central server configuration, CG:462
 - manufacturing environment, CG:457
 - configuring
 - event correlation in OVO, CG:430
 - message source templates, CG:308
 - DCE RPC client-server authentication
 - process, AR:458
 - directory structure
 - AIX, DCE:60
 - HP-UX, DCE:106
 - Linux, DCE:147
 - MPE/iX, DCE:177
 - Novell NetWare, DCE:217
 - Sequent DYNIX, DCE:234
 - SGI IRIX, DCE:248
 - SINIX RM/Reliant, DCE:266
 - Solaris, DCE:295
 - Tru64 UNIX, DCE:347
 - Windows NT/2000, DCE:429
 - downloading and uploading configuration files, CG:470
 - filtering messages
 - management server, CG:332
 - multiple templates, CG:328
 - OVO agent, CG:331
 - HP-UX configuration and related character sets
 - English, AR:298
 - Japanese, AR:302
 - installing OVO agents
 - Novell NetWare, DCE:195
 - Windows NT/2000, DCE:362
 - interceptors
 - MPE/ix console messages, CG:422
 - SNMP events with NNM, CG:415
 - logfile encapsulator, CG:384
 - logical event correlation, CG:428
 - management responsibility
 - switching, CG:467
 - templates for managed nodes, CG:464
 - message escalation process, CG:454

Master Index

- message flow
 - managed nodes, CG:432
 - management server, CG:433
 - message forwarding
 - large hierarchies, CG:478
 - process, CG:477
 - OVO
 - functional overview, AR:347
 - message interface, CG:391
 - remote actions, AR:472
 - scalability scenarios
 - multiple management servers, CG:489
 - multiple management servers with OVO
 - agents and NNM collection stations, CG:491
 - NNM collection stations with OVO
 - agents, CG:487
 - OVO agents monitoring IP devices, CG:486
 - single management server, CG:484
 - SD-UX remote software depot installation
 - method, DCE:86
 - SNMP event system in OVO, CG:416
 - worldwide management domain, CG:448
 - Flush application, DCE:439
 - follow-the-sun control, CG:448–CG:450
 - followthesun template, AR:118
 - font X resources, AR:279–AR:283
 - formatting messages, CG:50
 - forwarding
 - CMIP events, CG:416–CG:417
 - messages, CG:449
 - between management servers, CG:472–CG:483
 - notification system, CG:475, AR:133
 - OpenView Operations for Windows
 - management server, AR:236
 - strategies, CG:480–CG:482
 - templates, CG:476–CG:477
 - trouble ticket system, AR:133
 - SNMP traps, CG:416–CG:417
 - unmatched messages, AR:382
 - forwmgrp pipe file, AR:353
 - forwmgrq queue file, AR:353
 - FTP (re-)installation
 - See also* installing Windows NT/2000
 - installing agents, DCE:367–DCE:372
 - re-installing agents, DCE:378–DCE:381
 - functionality, OVO, CG:39–CG:43
 - functions, offline backup, AR:489
- ## G
- <\$G> variable, AR:167
 - generate certificates, HTTPS:164
 - generating
 - default message
 - key relations, CG:366–CG:367
 - keys, CG:366–CG:367
 - Internet reports, AR:109
 - reports, CG:40
 - generating new NMEV marker, DCE:169–DCE:170
 - generic templates, CG:329
 - getting error instructions
 - opcerr, AR:383
 - grant request, HTTPS:161
 - graphical user interface. *See* GUI
 - group symbols, CG:235
 - GUI
 - See also* Java GUI; Motif GUI
 - documentation
 - activating OVO agents
 - AIX, DCE:45
 - Solaris, DCE:283
 - EMS, DCE:116–DCE:117
 - Java
 - accessing, AR:465
 - comparison with Motif, AR:318–AR:320
 - overview, AR:315–AR:343
 - language support
 - displaying Euro symbol, AR:278
 - font X resources, AR:279–AR:283
 - running English GUI in Japanese environment, AR:278
 - setting language, AR:277–AR:283
 - management server, troubleshooting, AR:390–AR:392
 - Motif
 - accessing, AR:464
 - comparison with Java, AR:318–AR:320
 - operator
 - saving output, CG:222
 - starting OVO, CG:222

- OVO administrator
 - accessing, AR:464
 - description, CG:222
 - permissions, AR:464—AR:465
 - SAM, DCE:101
 - variables, AR:171—AR:186
- GUI Error Dialog Box, AR:382—AR:383
- guidelines
 - escalating messages, CG:453
 - message key, CG:360—CG:363
 - scripts and programs
 - notification service, AR:266
 - trouble ticket system, AR:266
- H**
- HA message group, AR:72
- HA resource group, HTTPS:146
- HACMP
 - installation requirements, DCE:48
 - installing OVO agents, DCE:46—DCE:53
- IP
 - address naming scheme, DCE:47
 - aliases, DCE:46—DCE:50
 - troubleshooting, DCE:49
- resetting events
 - HACMP 4.2.2, DCE:51
 - HACMP 4.3.1, DCE:51—DCE:52
- hardware
 - HP 3000/900, DCE:176
 - HP 9000/700, DCE:105
 - HP 9000/800, DCE:105
 - HP IA64, DCE:105
 - IBM RS/6000, DCE:59
 - Intel
 - Linux, DCE:146
 - NetWare, DCE:216
 - Sequent DYNIX, DCE:233
 - Windows 2000/NT, DCE:428
 - Siemens Nixdorf, DCE:265
 - Silicon Graphics, DCE:247
 - Sun SPARCstation, DCE:294
- Hardware message group
 - MPE/iX, DCE:165
 - OVO, AR:72
- hardware requirements
 - OVO
 - AIX, DCE:33
 - HP-UX, DCE:69
 - Linux, DCE:127
 - MPE/iX, DCE:155
 - Novell NetWare, DCE:187
 - Sequent DYNIX, DCE:227
 - SGI IRIX, DCE:241
 - SINIX RM/Reliant, DCE:255
 - Solaris, DCE:273
 - Tru64 UNIX, DCE:317
 - Windows NT/2000, DCE:357—DCE:358
- headline, message browser
 - figure, CG:93
- heartbeat polling, HTTPS:96
 - reduce CPU load, HTTPS:96
 - reduce network load, HTTPS:96
- hiding
 - message browser columns, CG:217
 - panes and areas, CG:201—CG:203
 - position controls, CG:198
- hie.time.spec template, AR:118
- hier.specmgr template, AR:118
- hier.time.all template, AR:118
- hierarchies
 - domain, CG:458—CG:459
 - managed nodes, CG:233—CG:234
 - management server, CG:457—CG:462
 - message forwarding, CG:478
- hierarchy template, AR:118
- hierarchy.agt template, AR:118
- hierarchy.sv template, AR:118
- history graph
 - figures
 - popup menu, CG:155
 - severity changes over time, CG:154
 - overview, CG:154
- history message browser
 - See also* active message browser; filtered message browser; message browser; pending messages browser
 - investigating problems, CG:157—CG:158
 - overview, CG:98
- hostname, HTTPS:156
 - automatically changing, HTTPS:135
 - changing, HTTPS:130
 - manually changing, HTTPS:130
- hostnames
 - changing, AR:514—AR:526
 - managed node, AR:522, AR:538

Master Index

- management server, AR:515–AR:517,
AR:527–AR:530
- hostview application, DCE:306
- HP 3000/900, DCE:176
- HP 9000/700, DCE:105
- HP 9000/800, DCE:105
- HP applications, integrating into OVO,
AR:245
- HP IA64, DCE:105
- HP ITO Account
 - Windows NT/2000, DCE:364
- HP OpenView. *See* OpenView
- HP OpenView Performance Agent. *See* OVPA
- HP OpenView Service Desk, AR:265
- HP OpenView VantagePoint Operations. *See*
OVO
- HP Software Distributor. *See* SD-UX
- HP System Administrator. *See* SAM
- HP VantagePoint Network Node Manager.
See NNM
- HP_OV_consoleSettings file, CG:196
- hp_ux node group, AR:71
- HP-UX 10.x template group, DCE:97
- HP-UX 11.x template group, DCE:97
- HP-UX managed nodes
 - See also* HP-UX management server;
SD-UX
 - activating, DCE:93–DCE:96,
DCE:331–DCE:333
 - applications
 - ASCII SAM, DCE:101
 - EMS Resources, DCE:118–DCE:119
 - Motif SAM, DCE:101
 - EMS
 - command line, DCE:120
 - GUI, DCE:116–DCE:117
 - overview, DCE:113–DCE:120
 - OVO Application Bank window,
DCE:118–DCE:119
 - sending notifications to OVO, DCE:120
 - threshold monitoring, DCE:113–DCE:115
- OVO
 - accessing programs, AR:465
 - default operator, DCE:108
 - de-installing agents, DCE:96
 - directory structure, DCE:106
 - file locations, DCE:108
 - hardware requirements, DCE:69
 - include file, DCE:112
 - installation requirements,
DCE:69–DCE:75
 - installation tips, DCE:84–DCE:85
 - installing agents, DCE:84–DCE:92
 - libraries, DCE:110–DCE:112
 - logfile locations, AR:508–AR:509
 - logfile templates, DCE:98
 - makefiles, DCE:112
 - manual installation, DCE:90–DCE:92
 - message templates, DCE:97
 - organization, DCE:106–DCE:109
 - overview, DCE:67–DCE:122
 - preconfigured elements, DCE:97–DCE:102
 - scripts and programs, DCE:103–DCE:105
 - SD-UX installation, DCE:86–DCE:92
 - SNMP event interceptor,
DCE:99–DCE:101
 - software requirements, DCE:70–DCE:75
 - standard installation, DCE:85
 - system resource files, DCE:109
 - template groups, DCE:97
- OVPA
 - de-installing, AR:216
 - installation requirements, AR:210–AR:211
 - installing, AR:212–AR:215
 - overview, AR:205–AR:224
 - preconfigured elements, AR:218–AR:222
 - template groups, AR:220–AR:222
- HP-UX management server
 - See also* HP-UX managed nodes
 - configuration and related character sets
 - English, AR:298
 - Japanese, AR:302
 - language variable for keyboards, AR:279
- HTML format, accessing man pages, AR:557
- HTTPS agent
 - alternative users, HTTPS:70
 - agent profile, HTTPS:77
 - changing default port, HTTPS:76
 - comparison with DCE agents, HTTPS:84
 - configuring the management server,
HTTPS:75
 - installation, HTTPS:73
 - limitations, HTTPS:71
 - patching, HTTPS:80
 - preparation, HTTPS:72

- sudo, HTTPS:81
- upgrading, HTTPS:80
- architecture, HTTPS:27
- authentication troubleshooting, HTTPS:199
- certificate troubleshooting, HTTPS:199, HTTPS:208
- commands, HTTPS:33
- communication troubleshooting, HTTPS:190, HTTPS:192, HTTPS:204
- compare with DCE agent, HTTPS:31
- commands, HTTPS:33
- configuration deployment, HTTPS:31
- distribution managers, HTTPS:32
- multiple parallel configuration servers, HTTPS:32
- performance, HTTPS:33
- processes, HTTPS:34
- resource requirements, HTTPS:32
- troubleshooting, HTTPS:35
- components, HTTPS:27
- configuration deployment, HTTPS:89
- configuration push, HTTPS:93
- delta distribution, HTTPS:94
- directory structure, HTTPS:36
- distribution manager, HTTPS:92
- firewall and proxies, HTTPS:232
- firewall scenarios, HTTPS:232
- instrumentation management, HTTPS:90
- Internet communication, HTTPS:233
- multiple parallel configuration servers, HTTPS:94
- network troubleshooting, HTTPS:190
- performance, HTTPS:33
- processes, HTTPS:34
- supported platforms, HTTPS:28
- troubleshooting, HTTPS:35
- HTTPS agents
 - DHCP, HTTPS:152
 - management, HTTPS:154
 - NNM synchronization, HTTPS:154
 - opnode variables, HTTPS:153
 - variables, HTTPS:153
 - heartbeat polling, HTTPS:96
 - reduce CPU load, HTTPS:96
 - reduce network load, HTTPS:96
 - remote control, HTTPS:98

- HTTPS communication
 - advantages, HTTPS:25
 - commands, HTTPS:37
 - bbcutil, HTTPS:37
 - opccsa, HTTPS:39
 - opccsacm, HTTPS:39
 - ovc, HTTPS:37
 - ovcert, HTTPS:39
 - ovconfchg, HTTPS:38
 - ovconfget, HTTPS:37
 - ovcoreid, HTTPS:37
 - ovpolicy, HTTPS:38
- HTTPS nodes
 - add to node bank, HTTPS:162
 - change hostname
 - automatically, HTTPS:135
 - manually, HTTPS:130
 - change IP address
 - automatically, HTTPS:135
 - manually, HTTPS:130
 - changing hostname, HTTPS:130
 - changing IP address, HTTPS:130
 - configuring, HTTPS:100
 - controlling, HTTPS:88
 - de-installation
 - agent software automatically, HTTPS:145
 - agent software manually, HTTPS:145
 - problems, HTTPS:145
 - installation
 - manual, HTTPS:119
 - manual behind proxy, HTTPS:143
 - manually from package files, HTTPS:120
 - software, HTTPS:101
 - using clone images, HTTPS:128
 - map certificate to selected node, HTTPS:163
 - migrating from DCE, HTTPS:113
 - migrating to DCE, HTTPS:117
 - name resolution, HTTPS:136
 - policy management, HTTPS:90
 - proxies on management server, HTTPS:144
 - select all unknown, HTTPS:162
 - variables, HTTPS:126

I

- I message attribute, AR:76
- I/O applications, starting remotely, AR:467

Master Index

- IBM AIX. *See* AIX managed nodes
- IBM RS/6000, DCE:59
- ICA Browser service, DCE:435
- ice_proxy option, AR:323
- ice_proxy_address option, AR:324
- ice_proxy_advanced option, AR:324
- ice_proxy_ftp option, AR:324
- ice_proxy_ftp_port option, AR:324
- ice_proxy_gopher option, AR:324
- ice_proxy_gopher_port option, AR:324
- ice_proxy_http option, AR:324
- ice_proxy_http_port option, AR:324
- ice_proxy_port option, AR:324
- ice_proxy_sec option, AR:324
- ice_proxy_sec_port option, AR:324
- ice_proxy_sock option, AR:325
- ice_proxy_sock_port option, AR:325
- identifying users logged into Java GUI, AR:343
- implementing message policies, CG:303–CG:442
- importing
 - OpenView Operations for Windows policies into OVO, AR:242
 - OVO templates into OpenView Operations for Windows, AR:241
- improving
 - performance
 - database, AR:371
 - Java GUI, AR:342–AR:343
 - Motif GUI startup, AR:374
 - OVO, AR:372–AR:373
 - SNMP management platform, AR:370–AR:371
 - productivity, CG:305
- include file
 - See also* files
 - AIX, DCE:63
 - HP-UX, DCE:112
 - Linux, DCE:151
 - MPE/iX, DCE:182
 - Novell NetWare, DCE:222
 - Sequent DYNIX, DCE:237
 - SGI IRIX, DCE:251
 - Solaris, DCE:299
 - Tru64 UNIX, DCE:351
 - Windows NT/2000, DCE:432
- incoming messages, comparing with match conditions, CG:335–CG:337
- Informational ownership mode, CG:163, CG:295
- initial_node option, AR:322, AR:325
- INSERVICE parameter, AR:131
- inspecting correlated events in NNM database, CG:431
- Install Log application, DCE:425
- Install/Update OVO Software and Configuration window, AR:51, AR:189
- install_dir option, AR:325
- installation
 - agent software, HTTPS:101
 - from clone images, HTTPS:128
 - key, HTTPS:169
 - manual, HTTPS:119
 - manually behind proxy, HTTPS:143
 - manually from package files, HTTPS:120
 - OV filesets, HTTPS:186
 - basic inventory, HTTPS:186
 - detailed inventory, HTTPS:187
 - native inventory, HTTPS:187
- installation debugging
 - disabling, AR:68
 - enabling, AR:68
 - facilities, AR:67
- installation requirements
 - OVO
 - AIX, DCE:33–DCE:36
 - HACMP, DCE:48
 - HP-UX, DCE:69–DCE:75
 - Linux, DCE:127–DCE:132
 - MPE/iX, DCE:155–DCE:156
 - Novell NetWare, DCE:187–DCE:189
 - overview, AR:37–AR:40
 - Sequent DYNIX, DCE:227–DCE:228
 - SGI IRIX, DCE:241–DCE:242
 - SINIX RM/Reliant, DCE:255–DCE:256
 - Solaris, DCE:273–DCE:276
 - Tru64 UNIX, DCE:317–DCE:320
 - Windows NT/2000, DCE:357–DCE:360
 - OVPA
 - HP-UX, AR:210–AR:211
 - Solaris, AR:210–AR:211
- installation script, AR:48
- installation tips
 - managed nodes
 - AIX, DCE:37–DCE:39
 - HP-UX, DCE:84–DCE:85

- Linux, DCE:135–DCE:136
- MPE/iX, DCE:157–DCE:160
- Novell NetWare, DCE:190–DCE:193
- overview, AR:41–AR:44
- Sequent DYNIX, DCE:229
- SGI IRIX, DCE:243
- SINIX RM/Reliant, DCE:257–DCE:259
- Solaris, DCE:277–DCE:278
- Tru64 UNIX, DCE:323–DCE:325
- UNIX, AR:46–AR:47
 - management server, AR:45
- installation troubleshooting
- managed nodes
 - MPE/iX, AR:395–AR:398
 - UNIX, AR:393
 - Windows, AR:399–AR:400
- multi-homed hosts, AR:435–AR:442
- Installed Software (NW) application, DCE:210
- Installed Software application, DCE:399
- installing
 - See also* automatic installation;
 - de-installing; FTP (re-)installation;
 - manual installation; removing;
 - standard installation
- Citrix MetaFrame agent, DCE:434
- DCE
 - nodes, AR:453
 - servers, AR:452
- OVO agents on managed nodes
 - AIX, DCE:41–DCE:53
 - automatically, AR:48–AR:56
 - HACMP, DCE:46–DCE:53
 - HP-UX, DCE:85–DCE:92
 - Linux, DCE:136–DCE:139
 - MPE/iX, DCE:163
 - Novell NetWare, DCE:196–DCE:201
 - overview, AR:35–AR:68
 - SD-UX, DCE:86–DCE:89
 - Sequent DYNIX, DCE:230
 - SGI IRIX, DCE:244
 - SINIX RM/Reliant, DCE:261
 - Solaris, DCE:280–DCE:281
 - SSH installation method, AR:57–AR:61
 - Sun Enterprise E10000, DCE:309–DCE:310
 - Tru64 UNIX, DCE:328
 - Windows NT/2000, DCE:361–DCE:384
 - OVO configuration on managed nodes, AR:187–AR:203
 - OVPA managed nodes
 - HP-UX, AR:212–AR:215
 - Instant On licenses, AR:510
 - instruction text interface
 - variables, AR:170
 - Instructions
 - adding to your message, CG:350
 - reading, CG:168–CG:169
 - instrumentation
 - management, HTTPS:90
 - manual installation, HTTPS:91
 - integrated web browser. *See* web browser
 - integrating
 - applications into OVO
 - actions, AR:255–AR:256
 - Application Desktop, AR:246–AR:247
 - broadcast commands, AR:254
 - components, AR:245
 - HP applications, AR:245
 - HP OpenView plug-in, AR:246
 - monitoring applications, AR:257
 - NNM, AR:247, AR:248–AR:253
 - overview, AR:243–AR:262
 - OVO applications, AR:246
 - Citrix MetaFrame, DCE:433–DCE:437
 - data with OVPA, AR:208
 - Ethernet Traffic HP as OV application, AR:250
 - IP Activity Monitoring - Tables as OV service, AR:251
 - monitoring programs, CG:394
 - SMS into OVO, DCE:442–DCE:447
 - Sun Management Center, DCE:311
 - threshold monitors, CG:406–CG:409
 - Intel
 - Linux, DCE:146
 - NetWare, DCE:216
 - Sequent DYNIX, DCE:233
 - Windows 2000/NT, DCE:428
 - intercepting
 - events
 - Distributed Event Interception, DCE:99–DCE:100
 - ECS, DCE:101

Master Index

- messages
 - applications, AR:259
 - description, CG:37
 - managed nodes, CG:37
 - MPE/iX console, CG:422–CG:423
 - MPE/iX managed nodes,
 - DCE:165–DCE:170
 - sources, CG:45–CG:46, CG:319–CG:321
 - SNMP
 - events, CG:414–CG:415
 - traps, CG:414
 - interceptor, event, CG:431
 - interface, message, CG:391–CG:392
 - internal nodes
 - adding, CG:236
 - characteristics, CG:237
 - Internet reports, generating, AR:109
 - interoperability
 - overview, AR:225–AR:242
 - OVO and OpenView Operations for Windows, AR:227–AR:242
 - interval, refresh, CG:193
 - intervals, setting time, CG:466
 - investigating problems
 - accessing OpenView applications, CG:156
 - examining message attributes, CG:144
 - finding impacted Service Navigator services, CG:156
 - message
 - browser, CG:143
 - histories, CG:157–CG:158
 - modifying message attributes, CG:145
 - overview, CG:142–CG:143
 - pending messages browser, CG:159
 - reviewing original message text, CG:146
 - viewing
 - custom message attributes, CG:147–CG:148
 - message severity, CG:151–CG:155
 - workspace pane, CG:150
- IP
- addresses
 - changing, AR:514–AR:526
 - managed node, AR:522, AR:538
 - management server, AR:515–AR:517, AR:527–AR:530
 - devices, CG:486
 - HACMP
 - address naming scheme, DCE:47
 - aliases, DCE:46–DCE:50
 - troubleshooting, DCE:49
 - map
 - accessing with Jovw, AR:336–AR:338
 - network management, AR:249
 - submaps, CG:241
 - troubleshooting point-to-point and Ethernet problems, AR:436
 - IP Activity Monitoring - Tables, integrating as OV service, AR:251
 - IP address, HTTPS:156
 - automatically changing, HTTPS:135
 - changing, HTTPS:130
 - manually changing, HTTPS:130
 - IRIX. *See* SGI IRIX managed nodes
 - ISO 8859-15
 - on managed nodes, AR:287
 - on management server, AR:299
 - ito_op startup script, AR:321–AR:322
 - ito_restore.sh script, AR:497
 - itop, CG:60
 - See also* opc_op; netop
- J**
- Japanese language
 - character sets, AR:294
 - flexible management, AR:305–AR:306
 - HP-UX configuration and related character sets, AR:302
 - management server, AR:302–AR:304
 - processing managed node files, AR:303–AR:304
 - Java GUI
 - See also* GUI; Motif GUI documentation
 - accessing
 - Jovw, AR:336–AR:338
 - NNM, AR:328–AR:330
 - OVO, AR:465
 - accessing quick filters, CG:214
 - adding tabs to browser pane, CG:214
 - applications, AR:174
 - browser pane, CG:89–CG:91
 - changing
 - look and feel, CG:197
 - operator passwords, CG:186

- refresh interval, CG:193
- choosing web browser, CG:204
- comparison with Motif GUI, AR:318–AR:320
- configuring filtered message browsers, CG:209
- customizing
 - message browser columns, CG:216
 - message event notification, CG:208
 - overview, CG:185
 - popup menus, CG:206–CG:207
 - shortcut bar, CG:204
- figure, CG:65
- hiding
 - message browser columns, CG:217
 - panes and areas, CG:201–CG:203
 - position controls, CG:198
- identifying logged-in users, AR:343
- ito_op startup script, AR:321–AR:322
- itoprnc file, AR:323–AR:327
- loading default configuration, CG:187–CG:193
- menu bar, CG:106
- moving panes and areas, CG:199
- object pane, CG:69–CG:70
- OpenView applications, AR:330–AR:332
- overview, AR:315–AR:343
- performance tips, AR:342–AR:343
- popup menus, CG:110
- position controls, CG:109
- saving
 - console settings, CG:195–CG:197
 - message browser filter, CG:212–CG:213
 - message browser layout, CG:218
- shortcut bar, CG:67–CG:68
- showing
 - message browser columns, CG:217
 - panes and areas, CG:201–CG:203
 - position controls, CG:198
- startup options, AR:321–AR:322
- status bar, CG:104
- switching message colors to entire line, CG:215
- toolbar, CG:107
- tour, CG:65–CG:66
- variables, AR:171–AR:186
- web browsers, CG:100–CG:103

- workspace pane, CG:79–CG:81
- Job message group
 - MPE/iX, DCE:165
 - OVO, AR:72
- Job Status application, DCE:400
- Jovw
 - accessing, AR:336–AR:338
 - default IP map, AR:336–AR:338
- Just-in-Time compiler. *See* JVM JIT compiler

K

- kernel parameters, AR:38
- key store, HTTPS:48
- keyboards, setting language variable on HP-UX, AR:279
- keys, message, CG:365
- keywords, template
 - flexible management, AR:119–AR:123
 - time, AR:144–AR:145

L

- Lan Console application, DCE:173
- language support
 - GUI
 - displaying Euro symbol, AR:278
 - font X resources, AR:279–AR:283
 - running English GUI in Japanese environment, AR:278
 - setting language, AR:277–AR:283
 - managed nodes
 - managing English nodes with Japanese management server, AR:291
 - overview, AR:284–AR:297
 - setting character set, AR:287
 - setting language, AR:286
 - management server
 - overview, AR:275–AR:283
 - setting character set, AR:276
 - setting language, AR:275
 - overview, AR:273–AR:313
- languages
 - OVO
 - other, AR:312
- libraries
 - AIX, DCE:62–DCE:64
 - HP-UX, DCE:110–DCE:112
 - Linux, DCE:150–DCE:151

Master Index

- managed nodes, AR:544
- MPE/iX, DCE:182–DCE:183
- Novell NetWare, DCE:222–DCE:223
- Sequent DYNIX, DCE:237–DCE:238
- SGI IRIX, DCE:251–DCE:252
- SINIX RM/Reliant, DCE:269–DCE:270
- Solaris, DCE:298–DCE:300
- Tru64 UNIX, DCE:350–DCE:352
- Windows NT/2000, DCE:432
- Licence Overview, AR:112
- License application, DCE:439
- licenses
 - command-line tool, AR:512–AR:513
 - Instant On, AR:510
 - maintaining, AR:510–AR:513
 - types, AR:510–AR:511
- linking messages logically, CG:46
- Linux (RedHat) template group, DCE:142
- Linux managed nodes
 - default operator, DCE:148–DCE:149
 - de-installing agents, DCE:140
 - directory structure, DCE:147
 - file locations, DCE:148
 - hardware requirements, DCE:127
 - include file, DCE:151
 - installation
 - requirements, DCE:127–DCE:132
 - tips, DCE:135–DCE:136
 - installing agents, DCE:136–DCE:139
 - libraries, DCE:150–DCE:151
 - logfile templates, DCE:142
 - makefile, DCE:151
 - organization, DCE:147–DCE:149
 - overview, DCE:125–DCE:152
 - preconfigured elements, DCE:142–DCE:143
 - removing agents, DCE:141
 - scripts and programs, DCE:144–DCE:146
 - SNMP event interceptor (not supported), DCE:143
 - software requirements, DCE:128–DCE:132
 - template groups, DCE:142
- List Processes application, AR:218
- List Versions application, AR:218
- lists, message distribution, CG:477–CG:480
- LM Sessions application, DCE:401
- Load/Unload an arbitrary NLM application, DCE:211
- loading default configuration, CG:187–CG:193
- Local Location Broker
 - troubleshooting, AR:427
- Local Users application, DCE:402
- LOCAL_ON_JAVA_CLIENT variable, AR:170
- LOCAL_ON_JAVA_CLIENT_WEB variable, AR:170
- locale option, AR:322, AR:325
- localizing object names, AR:313
- locating
 - See also* location
 - messages, CG:317
- location
 - See also* locating
 - configuration data, AR:485
 - error messages, AR:380
- files
 - AIX, DCE:60
 - HP-UX, DCE:108
 - Linux, DCE:148
 - managed node logfiles, AR:508–AR:509
 - managed node processes, AR:360
 - MPE/iX, DCE:177
 - Novell NetWare, DCE:217
 - opcinfo on managed nodes, AR:377
 - OVO agent configuration, AR:362
 - Sequent DYNIX, DCE:234
 - SGI IRIX, DCE:248
 - SINIX RM/Reliant, DCE:266
 - Solaris, DCE:295
 - Tru64 UNIX, DCE:347
 - Windows NT/2000, DCE:430
- scripts and programs
 - AIX, DCE:58
 - HP-UX, DCE:103
 - Linux, DCE:145
 - MPE/iX, DCE:175
 - Novell NetWare, DCE:215
 - Sequent DYNIX, DCE:232
 - SGI IRIX, DCE:246
 - SINIX RM/Reliant, DCE:264
 - Solaris, DCE:293
 - Tru64 UNIX, DCE:337
 - Windows NT/2000, DCE:427
- templates
 - flexible management, AR:117

- message forwarding, AR:137
- scheduled outage, AR:130
- scheduled outages, AR:130
- service hours, AR:130
- <\$LOGFILE> variable, AR:162
- logfile
 - See also* files
 - application, monitoring, AR:258
 - encapsulator
 - changing character set, AR:291
 - character sets supported, AR:295–AR:297
 - description, CG:384
 - flow chart, CG:384
 - error messages, AR:380
 - locations on managed nodes, AR:508–AR:509
 - messages, CG:384–CG:390
 - SSP directory, exporting, DCE:308
 - templates
 - Citrix MetaFrame, DCE:437
 - defining, CG:388
 - description, CG:385
 - HP-UX (OVO), DCE:98
 - Linux, DCE:142
 - SGI IRIX, DCE:245
 - Solaris (OVO), DCE:288
 - Sun Enterprise E10000, DCE:304
 - Tru64 UNIX, DCE:335
 - variables, AR:162
 - logging, HTTPS:189
 - logging data with OVPA, AR:208
 - logging messages, CG:37, CG:379–CG:380
 - login
 - DCE, AR:468
 - RPC, AR:457
 - Logon Report, AR:110
 - LOGONLY parameter, AR:131
 - <\$LOGPATH> variable, AR:162
 - logs, redo, AR:503
- M**
- magmgrp pipe file, AR:353
- magmgrq queue file, AR:353
- maintaining
 - database, AR:501
 - directories, AR:505
 - files, AR:505
- licenses, AR:510–AR:513
- managed nodes, AR:506–AR:509
 - OpenView, AR:504
 - OVO, CG:219–CG:301, AR:483–AR:540
- Major message severity level, AR:74
- makefile
 - See also* files
 - AIX, DCE:64
 - HP-UX, DCE:112
 - Linux, DCE:151
 - MPE/iX, DCE:183
 - Novell NetWare, DCE:223
 - Sequent DYNIX, DCE:238
 - SGI IRIX, DCE:252
 - SINIX RM/Reliant, DCE:270
 - Solaris, DCE:300
 - Tru64 UNIX, DCE:352
 - Windows NT/2000, DCE:432
- man pages
 - accessing
 - command line, AR:557
 - HTML format, AR:557
 - APIs
 - Developer's Kit, AR:564
 - OVO, AR:562
 - OVO, AR:555–AR:564
 - printing, AR:557
 - Service Navigator, AR:563
- managed nodes
 - See also* Managed Nodes window;
 - management server
 - accessing MIB, AR:433–AR:434
 - adding to OVO
 - description, CG:229
 - from IP submaps, CG:241
 - from OVO Add Node window, CG:242–CG:245
 - in Node Bank window, AR:49
 - overview, CG:236–CG:248
 - with templates, CG:314
 - APIs, AR:543
 - building, CG:227
 - character sets
 - changing, AR:290
 - EUC, AR:303
 - external, AR:291–AR:295
 - ROMAN8, AR:300

- Shift JIS, AR:306
- communication types, AR:54–AR:56
- configuring
 - authenticated RPCs, AR:454
 - DCE cell, AR:454
 - description, CG:38
 - hierarchies, CG:459
 - regional management servers,
 - CG:461–CG:462
- copying and pasting, CG:242
- correlating messages, CG:429, CG:432
- debugging software (de-)installation,
 - AR:67–AR:68
- defaults, CG:246
- de-installing OVO agents
 - automatically, AR:62–AR:63
 - manually, AR:63
- description, CG:37–CG:38
- directories with runtime data, AR:507
- disabled, CG:247
- distributing
 - OVO agent configuration, AR:189
 - scripts and programs, AR:190–AR:194
- dragging and dropping, CG:242
- external
 - adding, CG:238
 - characteristics, CG:239
- files
 - pipe, AR:358–AR:359
 - process, AR:358–AR:359
 - queue, AR:358–AR:359
- filtering messages, CG:355
- group symbols, CG:235
- hostnames and IP addresses, AR:522,
 - AR:538
- installing
 - OVO agents, AR:35–AR:68
 - OVO configuration, AR:187–AR:203
- internal
 - adding, CG:236
 - characteristics, CG:237
- kernel parameters, AR:38
- language support, AR:284–AR:297
- libraries, AR:544
- logfile locations
 - AIX, AR:508
 - HP-UX, AR:509
 - HP-UX 10.x/11.x, AR:508
 - MPE/iX, AR:508
 - OVO, AR:508–AR:509
 - Solaris, AR:509
 - Windows NT, AR:508
- maintaining, AR:506–AR:509
- managing OVO agents, AR:64–AR:66
- message-allowed, CG:228
- multiple parent groups, CG:235
- opcinfo file, AR:377
- operating systems
 - AIX, DCE:31–DCE:65
 - HP-UX, DCE:67–DCE:122
 - Linux, DCE:125–DCE:152
 - MPE/iX, DCE:153–DCE:183
 - Novell NetWare, DCE:185–DCE:223
 - Sequent DYNIX, DCE:225–DCE:238
 - SGI IRIX, DCE:239–DCE:252
 - SINIX RM/Reliant, DCE:253–DCE:270
 - Solaris, DCE:271–DCE:313
 - Tru64 UNIX, DCE:315–DCE:353
 - Windows NT/2000, DCE:355–DCE:448
- organizing, CG:227–CG:250
- passwords
 - assigning, AR:468–AR:470
 - DCE, AR:467–AR:468
 - MPE/iX, AR:469
 - Novell NetWare, AR:470
 - UNIX, AR:469
 - Windows NT, AR:470
- process files, AR:357–AR:360
- processes, AR:355–AR:362
- processing files
 - English, AR:300–AR:301
 - Japanese, AR:303–AR:304
- redistributing scripts, AR:488
- returning names with pattern matching,
 - AR:334
- security, CG:247
- starting
 - applications, AR:261–AR:262
 - broadcast commands, AR:261–AR:262
- templates for responsible managers, CG:464
- troubleshooting
 - all managed nodes, AR:401–AR:415

- embedded performance component, AR:428–AR:432
- mixed-case node names, AR:394
- MPE/iX, AR:395–AR:398, AR:420–AR:426
- UNIX, AR:393, AR:416–AR:419
- Windows, AR:399–AR:400
- types, CG:228
- updating
 - OVO agents, AR:48–AR:56
 - OVO configuration, AR:187–AR:203
- windows, CG:228
- Managed Nodes window
 - description, CG:60
- management hierarchies
 - See also* management server
 - overview, CG:457–CG:462
 - profiles, CG:457
 - responsibilities, CG:458–CG:459
 - setup ratio, CG:458
- management profiles, CG:457
 - See also* management server
- management responsibility
 - See also* management server
 - domain hierarchies, CG:458–CG:459
 - message forwarding between management servers, AR:150–AR:151
 - switch, AR:146–AR:147
 - follow-the-sun, AR:148–AR:149
 - template syntax, AR:126
- management server
 - See also* managed nodes; management hierarchies; management profiles; management responsibility; managers
 - action-allowed
 - configuring, CG:459
 - specifying, CG:469
 - backing up data, AR:488–AR:500
 - central
 - configuring, CG:462
 - description, CG:459
 - changing hostnames or IP addresses, AR:515–AR:517, AR:527–AR:530
 - competence centers, CG:450–CG:451
 - configuring
 - English language, AR:298–AR:301
 - Japanese language, AR:302–AR:304
 - OpenView Operations for Windows agents for OVO, AR:232–AR:234
 - OpenView Operations for Windows to forward messages to OVO, AR:235–AR:240
 - OVO agents for OpenView Operations for Windows, AR:228–AR:231
 - connecting to trouble ticket systems, CG:480
 - converting to EUC, AR:305
 - correlating messages, CG:429, CG:433
 - default setup, CG:446
 - description, CG:36
 - distributing configuration, CG:470–CG:471
 - duplicate messages
 - enabling suppression, CG:377–CG:378
 - suppressing, CG:376
 - escalating messages, CG:452–CG:455
 - files
 - pipe, AR:353–AR:354
 - process, AR:353–AR:354
 - queue, AR:353–AR:354
 - filtering messages, CG:355
 - flexible architecture, CG:447
 - follow-the-sun control, CG:448–CG:450
 - forwarding messages
 - between management servers, CG:472–CG:483
 - OpenView Operations for Windows, AR:236
 - hierarchies, CG:457–CG:462
 - installation tips, AR:45
 - language support
 - overview, AR:275–AR:283
 - setting character set, AR:276
 - setting language, AR:275
 - multiple, CG:443–CG:491
 - OVO file tree, DCE:76–DCE:81
 - primary, CG:446
 - processes, AR:349–AR:354
 - processing files
 - ISO 8859-15, AR:299
 - Shift JIS, AR:302
 - processing messages, CG:332

Master Index

- reconfiguring after changing hostname or IP address, AR:518–AR:522, AR:531–AR:537
- regional
 - configuring, CG:461–CG:462
 - description, CG:458
- responsibility
 - configuring, CG:463–CG:471
 - switching, CG:467–CG:469
- secondary, CG:460
- sending messages
 - OpenView Operations for Windows, AR:228
 - OVO, AR:232
- single, CG:484
- software sub-tree
 - customer-specific, DCE:81
 - vendor-specific, DCE:80
- troubleshooting
 - GUI, AR:390–AR:392
 - server, AR:388–AR:389
- management, flexible, CG:446–CG:456
- manager, distribution, AR:191
- managers
 - See also* management server
 - action-allowed
 - adding, CG:469
 - central server, CG:459
 - backup, CG:469
 - primary
 - changing, CG:467–CG:469
 - initial, CG:446
 - responsibility, CG:463–CG:471
 - secondary, CG:460
- managing
 - disabled nodes, CG:247
 - message source templates, CG:307–CG:316
 - messages, CG:49
 - OVO agents, AR:64–AR:66
 - Sun Enterprise E10000, DCE:301–DCE:302
- managing certificates, HTTPS:161
- manual de-installation
 - See also* de-installing
 - OVO
 - AIX, DCE:54
 - HP-UX, DCE:96
 - Linux, DCE:140
 - SINIX RM/Reliant, DCE:262
 - Solaris, DCE:285
 - Tru64 UNIX, DCE:334
 - Windows NT/2000, DCE:385
- OVPA
 - HP-UX, AR:217
 - Solaris, AR:217
- manual installation
 - See also* installing
- instrumentation, HTTPS:91
- OVO
 - AIX, DCE:42–DCE:45
 - HP-UX, DCE:90–DCE:92
 - Linux, DCE:137–DCE:139
 - SINIX RM/Reliant, DCE:261
 - Solaris, DCE:280
 - Windows NT/2000, DCE:382–DCE:384
- OVPA
 - HP-UX, AR:213
 - Solaris, AR:213
- policies, HTTPS:91
- manufacturing environment
 - communication links, CG:457
 - management profiles, CG:457
- mapped requests
 - select all, HTTPS:162
- mapped to, HTTPS:156
- mapping
 - ARPA hostnames to NS node names
 - overview, DCE:178–DCE:181
 - problems, DCE:180
 - resolving names, DCE:181
 - vt3k operation, DCE:179
 - MPE/iX messages to OVO security levels, DCE:166
 - NMEV markers, DCE:166–DCE:169
- marking messages, CG:292
- match conditions, comparing with incoming messages, CG:335–CG:337
- mathematical operators in
 - pattern-matching, CG:338–CG:339
- max_limited_messages option, AR:322, AR:325
- maximum threshold, CG:401
- MC/ServiceGuard
 - support, DCE:121
- Memory Load application, DCE:403
- Memory Use application, DCE:211

- menu bar
 - figure, CG:106
 - overview, CG:106
- merging multiple certificate servers
 - environments, HTTPS:56
- message
 - defaults
 - message correlation options, CG:325
 - output options for a message stream interface, CG:325
 - pattern-matching options, CG:325
 - message-allowed managed nodes, CG:228
- Message and Suppress Conditions window, CG:337
- message attributes
 - setting defaults, CG:324
- message browser
 - See also* active message browser; filtered message browser; history message browser; pending messages browser
 - accessing quick filters, CG:214
 - browsing effectively, CG:134–CG:138
 - configuring filters
 - active, CG:96–CG:97
 - history, CG:98
 - overview, CG:209
 - pending, CG:99
 - consolidating messages, CG:306
 - customizing columns
 - message attributes, CG:136
 - physical layout, CG:216
 - figures
 - browser pane, CG:90
 - custom message attributes, CG:148
 - workspace pane, CG:91
 - hiding columns, CG:217
 - investigating problems, CG:143
 - Java and Motif GUIs, AR:318
 - operator, CG:223
 - overview, CG:92–CG:93
 - OVO administrator, CG:223–CG:224
 - reporting errors, AR:381
 - reusing filters, CG:212–CG:213
 - saving
 - customized layout, CG:218
 - filter to object pane, CG:214
 - showing columns, CG:217
 - switching colors to entire line, CG:215
 - viewing
 - custom message attributes, CG:148
 - messages, CG:133
- Message Browser window
 - description, CG:61
 - message attributes and values, AR:73
 - overview, AR:73–AR:77
- Message Condition Advanced Options window, CG:418
- message conditions
 - See also* messages
 - defining advanced options, CG:408
 - setting up, CG:333–CG:334
- message correlation options
 - setting defaults, CG:325
- Message Correlation window, CG:360
- Message Dashboard workspace
 - current state chart, CG:152
 - history chart, CG:154
 - overview, CG:82
 - viewing message severity, CG:151–CG:155
- message event notification
 - customizing, CG:208
 - overview, CG:133
- message event warning, CG:133
- Message Group Bank window, AR:72
- message groups
 - See also* Message Groups window; messages
 - adding, AR:73
 - adding new, CG:252
 - default, AR:71–AR:77
 - defining, CG:50
 - deleting, AR:73
 - displaying, AR:72
 - modifying, AR:73
 - organizing, CG:251–CG:252
 - reviewing, CG:252
- Message Groups folder
 - colors, CG:73
 - figure, CG:73
 - organizing, CG:74
 - overview, CG:73–CG:74
- Message Groups window, CG:60
 - See also* message groups
- message keys, CG:359
 - See also* messages
 - default, CG:366–CG:367

Master Index

- guidelines, CG:360—CG:363
- relations, CG:366—CG:367
- message operations template syntax, AR:127
- Message Properties dialog box
 - figures
 - Annotations tab, CG:180
 - Custom Attributes tab, CG:149
 - General tab, CG:95
 - Instructions tab, CG:168
 - Original Message tab, CG:146
- message settings
 - assigning, CG:347
- message source templates
 - See also* Message Source Templates
 - window; message sources; messages
 - configuring, CG:308
 - creating, CG:309
 - distributing, CG:315—CG:316
 - elements, CG:307
 - managing, CG:307—CG:316
 - variables, AR:155—AR:169
- Message Source Templates window
 - See also* message source templates
 - description, CG:309
 - figure, CG:316
 - Templates Groups list box, CG:310
- message sources
 - See also* message source templates; messages
 - evaluating, CG:317—CG:318
 - filtering, CG:330—CG:331
- message stream interface output options
 - setting defaults, CG:325
- Message Stream Interface. *See* MSI
- message target rules template syntax, AR:127
- message_notification_dlg option, AR:325
- message_notification_dlg_app option, AR:325
- message_notification_dlg_app_path option, AR:325
- message_notification_show_all option, AR:325
- messages
 - See also* acknowledgements; acknowledging; escalating messages; message browser; message conditions; message groups; message keys; message source templates; message sources
 - acknowledging
 - automatically, CG:166
 - overview, CG:183—CG:184
 - with message keys, CG:365
 - annotating, CG:179—CG:181
 - annotating acknowledged, CG:366
 - API, CG:391—CG:392
 - attributes, AR:75—AR:77
 - resolving, CG:323
 - time, CG:449
 - browsing effectively, CG:134—CG:138
 - buffering, CG:37, CG:439
 - parameters, AR:132
 - catalogue, CG:318
 - classifying unmatched, CG:49
 - closing, CG:178
 - collecting, CG:319—CG:321
 - colors
 - overview, CG:94
 - switching, CG:215
 - comparing, CG:37
 - conditions, specifying, CG:390
 - consolidating in browser, CG:306
 - control-switched, CG:473
 - correcting, CG:393
 - correlating, CG:359
 - different sources, CG:429
 - flexible management environments, CG:434
 - managed nodes, CG:432
 - management server, CG:433
 - types, CG:359
 - with events, CG:357
 - customizing columns, CG:136
 - defaults, CG:324—CG:325, CG:326
 - custom message attributes, CG:324
 - message attributes, CG:324
 - details, CG:144
 - escalated message, CG:452
 - distribution lists, CG:477—CG:480
 - duplicate
 - SNMP devices, CG:417
 - error, AR:380

escalating, CG:177, CG:452–CG:455
evaluating
 severity, CG:318
examining attributes, CG:144
filtering, CG:49
 managed node, CG:355
 management server, CG:355
 sources, CG:330–CG:331
 strategies, CG:355–CG:378
 through multiple templates, CG:328
 with conditions, CG:330–CG:354
formatting, CG:50
forwarding, CG:449
 between management servers,
 CG:472–CG:483, AR:150–AR:151
 notification system, AR:133
 OpenView Operations for Windows
 management server, AR:236
 strategies, CG:480–CG:482
 template, AR:137–AR:139
 trouble ticket system, AR:133
 unmatched messages, AR:382
generating
 continuous, CG:405
 policy, CG:402–CG:405
 with reset, CG:403
 without reset, CG:404
groups, CG:50
incoming, CG:335–CG:337
intercepting
 application messages, AR:259
 description, CG:37
 MPE/iX managed nodes,
 DCE:165–DCE:170
 sources, CG:45–CG:46, CG:319–CG:321
interface, CG:391–CG:392
investigating
 message histories, CG:157–CG:158
 pending messages, CG:159
keys, CG:359
linking logically, CG:46
locating, CG:317
logfile, CG:384–CG:390
logging
 description, CG:37
 results, CG:379–CG:380
 managing, CG:49, CG:305–CG:306
 marking, CG:292
 modifying attributes, CG:145
 MPE/iX console
 overview, CG:422–CG:425
 variables, AR:164
 notification, CG:475–CG:476
 overview, CG:45–CG:50, CG:95
 owning, CG:162–CG:163, CG:292,
 CG:292–CG:295
 pattern-matching, CG:338–CG:346
 policies, CG:134–CG:138, CG:303–CG:442
 processing
 description, CG:46–CG:48
 on management server, CG:332
 overview, CG:322–CG:329
 quantity, reducing, CG:357–CG:378
 regrouping, CG:312, CG:381–CG:383
 reset, sending automatically,
 CG:367–CG:369
 responding, CG:50
 reviewing
 details, CG:95
 original text, CG:146
 scanning, CG:134
 scheduled action variables, AR:169
 sending to management server
 OpenView Operations for Windows,
 AR:228
 OVO, AR:232
 severity
 coloring, CG:139–CG:141
 viewing in Message Dashboard,
 CG:151–CG:155
 severity levels, AR:74–AR:75
 status, CG:319
 suppressing
 duplicate, CG:370
 multiple, CG:329
 switching control, CG:473–CG:474
 target rules, CG:465–CG:466
 template conditions, CG:46
 templates, CG:389
 threshold monitors, CG:393–CG:413
 unbuffering, CG:99
 automatically, CG:439

Master Index

- manually, CG:439–CG:440
- viewing
 - in message browser, CG:133
- metrics *See* performance metrics
- MF_ICA_Browser object, DCE:436
- MF_Prog_Neighbourhood object, DCE:436
- MIB
 - managed node, AR:433–AR:434
 - object monitors, CG:395
- Microsoft. *See* Windows NT/2000 managed nodes
- midaemon monitor template, AR:221
- minimum threshold, CG:401
- Minor message severity level, AR:74
- Mirrored Devices application, DCE:211
- mirrored online redo logs, AR:503
- Misc message group
 - MPE/iX, DCE:165
 - OVO, AR:72
- missing OS patches for Solaris, DCE:279
- mixed clusters, AR:194
- moa* temporary file, AR:359
- modes
 - archive log
 - database, AR:488, AR:491
 - enabling, AR:492–AR:493
 - auditing, AR:475
 - ownership, CG:162, CG:293–CG:295
 - ownership display, CG:163, CG:292–CG:293
- Modify Message Attributes dialog box
 - figure, CG:145
- Modify OVO Interface Messages window, CG:392
- modifying
 - conditions, CG:338
 - logfile templates on Tru64 UNIX, DCE:335
 - message groups, AR:73
 - node groups, AR:71
- MoM
 - merging, HTTPS:56
 - sharing a certificate server, HTTPS:61
- monagtq queue file, AR:358
- monitor agent, CG:395–CG:400
 - See also* monitoring
- Monitor Console application, DCE:173
- monitored objects
 - See also* monitoring
 - Citrix MetaFrame, DCE:436
 - MPE/iX, DCE:171
 - Sun Enterprise E10000, DCE:305
- monitoring
 - See also* monitor agent; monitored objects
 - application
 - integration, AR:257
 - logfiles, AR:258
 - environment, CG:131
 - managed nodes, CG:228
 - objects
 - external, CG:397
 - MIB, CG:396
 - program, CG:396
 - performance metrics, CG:398
 - performance with NMA, DCE:206
 - programs, CG:394
 - SMS, DCE:445
 - Sun Enterprise E10000, DCE:301–DCE:302
 - variables, CG:401
- Motif GUI
 - accessing, AR:464
 - comparison with Java GUI, AR:318–AR:320
 - improving performance, AR:374
 - variables, AR:171–AR:186
- Motif GUI documentation
 - See also* GUI; Java GUI
- Motif SAM, DCE:101
- moving
 - panes and areas, CG:199
- MPE/iX console
 - See also* MPE/iX managed nodes
 - accessing programs, AR:465
 - messages
 - advanced options, CG:424
 - condition examples, CG:424–CG:425
 - intercepting, CG:422–CG:423
 - interceptor, CG:422
 - overview, CG:422–CG:425
 - templates, CG:423–CG:424
 - variables, AR:164
- MPE/iX managed nodes
 - See also* MPE/iX console
 - agent jobs, DCE:159
 - applications, DCE:172–DCE:174
 - DCE daemon, DCE:157
 - default operator, DCE:158, DCE:177
 - de-installing agents, DCE:163
 - directory structure, DCE:177

- domain name resolution, DCE:159
- executable libraries, DCE:159
- file locations, DCE:177
- filename tips, DCE:171
- hardware requirements, DCE:155
- include file, DCE:182
- installation
 - requirements, DCE:155–DCE:156
 - tips, DCE:157–DCE:160
- installing agents, DCE:163
- intercepting messages
 - default message mapping, DCE:165
 - generating new NMEV marker, DCE:169–DCE:170
 - mapping messages to OVO security levels, DCE:166
 - mapping NMEV markers, DCE:166–DCE:169
 - overview, DCE:165–DCE:170
- IP addresses, DCE:158
- languages, DCE:158
- libraries, DCE:182–DCE:183
- logfile
 - locations, AR:508
- logging group, DCE:159
- login and logout UDCs, DCE:158
- makefile, DCE:183
- mapping ARPA hostnames to NS node names
 - overview, DCE:178–DCE:181
 - problems, DCE:180
 - resolving names, DCE:181
 - vt3k operation, DCE:179
- monitored objects, DCE:171
- NCS daemon, DCE:157
- organization, DCE:177–DCE:181
- overview, DCE:153–DCE:183
- passwords, AR:469
- preconfigured elements, DCE:164–DCE:174
- scripts and programs, DCE:175–DCE:176
- SNMP event interceptor (not supported), DCE:171
- software requirements, DCE:155–DCE:156
- spool files, DCE:160
- streamed jobs
 - customizing job stream facility, DCE:162
 - excluding networking commands, DCE:161
 - overview, DCE:161–DCE:163
 - preparing OVO, DCE:163
 - starting, DCE:161
 - SYSSTART.PUB.SYS parameters, DCE:161
 - system resource file, DCE:178
 - time zones, DCE:160
 - troubleshooting
 - installation, AR:395–AR:398
 - runtime, AR:420–AR:426
- mpicdmp pipe file, AR:353
- mpicdmq queue file, AR:353
- mpicmap pipe file, AR:358
- mpicmaq queue file, AR:358
- mpicmpp pipe file, AR:353
- mpicmmq queue file, AR:353, AR:354
- mpimap pipe file, AR:358
- mpimaq queue file, AR:358
- mpimpp pipe file, AR:354
- <MSG_APPL> variable, AR:155
- <MSG_GEN_NODE> variable, AR:156
- <MSG_GEN_NODE_NAME> variable, AR:156
- <MSG_GRP> variable, AR:156
- <MSG_ID> variable, AR:156
- <MSG_NODE> variable, AR:156
- <MSG_NODE_ID> variable, AR:157
- <MSG_NODE_NAME> variable, AR:157
- <MSG_OBJECT> variable, AR:157
- <MSG_SEV> variable, AR:157
- <MSG_TEXT> variable, AR:158
- <MSG_TIME_CREATED> variable, AR:158
- <MSG_TYPE> variable, AR:158
- msgagtdf file, AR:358
- msgagtp pipe file, AR:358
- msgagtq queue file, AR:358
- msgforw template, AR:119
- MsgGroup message attribute, AR:77
- msgip pipe file, AR:358
- msgiq queue file, AR:358
- msgmgrp pipe file, AR:354
- msgmgrq queue file, AR:354
- msgmni parameter, AR:38
- MSGTARGETMANAGERS keyword, AR:121
- MSGTARGETRULECONDS keyword, AR:122
- MSGTARGETRULES keyword, AR:120
- MSI API, AR:260

Master Index

- multi-homed host, HTTPS:139
- multi-homed hosts, troubleshooting, AR:435–AR:442
- multiple
 - disks for configuring database, AR:502–AR:503
 - management servers, CG:443–CG:491
 - messages, suppressing, CG:329
 - operators, CG:55
 - parent groups, CG:235
 - templates
 - configuring, CG:326
 - processing simultaneously, CG:327–CG:328
- multiple certificate servers, HTTPS:55, HTTPS:59
- multiple parallel configuration servers, HTTPS:94
- N**
- N message attribute, AR:76
- <\$N> variable, AR:167
- <\$NAME> variable, AR:163
- name resolution, HTTPS:136
- navigating template group hierarchies, CG:311
- NCP Info application, DCE:211
- NCS
 - AIX managed nodes, DCE:36
 - changing, AR:54–AR:56
 - description, AR:40
- Net8, restricting access, AR:116
- NetBios Sessions application, DCE:404
- netcontool application, DCE:306
- netop, CG:60
 - See also* `opc_adm`; `opc_op`; operators
- NetWare Agent Actions application, DCE:212
- NetWare Config window, DCE:206
- NetWare message group, AR:72
- NetWare Performance window, DCE:207–DCE:208
- NetWare Tools
 - applications, DCE:209–DCE:212
 - window, DCE:208
- NetWare. *See* Novell NetWare managed nodes
- network
 - troubleshooting, HTTPS:190
- Network Computing System. *See* NCS
- Network Interfaces application, DCE:212
- Network message group
 - MPE/iX, DCE:165
 - OVO, AR:72
- Network Node Manager. *See* NNM
- network security
 - DCE, AR:451–AR:456
 - overview, AR:450–AR:461
 - RPC authentication, AR:457–AR:458
 - SSH, AR:461
- networking commands, excluding from streamed jobs on MPE/iX managed nodes, DCE:161
- nfile parameter, AR:38
- nflocks parameter, AR:38
- NFS troubleshooting, AR:443
- NLM Files* application, DCE:213
- NMA
 - 2.1 agent, DCE:205
 - applications, DCE:212–DCE:214
 - description, DCE:204
 - monitoring performance, DCE:206
- NMEV markers
 - generating new, DCE:169–DCE:170
 - mapping, DCE:166–DCE:169
 - <\$NMEV_APPL> variable, AR:164
 - <\$NMEV_CLASS> variable, AR:164
 - <\$NMEV_SEV> variable, AR:164
- NNM
 - accessing from Java GUI
 - locally, AR:328–AR:329
 - remotely, AR:329–AR:330
 - collection stations with OVO agents, CG:487
 - on multiple management servers, CG:491
 - configuring access with command-line tools, AR:332
 - DHCP synchronization, HTTPS:154
 - event correlation, CG:431
 - integrating applications into OVO, AR:248–AR:253
 - limitations, AR:248
 - integrating into OVO, AR:247
 - SNMP event interceptor, CG:415
- No Status Propagation display mode, CG:163, CG:293
- Node Advanced Options window, CG:244
- node bank
 - add nodes, HTTPS:162

- node certificates request, HTTPS:156
- Node Communication Options window, CG:245
- Node Config Report, AR:110
- Node Group Bank window, AR:71
- Node Group Report, AR:111
- node groups
 - adding, AR:71
 - default, AR:71
 - deleting, AR:71
 - management server, AR:71
 - modifying, AR:71
- Node Groups Overview Report, AR:111
- node hierarchies, CG:233–CG:234
- node mapping tool, AR:334–AR:335
- Node message attribute, AR:77
- Node Reference Report, AR:111
- Node Report, AR:111
- Nodes folder
 - colors, CG:71
 - figure, CG:71
 - groups, CG:71
 - layout groups, CG:71
 - overview, CG:71–CG:72
- Nodes Overview Report, AR:111
- nodes. *See* managed nodes; node groups: node hierarchies
- non-sequential conditions, CG:338
- Normal message severity level, AR:74
- nosec option, AR:322, AR:325
- notification, CG:475
- notification service
 - concepts, AR:265
 - configuring, AR:268
 - parameters, AR:270
 - writing scripts and programs, AR:266–AR:267
- notification services
 - forwarding messages, AR:133
- notification system
 - messages, CG:475–CG:476
- notification, message event, CG:133
- Novell NetWare managed nodes
 - APIs, DCE:220–DCE:221
 - applications
 - NetWare Tools, DCE:209–DCE:212
 - NMA, DCE:212–DCE:214
 - overview, DCE:204–DCE:214
 - assigning passwords, AR:470
 - default operator, DCE:218
 - directory structure, DCE:217
 - file locations, DCE:217
 - hardware requirements, DCE:187
 - include file, DCE:222
 - installation
 - process, DCE:194–DCE:195
 - requirements, DCE:187–DCE:189
 - tips, DCE:190–DCE:193
 - installing agents, DCE:196–DCE:201
 - libraries, DCE:222–DCE:223
 - makefile, DCE:223
 - NMA
 - 2.1 agent, DCE:205
 - applications, DCE:212–DCE:214
 - description, DCE:204
 - monitoring performance, DCE:206
 - organization, DCE:217–DCE:219
 - overview, DCE:185–DCE:223
 - preconfigured elements, DCE:202–DCE:214
 - removing agents, DCE:201
 - scripts and programs, DCE:215–DCE:216
 - SNMP event interceptor, DCE:203
 - software requirements, DCE:187–DCE:189
 - system resource files, DCE:218
 - windows
 - NetWare Config, DCE:206
 - NetWare Performance, DCE:207–DCE:208
 - NetWare Tools, DCE:208
- NS node name mapping, DCE:178–DCE:181
- NT. *See* Windows NT/2000 managed nodes
- NT_DWN_SMS_CLIENT_CONFIG_MANAGER monitor, DCE:445
- NT_DWN_SMS_EXECUTIVE monitor, DCE:445
- NT_DWN_SMS_HIERARCHY_MANAGER monitor, DCE:445
- NT_DWN_SMS_INVENTORY_AGENT monitor, DCE:445
- NT_DWN_SMS_PACKAGE_COMMAND_MANAGER monitor, DCE:445
- NT_DWN_SMS_SITE_CONFIG_MANAGER monitor, DCE:445
- NT_DWN_SMS_TRAP_FILTER monitor, DCE:445
- NT_UP_SMS_CLIENT_CONFIG_MANAGER monitor, DCE:445

Master Index

NT_UP_SMS_EXECUTIVE monitor,
DCE:445
NT_UP_SMS_HIERARCHY_MANAGER
monitor, DCE:445
NT_UP_SMS_INVENTORY_AGENT
monitor, DCE:445
NT_UP_SMS_PACKAGE_COMMAND_MA
NAGER monitor, DCE:445
NT_UP_SMS_SITE_CONFIG_MANAGER
monitor, DCE:445
NT_UP_SMS_TRAP_FILTER monitor,
DCE:445

O

O message attribute, AR:76
<\$O> variable, AR:167
<\$o> variable, AR:167
oareqhdl file, AR:354
Object message attribute, AR:77
object names, localizing, AR:313
object pane
figures
enabling, CG:201
main window, CG:69
popup menu, CG:112
folders
Applications, CG:75
Filter Settings, CG:76–CG:77
Message Groups, CG:73–CG:74
Nodes, CG:71–CG:72
URL Shortcuts, CG:78
moving, CG:199
overview, CG:69–CG:70
popup menus, CG:112
saving message browser to, CG:214
showing, CG:201
object status, reviewing, CG:164
object tree, searching
overview, CG:132
objects. *See* monitoring
ODI Info application, DCE:213
offline backups, AR:489
olh_About_Server_Config, DCE:412
olh_About_Server_Stats, DCE:413
olh_About_Shares, DCE:414
online documentation
figure, CG:85
Online Help workspace, CG:85
OpC message group, AR:72

opc process, AR:349
OPC_ACCEPT_CTRL_SWTCH_ACKN
parameter, AR:139
OPC_ACCEPT_CTRL_SWTCH_MSGS
parameter, AR:139
OPC_ACCEPT_NOTIF_MSSGS parameter,
AR:139
opc_adm, CG:56–CG:57
See also netop; opc_op; operators
OPC_AUTO_DEBUFFER parameter, AR:132
.opc_brc_history file, CG:176
\$OPC_BRC_HISTSIZ variable, CG:176
\$OPC_CUSTOM(name) variable, AR:174
\$OPC_ENV(env variable) variable, AR:160,
AR:171
\$OPC_EXACT_SELECTED_NODE_LABEL
S variable, AR:174
\$OPC_EXT_NODES variable, AR:171
OPC_FORW_CTRL_SWTCH_TO_TT
parameter, AR:139
OPC_FORW_NOTIF_TO_TT parameter,
AR:139
opc_get_ems_resource monitor executable,
DCE:113
<\$OPC_GUI_CLIENT> variable, AR:160
\$OPC_GUI_CLIENT variable, AR:174
\$OPC_GUI_CLIENT_WEB variable, AR:174
<\$OPC_MGMTSV> variable, AR:158, AR:161
\$OPC_MGMTSV variable, AR:171
\$OPC_MSG.ACTIONS.AUTOMATIC
variable, AR:175
\$OPC_MSG.ACTIONS.AUTOMATIC.ACKN
OWLEDGE variable, AR:175
\$OPC_MSG.ACTIONS.AUTOMATIC.ANNO
TATION variable, AR:176
\$OPC_MSG.ACTIONS.AUTOMATIC.COM
MAND variable, AR:176
\$OPC_MSG.ACTIONS.AUTOMATIC.NODE
variable, AR:176
\$OPC_MSG.ACTIONS.AUTOMATIC.STAT
US variable, AR:176
\$OPC_MSG.ACTIONS.OPERATOR
variable, AR:176
\$OPC_MSG.ACTIONS.OPERATOR.ACKNO
WLEDGE variable, AR:177
\$OPC_MSG.ACTIONS.OPERATOR.ANNO
TATION variable, AR:177
\$OPC_MSG.ACTIONS.OPERATOR.COMM
AND variable, AR:177
\$OPC_MSG.ACTIONS.OPERATOR.COMM
AND[n] variable, AR:177

- \$OPC_MSG.ACTIONS.OPERATOR.NODE variable, AR:177
- \$OPC_MSG.ACTIONS.OPERATOR.STATUS variable, AR:178
- \$OPC_MSG.ACTIONS.TROUBLE_TICKET.ACKNOWLEDGE variable, AR:178
- \$OPC_MSG.ACTIONS.TROUBLE_TICKET.STATUS variable, AR:178
- \$OPC_MSG.ANNOTATIONS variable, AR:178
- \$OPC_MSG.ANNOTATIONS[n] variable, AR:179
- \$OPC_MSG.APPLICATION variable, AR:179
- \$OPC_MSG.ATTRIBUTES variable, AR:179
- \$OPC_MSG.CREATED variable, AR:179
- \$OPC_MSG.DUPLICATES variable, AR:180
- \$OPC_MSG.ESCALATION.BY variable, AR:180
- \$OPC_MSG.ESCALATION.TIME variable, AR:180
- \$OPC_MSG.ESCALATION.TO variable, AR:180
- \$OPC_MSG.GROUP variable, AR:180
- \$OPC_MSG.INSTRUCTIONS variable, AR:180
- \$OPC_MSG.LAST_RECEIVED variable, AR:181
- \$OPC_MSG.MSG_ID variable, AR:181
- \$OPC_MSG.MSG_KEY variable, AR:181
- \$OPC_MSG.NO_OF_ANNOTATIONS variable, AR:181
- \$OPC_MSG.NODE variable, AR:181
- \$OPC_MSG.OBJECT variable, AR:181
- \$OPC_MSG.ORIG_TEXT variable, AR:182
- \$OPC_MSG.ORIG_TEXT[n] variable, AR:182
- \$OPC_MSG.OWNER variable, AR:182
- \$OPC_MSG.RECEIVED variable, AR:182
- \$OPC_MSG.SERVICE variable, AR:182
- \$OPC_MSG.SERVICE.MAPPED_SVC_COUNT variable, AR:182
- \$OPC_MSG.SERVICE.MAPPED_SVC[n] variable, AR:183
- \$OPC_MSG.SERVICE.MAPPED_SVCS variable, AR:183
- \$OPC_MSG.SEVERITY variable, AR:183
- \$OPC_MSG.SOURCE variable, AR:183
- \$OPC_MSG.TEXT variable, AR:183
- \$OPC_MSG.TEXT[n] variable, AR:183
- \$OPC_MSG.TIME_OWNED variable, AR:184
- \$OPC_MSG.TYPE variable, AR:184
- \$OPC_MSG_GEN_NODES variable, AR:172
- \$OPC_MSG_IDS variable, AR:172
- \$OPC_MSG_NODES variable, AR:171
- \$OPC_MSGIDS_ACT variable, AR:172
- \$OPC_MSGIDS_HIST variable, AR:173
- \$OPC_MSGIDS_PEND variable, AR:173
- \$OPC_NODE_LABELS variable, AR:174
- \$OPC_NODES variable, AR:173
- OPC_ONE_LINE_MSG_FORWARD parameter, AR:140
- opc_op, CG:60
 - See also* netop; opc_adm; operators
- OPC_SEND_ACKN_TO_CTRL_SWITCH parameter, AR:140
- OPC_SEND_ANNO_TO_CTRL_SWITCH parameter, AR:140
- OPC_SEND_ANNO_TO_NOTIF parameter, AR:140
- OPC_SEND_ANT_TO_CTRL_SWITCH parameter, AR:140
- OPC_SEND_ANT_TO_NOTIF parameter, AR:140
- \$OPC_USER variable, AR:161, AR:173
- opcacta process, AR:355
- opcactm process, AR:349
- opcconsi process, AR:357
- opccsa, HTTPS:39
- opccsacm, HTTPS:39
- opcctla process, AR:357
- opcctlm process, AR:349
- opcctrloww command, AR:332
- opcdispm process, AR:349
- opcdista process, AR:355
- opcdistm process, AR:350
- opceca process, AR:355
- opcecaas process, AR:356
- opcecap pipe file, AR:354, AR:359
- opcecaq queue file, AR:354, AR:359
- opcecm process, AR:350
- opcecmas process, AR:350
- opcerr
 - getting error instructions, AR:383
- opcforwm process, AR:351
- opcinfo, HTTPS:126
- opcinfo file
 - location on managed nodes, AR:377
 - setting community name, AR:433
- opcle process, AR:356
- opclic command
 - parameters, AR:512–AR:513

- corrective actions, CG:393
- process, CG:53–CG:54
- protecting, AR:471
- reviewing, CG:167
- starting, CG:167
- verifying, CG:167
- operators
 - See also* netop; opc_admin; opc_op; template administrators; users; OVO administrator
- accessing GUI
 - Java, AR:465
 - Motif, AR:464
- assigning applications, AR:245
- changing
 - names, AR:462
 - passwords, AR:462
- default
 - AIX, DCE:61
 - HP-UX, DCE:108
 - Linux, DCE:148–DCE:149
 - MPE/iX, DCE:177
 - Novell NetWare, DCE:218
 - Sequent DYNIX, DCE:235
 - SGI IRIX, DCE:249
 - SINIX RM/Reliant, DCE:267
 - Solaris, DCE:296
 - Tru64 UNIX, DCE:348
 - Windows NT/2000, DCE:430
- defaults
 - system, CG:188
- description, CG:59–CG:61
- enabling
 - to control OVO agents, AR:252–AR:253
 - to manage IP networks in IP map, AR:249
- mathematical, CG:338–CG:339
- multiple, CG:55
- reports
 - customized, AR:115
 - preconfigured, AR:114
- saving output, AR:463
- security, AR:462–AR:474
- types, CG:60
- windows, CG:60–CG:61
- optimizing
 - message filtering, CG:355–CG:378
 - performance, CG:355–CG:356
- Optional ownership mode, CG:162, CG:294
- <\$OPTION(N)> variable, AR:158
- options
 - Automatic (De-)Installation, AR:51
- organizing
 - conditions
 - overview, CG:337–CG:338
 - sequence, CG:355
 - managed nodes
 - AIX, DCE:60–DCE:61
 - HP-UX, DCE:106–DCE:109
 - Linux, DCE:147–DCE:149
 - MPE/iX, DCE:177–DCE:181
 - Novell NetWare, DCE:217–DCE:219
 - overview, CG:227–CG:250
 - Sequent DYNIX, DCE:234–DCE:236
 - SGI IRIX, DCE:248–DCE:250
 - SINIX RM/Reliant, DCE:266–DCE:268
 - Solaris, DCE:295–DCE:297
 - Tru64 UNIX, DCE:347–DCE:349
 - Windows NT/2000, DCE:429–DCE:431
 - message groups
 - overview, CG:251–CG:252
 - template groups, CG:310–CG:311
- organizing Message Groups folder, CG:74
- original message text, reviewing, CG:146
- OS message group
 - MPE/iX, DCE:165
 - OVO, AR:72
- outage template, AR:119
- outages, scheduling, CG:441
- output
 - EMS Resources application, DCE:118
 - operator, CG:222, AR:463
 - OVO administrator, AR:464
- Output message group
 - MPE/iX, DCE:165
 - OVO, AR:72
- OV Performance Agent template group, AR:220
- OV Performance Manager template group, AR:220
- ovbackup.ovp command, AR:494–AR:495
- ovc, HTTPS:37
- ovcert, HTTPS:39
- ovconfget, HTTPS:37
- OvCoreID, HTTPS:156

Master Index

ovcoreid, HTTPS:37
OVDataDir, HTTPS:36
OVInstallDir, HTTPS:36
OVKey licenses
 advantages, AR:510
 replacing Instant On, AR:510
OVnlm_exit() API, DCE:220
OVnlm_init() API, DCE:220
OVO
 applications, CG:235
 character code conversion, AR:298–AR:304
 communication, AR:347–AR:348
 concepts
 client-server, CG:33–CG:35
 user, CG:55–CG:61
 configuring
 notification services, AR:263–AR:270
 overview, CG:219–CG:301, AR:69–AR:186
 to accept messages forwarded from
 OpenView Operations for Windows,
 AR:237–AR:239
 trouble ticket system, AR:263–AR:270
 database tables and tablespaces, AR:547
 defaults
 administrator, CG:191
 description, CG:33–CG:38
 Distributed Event Interception, DCE:99
 configuring, DCE:100
 description, DCE:99
 event interceptor, CG:431
 exporting templates to OpenView
 Operations for Windows, AR:241
 features, CG:17
 filtering internal error messages, CG:426,
 AR:384
 functionality, CG:39–CG:43
 importing OpenView Operations for
 Windows policies, AR:242
 improving performance, AR:372–AR:373
 installing configuration on managed nodes,
 AR:187–AR:203
 integrating applications
 actions, AR:255–AR:256
 Application Desktop, AR:246–AR:247
 broadcast commands, AR:254
 components, AR:245
 HP applications, AR:245
 HP OpenView plug-in, AR:246
 monitoring applications, AR:257
 NNM, AR:247, AR:248–AR:253
 overview, AR:243–AR:262
 OVO applications, AR:246
 integrating SMS, DCE:443–DCE:444
 interoperability
 OpenView Operations for Windows,
 AR:227–AR:242
 overview, AR:225–AR:242
 language support, AR:273–AR:313
 maintaining, CG:219–CG:301,
 AR:483–AR:540
 man pages, AR:558
 mapping file problems, DCE:180
 MC/ServiceGuard support, DCE:121
 message interface, CG:391–CG:392
 monitoring, CG:131
 other languages, AR:312
 overview, CG:31–CG:61
 process
 groups, AR:459
 names, AR:459
 processes, AR:345–AR:365
 security
 auditing, AR:475–AR:478
 levels, AR:460
 methods, CG:226
 operations, AR:462–AR:474
 overview, AR:445–AR:481
 OVO processes, AR:459–AR:460
 Spanish language, AR:307
 starting from operator GUI, CG:222
 Sun Enterprise Cluster support, DCE:312
 Sun Management Center integration,
 DCE:311
 tasks, CG:44–CG:54
 troubleshooting, AR:375–AR:384
 server, AR:388–AR:389
 tuning performance, AR:370–AR:374
 updating configuration on managed nodes,
 AR:187–AR:203
 variables, CG:174
 versions, AR:376–AR:377
OVO Add Node window, CG:242–CG:245
OVO administrator

- See also administrative rights; operators;
 - template administrators; users
- changing responsibility matrix, CG:224
- description, CG:56–CG:57
- environment, CG:221–CG:224
- GUI
 - access, AR:464
 - description, CG:222
- message browser, CG:223–CG:224
- reports
 - customized, AR:113
 - preconfigured, AR:110
- responsibility matrix, CG:224
- saving, AR:464
- OVO agents
 - See also OVO
 - activating on Solaris managed nodes
 - command line, DCE:282
 - GUI, DCE:283
 - configuration files
 - location, AR:362
 - types, AR:361
 - configuring OpenView Operations for
 - Windows management server, AR:228–AR:231
 - de-installing from managed nodes
 - AIX, DCE:54
 - automatically, AR:62–AR:63
 - HP-UX, DCE:96
 - Linux, DCE:140–DCE:141
 - manually, AR:63
 - MPE/iX, DCE:163
 - Sequent DYNIX, DCE:230
 - SGI IRIX, DCE:244
 - SINIX RM/Reliant, DCE:262
 - Solaris, DCE:285
 - Tru64 UNIX, DCE:334
 - Windows NT/2000, DCE:385
 - distributing configuration to managed nodes, AR:189
 - enabling operators to control, AR:252–AR:253
 - HACMP, DCE:46
 - installation
 - managed nodes, AR:35–AR:56
 - reasons not to install, CG:237
 - requirements, AR:37–AR:40
 - script, AR:48
 - tips, AR:41–AR:47
 - installing on managed nodes
 - AIX, DCE:41–DCE:53
 - HP-UX, DCE:85–DCE:92
 - Linux, DCE:136–DCE:139
 - MPE/iX, DCE:163
 - Novell NetWare, DCE:196–DCE:201
 - Sequent DYNIX, DCE:230
 - SGI IRIX, DCE:244
 - SINIX RM/Reliant, DCE:261
 - Solaris, DCE:280–DCE:281
 - Sun Enterprise E10000, DCE:309–DCE:310
 - Tru64 UNIX, DCE:328
 - Windows NT/2000, DCE:361–DCE:384
 - managing, AR:64–AR:66
 - monitoring
 - IP devices, CG:486
 - objects, CG:395–CG:400
 - reconfiguring on regional management servers, CG:461
 - removing from managed nodes
 - AIX, DCE:54
 - Linux, DCE:141
 - Novell NetWare, DCE:201
 - SGI IRIX, DCE:244
 - SINIX RM/Reliant, DCE:262
 - Solaris, DCE:286
 - SSH installation method, AR:57–AR:61
 - synchronizing commands with character set, AR:286
 - updating on managed nodes, AR:48–AR:56
 - versions
 - description, AR:64
 - displaying available, AR:65
 - displaying installed, AR:65
 - removing, AR:66
 - with NNM collection stations, CG:487
 - on multiple management servers, CG:491
- OVO Application Bank window
 - EMS resource hierarchy, DCE:118–DCE:119
- OVO Error Report, AR:112, AR:114
- OVO in a Cluster environment
 - architecture, DCE:451
 - preconfigured elements, DCE:463

Master Index

troubleshooting, DCE:459–DCE:462
OVO management server
 certificate troubleshooting, HTTPS:208
 communication troubleshooting, HTTPS:204
 OvCoreIds, HTTPS:209
OVO Message Group Bank window, CG:251
OVO Node Bank window, CG:229–CG:230
OVO Node Hierarchy Bank window,
 CG:231–CG:235
OVO Node Hierarchy window, CG:228
ovoareqsdr process, AR:349
OVOPC-CLT agent filesets
 English only, DCE:82
 generic, DCE:82
OVPA
 AIX, AR:207
 applications, AR:218
 customizing, AR:209
 data
 analyzing, AR:208
 integrating, AR:208
 logging, AR:208
 de-installing from managed nodes, AR:216
 description, AR:208–AR:209
 documentation
 downloading, AR:223
 PDFs, AR:223
 viewing, AR:223
 hardware requirements, AR:210
 HP-UX, AR:205–AR:224
 installation requirements, AR:210–AR:211
 installing on managed nodes,
 AR:212–AR:215
 overview, AR:205–AR:224
 software requirements, AR:210–AR:211
 Solaris, AR:205–AR:224
 templates, AR:220–AR:222
 Tru64 UNIX, AR:207
ovpolicy, HTTPS:38
ovrc, HTTPS:38
ovrestore.ovpl command, AR:495–AR:497
ownership
 display modes, CG:163, CG:292–CG:293
 messages, CG:162–CG:163, CG:292–CG:295
 modes, CG:162, CG:293–CG:295
Ownership policy, CG:135
owning messages, CG:292

P

PAM, authentication, AR:466
panes and areas
 moving, CG:199
 showing and hiding, CG:201–CG:203
parallel configuration servers, HTTPS:32
parameters
 See also variables
 kernel, AR:38
 message buffering, AR:132
 notification service, AR:270
 opclc command, AR:512–AR:513
 scheduled outages
 syntax, AR:131
SYSSTART.PUB.SYS, DCE:161
templates
 message forwarding, AR:139
 scheduled outages, AR:131
 service hours, AR:131
 time zone string, AR:136
 trouble ticket system, AR:270
passwd option, AR:322, AR:325
passwords
 assigning, AR:468–AR:470
 changing, CG:186, AR:462
 controlling, AR:462
 DCE nodes, AR:467–AR:468
 root, AR:48
patches, Solaris, DCE:279
pattern matching
 condition examples, CG:339–CG:340
 mathematical operators, CG:338–CG:339
 messages, CG:338–CG:346
 returning node names, AR:334
 syntax, CG:341–CG:343
 without case-sensitivity, CG:339
pattern-matching options
 setting defaults, CG:325
PDF documentation
 OVPA, AR:223
pending messages browser
 See also active message browser; filtered
 message browser; history message
 browser; message browser
 investigating problems, CG:159
 overview, CG:99
 unbuffering messages, CG:99

- perflbd monitor template, AR:221
- PerfMon Objs application, DCE:405
- performance
 - agent, HTTPS:33
 - improving
 - database, AR:371
 - Motif GUI startup, AR:374
 - OVO, AR:372–AR:373
 - SNMP management platform, AR:370–AR:371
 - Java GUI, AR:342–AR:343
 - monitoring, CG:37
 - NMA, DCE:206
 - optimizing, CG:355–CG:356
 - troubleshooting, HTTPS:35
 - tuning, AR:370–AR:374
- Performance Agent. *See* OVPA
- Performance message group
 - MPE/iX, DCE:165
 - OVO, AR:73
- performance metrics
 - about, CG:398
 - configuring, CG:399
 - monitoring, CG:398
- Perl interpreter
 - AIX, DCE:65
 - HP-UX, DCE:122
 - Linux, DCE:152
 - Solaris, DCE:313
 - Tru64 UNIX, DCE:353
 - Windows NT/2000, DCE:448
- permissions
 - file access, AR:463
 - GUI, AR:464–AR:465
 - setting
 - group, AR:463
 - setting file, AR:463
- Personal Filters, CG:77
- physical node, HTTPS:146
- Physical Terminal application, DCE:173
- pids file, AR:354, AR:359
- ping
 - application, HTTPS:184
- pipe files
 - managed nodes, AR:358–AR:359
 - management server, AR:353–AR:354
- platform, HTTPS:157
- plug-in, HP OpenView application, AR:246
- point-to-point problems, AR:436
- policies
 - assigning to virtual nodes, HTTPS:150
 - changing WM1 default name, AR:240
 - de-assigning from virtual nodes, HTTPS:150
 - deploying policies to virtual nodes, HTTPS:151
 - importing OpenView Operations for Windows policies into OVO, AR:242
 - manual installation, HTTPS:91
 - message escalation, CG:453
 - messages, CG:134
 - modifying policies on virtual nodes, HTTPS:151
- policy management, HTTPS:90
- polling intervals
 - MIB objects, CG:396
 - programs, CG:396
- popup menus
 - browser pane, CG:115
 - customizing, CG:206–CG:207
 - object pane, CG:112
 - overview, CG:110
 - shortcut bar, CG:111
 - workspace pane, CG:113
- port option, AR:325
- position controls
 - figures
 - enabling, CG:198
 - main window, CG:109
 - hiding, CG:198
 - overview, CG:109
 - showing, CG:198
- PRC authentication, AR:454
- preconfigured
 - elements, AR:71–AR:108
 - AIX, DCE:55–DCE:57
 - HP-UX (OVO), DCE:97–DCE:102
 - HP-UX (OVPA), AR:218–AR:222
 - Linux, DCE:142–DCE:143
 - MPE/iX, DCE:164–DCE:174
 - Novell NetWare, DCE:202–DCE:214
 - Sequent DYNIX, DCE:231
 - SGI IRIX, DCE:245
 - SINIX RM/Reliant, DCE:263
 - Solaris (OVO), DCE:287–DCE:292
 - Solaris (OVPA), AR:218–AR:222

Master Index

- Sun Enterprise E10000,
 - DCE:302–DCE:306
- Tru64 UNIX, DCE:335–DCE:336
- Windows NT/2000, DCE:386–DCE:393
- reports
 - administrator, AR:110
 - operator, AR:114
- Preferences dialog box
 - figures
 - Events tab, CG:208
 - General tab, CG:206
 - Web Browsers tab, CG:100
 - itoprc file, AR:323–AR:327
- preventing problems, AR:375–AR:376
- primary account
 - creating manually, AR:468
 - disabling, AR:468
- primary manager, CG:446
 - specifying, CG:467–CG:469
 - switching responsibility, CG:467–CG:468
- Print Server application, DCE:213
- Print Status application, DCE:173
- printer, report, AR:109
- printing
 - group, message target rules, CG:465
 - man pages, AR:557
- problems
 - correcting, CG:37
 - detecting, CG:130
 - detecting early, CG:305
 - investigating, CG:142–CG:143
 - message forwarding template, CG:483
 - preventing, AR:375–AR:376
 - registering, CG:39
 - solving, CG:39, CG:160–CG:161
 - process, CG:128–CG:129
 - tracing, AR:378
- troubleshooting, AR:375–AR:384
 - database, AR:385–AR:387
 - embedded performance component,
 - AR:428–AR:432
 - GUI on management server,
 - AR:390–AR:392
 - installation on managed nodes, AR:393
 - installation on MPE/iX managed nodes,
 - AR:395–AR:398
 - installation on Windows managed nodes,
 - AR:399–AR:400
 - installation with multi-homed hosts,
 - AR:435–AR:442
 - local location brokers, AR:427
 - mixed-case node names, AR:394
 - NSF, AR:443
 - OVO server, AR:388–AR:389
 - RPC daemons, AR:427
 - runtime on all managed nodes,
 - AR:401–AR:415
 - runtime on MPE/iX managed nodes,
 - AR:420–AR:426
 - runtime on UNIX managed nodes,
 - AR:416–AR:419
- Procedures policy, CG:135
- process
 - files, AR:357–AR:360
 - groups, AR:459
 - names, AR:459
- Process Kill application, DCE:407
- processes
 - agent, HTTPS:34
 - authentication, AR:363–AR:365
 - managed node, AR:355–AR:362
 - management server, AR:349–AR:354
 - overview, AR:345–AR:365
 - security, AR:363–AR:365
- Processes application, DCE:174, DCE:440
- processing
 - actions
 - automatic, CG:51–CG:52
 - operator-initiated, CG:53–CG:54
 - managed node files
 - English, AR:300–AR:301
 - Japanese, AR:303–AR:304
 - management server files
 - ISO 8859-15, AR:299
 - Shift JIS, AR:302
- messages
 - escalated messages, CG:454–CG:455
 - forwarded, CG:477
 - on management server, CG:332
 - overview, CG:322–CG:329
 - tasks, CG:46–CG:48
 - templates, multiple, CG:327–CG:328
- productivity, improving, CG:305

profiles
 management, CG:457
 user, CG:56
 <\$PROG> variable, AR:169
 Program Neighbourhood service, DCE:436
 programs
 accessing
 HP-UX, AR:465
 MPE/iX, AR:465
 distribution
 AIX, DCE:58–DCE:59
 HP-UX, DCE:103–DCE:105
 Linux, DCE:144–DCE:146
 MPE/iX, DCE:175–DCE:176
 Novell NetWare, DCE:215–DCE:216
 overview, AR:190–AR:194
 requirements, AR:190
 Sequent DYNIX, DCE:232–DCE:233
 SGI IRIX, DCE:246–DCE:247
 SINIX RM/Reliant, DCE:264–DCE:265
 Solaris, DCE:293–DCE:294
 tips, AR:190–AR:193
 Tru64 UNIX, DCE:337–DCE:338
 Windows NT/2000, DCE:427–DCE:428
 monitors, CG:395
 notification service, AR:266–AR:267
 security, AR:465
 trouble ticket system, AR:266–AR:267
 prompt_for_activate option, AR:325
 properties, changing default types of all
 messages forwarded to OVO, AR:240
 protecting
 automatic actions, AR:471
 configuration distribution, AR:470
 operator-initiated actions, AR:471
 remote actions, AR:471–AR:474
 shell scripts, AR:471
 template distribution, AR:470
 proxies, HTTPS:138
 configuring, HTTPS:140
 dual-homed host, HTTPS:139
 manual agent software installation,
 HTTPS:143
 multi-homed host, HTTPS:139
 on management server, HTTPS:144
 single-homed host, HTTPS:139
 syntax, HTTPS:142

pvalarnd monitor template, AR:222

Q

queue files
 managed nodes, AR:358–AR:359
 management server, AR:353–AR:354
 removing, AR:500
 security, AR:474
 Queues application, DCE:213
 quick filters, accessing, CG:214

R

<\$R> variable, AR:167
 <\$r> variable, AR:167
 ratio, management hierarchy setup, CG:458
 Reactivate alarmdef application, AR:218
 reading operator instructions,
 CG:168–CG:169
 Reboot application, DCE:408
 reconfiguring
 management server after changing
 hostname or IP address,
 AR:518–AR:522, AR:531–AR:537
 OVO agents on regional management
 servers, CG:461
 SSP
 snmpd daemon, DCE:307
 templates, DCE:309, DCE:310
 reconnect_interval option, AR:326
 reconnect_timeout option, AR:326
 recovering
See also recovery tools
 configuration data after automatic backup,
 AR:498–AR:500
 database to latest state, AR:498–AR:499
 recovery tools, AR:488
See also recovering
 redistributing scripts to all managed nodes,
 AR:488
 redo logs, creating another set, AR:503
 reducing number of messages,
 CG:357–CG:378
 refresh interval
 changing, CG:193
 refresh_interval option, AR:322, AR:326
 Reg Viewer application, DCE:409
 regional management servers
 configuring, CG:461–CG:462

Master Index

- description, CG:458
- managed nodes, CG:461–CG:462
- reconfiguring OVO agents, CG:461
- registering problems, CG:39
- regroup conditions
 - See also* regrouping messages
 - defining, CG:382
 - examples, CG:383
- Regroup Conditions window, CG:382
- regrouping messages
 - See also* regroup conditions
 - description, CG:312
 - overview, CG:381–CG:383
- Reliant. *See* SINIX RM/Reliant managed nodes
- remote access
 - See also* remote actions
 - applications, AR:467
 - broadcast commands, AR:467
 - I/O applications, AR:467
- remote actions
 - See also* remote access
 - example, AR:472
 - protecting, AR:471–AR:474
 - security mechanisms, AR:473–AR:474
- remote control, HTTPS:98
- remote host equivalence, establishing, DCE:308
- remote installation
 - Linux, DCE:136
- removing
 - See also* de-installing; installing
 - DCE
 - AIX, DCE:41
 - SINIX RM/Reliant, DCE:261
 - Tru64 UNIX, DCE:327
 - OVO agents, AR:66
 - AIX, DCE:54
 - Linux, DCE:141
 - Novell NetWare, DCE:201
 - SGI IRIX, DCE:244
 - SINIX RM/Reliant, DCE:262
 - Solaris, DCE:286
 - queue files, AR:500
- Removing Older Agents, DCE:141
- rep_server monitor template, AR:221
- replacing Instant On licenses with OVKey licenses, AR:510
- reporting errors
 - GUI Error Dialog Box, AR:382–AR:383
 - message browser, AR:381
 - overview, AR:380–AR:384
 - stderr and stdout devices, AR:383
- reports
 - administrator
 - customized, AR:113
 - preconfigured, AR:110
 - configuring timeouts, AR:109
 - database, AR:109–AR:116
 - defining printer, AR:109
 - generating, CG:40
 - Internet, AR:109
 - operator
 - customized, AR:115
 - preconfigured, AR:114
 - security, AR:116
 - statistical, AR:115
 - trend analysis, AR:115
- requirements. *See* distribution; installation requirements
- rerunning automatic actions, CG:165
- reset message, sending automatically, CG:367–CG:369
- resetting
 - events
 - HACMP 4.2.2, DCE:51
 - HACMP 4.3.1, DCE:51–DCE:52
 - IP alias for HACMP agents in GUI, DCE:50
- resolving message attributes, CG:323
- resource instances, viewing in EMS GUI, DCE:116
- resource requirements, HTTPS:32
- RESPMGRCONFIG keyword, AR:119
- responding to messages, CG:50
- responsibility
 - See also* responsible managers
 - distributing in competence centers, CG:450–CG:451
 - domain hierarchy management, CG:458–CG:459
 - management server
 - delegating, CG:468
 - switching, CG:467–CG:469
 - operator matrix, CG:224
- responsible managers
 - See also* responsibility

- configuration file
 - creating, CG:463
 - distributing, CG:464
- configuring, CG:463–CG:471
- templates
 - managed nodes, CG:464
 - syntax, AR:125
- Restart PA Servers application, AR:218
- Restart Perf Agt application, AR:218
- restore
 - certificate, HTTPS:212
- restoring database, AR:498
- restricting
 - See also* restrictions
 - database access, AR:116
 - Net8 access, AR:116
 - web reporting, AR:116
- restrictions
 - See also* restricting
 - OVO access, CG:56
- results, action, CG:164
- reversing manager switch, CG:468
- reviewing
 - acknowledgements, CG:184
 - annotations
 - actions, CG:164
 - messages, CG:181
 - automatic actions, CG:165
- messages
 - attributes, CG:144
 - details, CG:95
 - groups, CG:252
- object status, CG:164
- operator-initiated actions
 - annotations, CG:167
 - overview, CG:167
- RM/Reliant. *See* SINIX RM/Reliant managed nodes
- roles, user, CG:55
- ROMAN8, converting managed node files, AR:300
- root
 - passwords, AR:48
 - user, AR:466
- root certificate, HTTPS:51
 - deployment, HTTPS:54
 - update, HTTPS:54
- RPC

- authentication, AR:457–AR:458
 - configuring in OVO, AR:458
 - OVO example, AR:458
- login context, AR:457
- server ticket
 - description, AR:457
 - verifying, AR:457
- time out, HTTPS:188
- troubleshooting, AR:427
- rqsdbr file, AR:354
- rqsp pipe file, AR:354
- rqsq queue file, AR:354
- rules, message target, CG:465–CG:466
- Running Software* application, DCE:213
- runtime problems
 - all managed nodes, AR:401–AR:415
 - managed node directories, AR:507
 - MPE/iX managed nodes, AR:420–AR:426
 - UNIX managed nodes, AR:416–AR:419

S

- S message attribute, AR:75
- <\$S> variable, AR:167
- <\$s> variable, AR:168
- SAM
 - ASCII, DCE:101
 - Motif, DCE:101
 - OVO Application Bank window, DCE:118–DCE:119
- sam command, DCE:101
- Save Browser Filter Settings dialog box
 - figure, CG:213
- saving
 - console settings
 - figure, CG:195
 - overview, CG:195–CG:197
 - customized message browser layout, CG:218
 - message browser filter
 - object pane, CG:214
 - settings, CG:212–CG:213
- output
 - operator, CG:222, AR:463
 - OVO administrator, AR:464
- scalability
 - multiple management servers, CG:443–CG:491
 - scenarios, CG:484–CG:491

Master Index

- scanning messages, CG:134
- scenarios
 - automating standard, CG:364
 - scalability
 - multiple management servers, CG:489–CG:490
 - multiple management servers with OVO agents and NNM collection stations, CG:491
 - NNM collection station with OVO agents, CG:487–CG:488
 - OVO agents monitoring IP devices, CG:486
 - single management server, CG:484–CG:485
- scheduled outages
 - configuring, CG:442
 - defining, CG:441
 - overview, CG:441
 - template
 - examples, AR:153
 - location, AR:130
 - parameters, AR:131
 - syntax, AR:128–AR:130
- scheduling templates, AR:130–AR:136
- scopeux monitor template, AR:221
- scripts
 - customized, AR:191
 - distributing, AR:190–AR:194
 - distribution
 - AIX, DCE:58–DCE:59
 - HP-UX, DCE:103–DCE:105
 - Linux, DCE:144–DCE:146
 - MPE/iX, DCE:175–DCE:176
 - Novell NetWare, DCE:215–DCE:216
 - requirements, AR:190
 - Sequent DYNIX, DCE:232–DCE:233
 - SGI IRIX, DCE:246–DCE:247
 - SINIX RM/Reliant, DCE:264–DCE:265
 - Solaris, DCE:293–DCE:294
 - tips, AR:190–AR:193
 - Tru64 UNIX, DCE:337–DCE:338
 - Windows NT/2000, DCE:427–DCE:428
- ito_restore.sh, AR:497
- notification service, AR:266–AR:267
- redistributing, AR:488
- shell, protecting, AR:471
- trouble ticket system, AR:266–AR:267
- versions, AR:190
- SD-UX
 - See also* HP-UX managed nodes
 - creating software depot on remote node, DCE:87–DCE:88
 - enabling, DCE:89
 - installing OVO agents
 - from depot node, DCE:86
 - from SD-UX depot, DCE:89
 - manually from depot, DCE:92
 - manually from tape file, DCE:91
 - overview, DCE:86–DCE:89
- searching object tree
 - overview, CG:132
- second disk, moving database control files, AR:502
- secondary manager
 - enabling actions, CG:468
 - specifying, CG:460
 - switching responsibility, CG:467–CG:468
- SECONDARYMANAGERS keyword, AR:120
- secure_port option, AR:326
- securing environment, CG:225–CG:226
- security
 - alternative users, HTTPS:70
 - agent profile, HTTPS:77
 - changing default port, HTTPS:76
 - comparison with DCE agents, HTTPS:84
 - configuring the management server, HTTPS:75
 - installation, HTTPS:73
 - limitations, HTTPS:71
 - patching, HTTPS:80
 - preparation, HTTPS:72
 - sudo, HTTPS:81
 - upgrading, HTTPS:80
- auditing, AR:475–AR:478
- certificate client, HTTPS:48, HTTPS:53
- certificate server, HTTPS:48, HTTPS:52
 - merging, HTTPS:56
 - multiple, HTTPS:55, HTTPS:59
 - sharing, HTTPS:61
- certificates, HTTPS:51
- certification authority, HTTPS:52
- components, HTTPS:48
- database, AR:465

- exception warnings, AR:343
- key store, HTTPS:48
- levels, DCE:166
- managed nodes, CG:247
- network
 - DCE, AR:451–AR:456
 - overview, AR:450–AR:461
 - RPC authentication, AR:457–AR:458
- operations
 - accessing OVO, AR:462
 - overview, AR:462–AR:474
- overview, AR:445–AR:481
- OVO, CG:226
 - levels, AR:460
 - process, AR:459–AR:460
- processes, AR:363–AR:365
- program, AR:465
- remote actions, AR:473–AR:474
- reports, AR:116
- root certificate, HTTPS:51
 - deployment, HTTPS:54
 - update, HTTPS:54
- SSH, AR:461
- types, AR:447
- Security message group
 - MPE/iX, DCE:165
 - OVO, AR:73
- Sel. Active Details Report, AR:114
- Sel. Active Messages Report, AR:114
- Sel. History Details Report, AR:114
- Sel. History Messages Report, AR:114
- Sel. Pending Details Report, AR:114
- Sel. Pending Messages Report, AR:114
- selecting
 - conditions, CG:338
 - message generation policy, CG:402–CG:405
 - threshold types, CG:401
- semnms parameter, AR:38
- Send Message application, DCE:440
- sending
 - messages to management server
 - OpenView Operations for Windows, AR:228
 - OVO, AR:232
 - reset message automatically, CG:367–CG:369
- Sequent DYNIX managed nodes
 - default operator, DCE:235
 - de-installing agents, DCE:230
 - directory structure, DCE:234
 - file locations, DCE:234
 - hardwarre requirements, DCE:227
 - include file, DCE:237
 - installation
 - requirements, DCE:227–DCE:228
 - tips, DCE:229
 - installing agents, DCE:230
 - libraries, DCE:237–DCE:238
 - makefile, DCE:238
 - organization, DCE:234–DCE:236
 - overview, DCE:225–DCE:238
 - preconfigured elements, DCE:231
 - scripts and programs, DCE:232–DCE:233
 - SNMP event interceptor (not supported), DCE:231
 - software requirements, DCE:227–DCE:228
 - system resource files, DCE:236
- sequential conditions
 - description, CG:355
 - selecting, CG:338
- Server Config application, DCE:412
- server option, AR:322
- Server Stats application, DCE:413
- server ticket, RPC, AR:457
- Servers application, DCE:440
- servers. *See* management server; managers
- Service Desk, AR:265
- service hours, CG:99
 - configuring, CG:442
 - defining, CG:440
 - overview, CG:439–CG:440
- template
 - examples, AR:152
 - location, AR:130
 - parameters, AR:131
 - syntax, AR:128, AR:130
- Service Navigator
 - finding impacted services, CG:156
- Service Navigator man pages, AR:563
- service template, AR:119
- services
 - ICA Browser, DCE:435
 - OV Service, AR:251
 - Program Neighbourhood, DCE:436

Master Index

- Services workspace
 - finding impacted Service Navigator services, CG:156
 - overview, CG:82
 - Sessions application, DCE:441
 - Set Parameters* application, DCE:213
 - setting
 - character set
 - GUI, AR:277–AR:283
 - managed nodes, AR:287
 - management server, AR:276
 - community name
 - opcinfo file, AR:433
 - SNMP daemon configuration file, AR:434
 - file permissions, AR:463
 - group permissions, AR:463
 - IP aliases for HACMP agents
 - AIX 4.3, DCE:48
 - language
 - managed nodes, AR:286
 - management server, AR:275
 - setting up
 - customized job stream facility on MPE/iX
 - managed nodes, DCE:162
 - management
 - hierarchies, CG:458
 - server defaults, CG:446
 - message
 - conditions, CG:333–CG:337
 - defaults, CG:324–CG:325
 - node hierarchy, CG:233
 - threshold monitoring, CG:409–CG:410
 - time intervals in time templates, CG:466
- settings
 - compression, CG:373
 - node defaults, CG:246
 - settings, console, CG:195–CG:197
 - severity
 - message coloring, CG:139–CG:141
 - viewing in Message Dashboard, CG:151–CG:155
 - severity messages
 - evaluating, CG:318
 - levels, AR:74–AR:75
 - Severity policy, CG:134
 - severity_label option, AR:326
 - SGI IRIX managed nodes
 - default operator, DCE:249
 - de-installing agents, DCE:244
 - directory structure, DCE:248
 - file locations, DCE:248
 - hardware requirements, DCE:241
 - include file, DCE:251
 - installation
 - requirements, DCE:241–DCE:242
 - tips, DCE:243
 - installing agents, DCE:244
 - libraries, DCE:251–DCE:252
 - logfile templates, DCE:245
 - makefile, DCE:252
 - organization, DCE:248–DCE:250
 - overview, DCE:239–DCE:252
 - preconfigured elements, DCE:245
 - removing agents, DCE:244
 - scripts and programs, DCE:246–DCE:247
 - SNMP event interceptor (not supported), DCE:245
 - software requirements, DCE:242
 - system resource files, DCE:250
 - Shares application, DCE:414
 - sharing a certificate server, HTTPS:61
 - sharing message control, CG:473
 - shell script syntax, AR:267
 - shell scripts, protecting, AR:471
 - Shift JIS
 - converting managed nodes to, AR:306
 - processing management server files, AR:302
 - shmax parameter, AR:38
 - shortcut bar
 - customizing, CG:204
 - figures
 - disabling, CG:202
 - enabling, CG:201
 - main window, CG:67
 - popup menu, CG:111
 - hiding, CG:201
 - moving, CG:199
 - overview, CG:67–CG:68
 - popup menus, CG:111
 - showing, CG:201
 - shortcut_tree_icon_width option, AR:326
 - shortcuts, assigned by the OVO administrator, CG:191
 - Show Drivers application, DCE:415

- Show Services application, DCE:416
- Show Users application, DCE:419
- show_at_severity option, AR:326
- showing
 - message browser columns, CG:217
 - panes and areas, CG:201–CG:203
 - position controls, CG:198
- Siemens-Nixdorf. *See* hardware; SINIX RM/Reliant managed nodes
- Silicon Graphics Indigo. *See* hardware; SGI IRIX managed nodes
- single-homed host, HTTPS:139
- SINIX RM/Reliant managed nodes
 - DCE
 - configuring, DCE:260
 - removing, DCE:261
 - OVO
 - default operator, DCE:267
 - de-installing agents, DCE:262
 - directory structure, DCE:266
 - file locations, DCE:266
 - hardware requirements, DCE:255
 - installation requirements, DCE:255–DCE:256
 - installation tips, DCE:257–DCE:259
 - installing agents, DCE:261
 - libraries, DCE:269–DCE:270
 - makefile, DCE:270
 - organization, DCE:266–DCE:268
 - overview, DCE:253–DCE:270
 - preconfigured elements, DCE:263
 - removing agents, DCE:262
 - scripts and programs, DCE:264–DCE:265
 - SNMP event interceptor (not supported), DCE:263
 - software requirements, DCE:255–DCE:256
 - system resource files, DCE:268
- size, message distribution list, CG:477–CG:479
- smit command, DCE:57
- SMIT User Interface, starting, DCE:57
- SMS
 - integrating into OVO, DCE:443–DCE:444
 - integration, DCE:442–DCE:447
 - monitors, DCE:445
 - versions supported, DCE:442
- SNMP
 - configuration file, AR:434
 - event interceptor
 - AIX, DCE:56
 - HP-UX (OVO), DCE:99–DCE:101
 - Linux (not supported), DCE:143
 - MPE/iX (not supported), DCE:171
 - Novell NetWare, DCE:203
 - Sequent DYNIX (not supported), DCE:231
 - SGI IRIX (not supported), DCE:245
 - SINIX RM/Reliant (not supported), DCE:263
 - Solaris (OVO), DCE:289–DCE:291
 - Tru64 UNIX (not supported), DCE:335
 - Windows NT/2000, DCE:388–DCE:391
 - events, CG:414–CG:421
 - improving performance, AR:370–AR:371
 - traps
 - adding templates, CG:418
 - condition example, CG:420
 - defining template conditions, CG:418–CG:419
 - forwarding, CG:416–CG:417
 - OpenView, DCE:99
 - overview, CG:414–CG:421
 - Sun Enterprise E10000, DCE:303
 - variables, AR:165–AR:168
 - well-defined, DCE:99
- SNMP message group, AR:73
- software
 - communication, AR:39–AR:40
 - debugging (de-)installation, AR:67–AR:68
 - installation, HTTPS:101
 - from clone images, HTTPS:128
 - manual, HTTPS:119
 - manual behind proxy, HTTPS:143
 - manually from package files, HTTPS:120
 - software requirements
 - OVO
 - AIX, DCE:33–DCE:36
 - HP-UX, DCE:70–DCE:75
 - Linux, DCE:128–DCE:132
 - MPE/iX, DCE:155–DCE:156
 - Novell NetWare, DCE:187–DCE:189
 - Sequent DYNIX, DCE:227–DCE:228
 - SGI IRIX, DCE:242
 - SINIX RM/Reliant, DCE:255–DCE:256
 - Solaris, DCE:274
 - Tru64 UNIX, DCE:318–DCE:320

Master Index

- Windows NT/2000, DCE:359–DCE:360
- software sub-tree on management server
 - customer-specific, DCE:81
 - vendor-specific, DCE:80
- Solaris managed nodes
 - See also* Sun Clusters; Sun Enterprise E10000; Sun Management Center; Sun SPARCclassic; Sun SPARCserver; Sun SPARCstation; Sun Ultra
- OVO
 - activating agents, DCE:282–DCE:283
 - default operator, DCE:296
 - de-installing agents, DCE:285
 - directory structure, DCE:295
 - file locations, DCE:295
 - hardware requirements, DCE:273
 - include file, DCE:299
 - installation requirements,
 - DCE:273–DCE:276
 - installation tips, DCE:277–DCE:278
 - installing agents, DCE:280–DCE:281
 - libraries, DCE:298–DCE:300
 - logfile locations, AR:509
 - logfile templates, DCE:288
 - makefile, DCE:300
 - MC/ServiceGuard support, DCE:121
 - message templates, DCE:287
 - missing OS patches, DCE:279
 - organization, DCE:295–DCE:297
 - overview, DCE:271–DCE:313
 - preconfigured elements,
 - DCE:287–DCE:292
 - removing agents, DCE:286
 - scripts and programs, DCE:293–DCE:294
 - SNMP event interceptor,
 - DCE:289–DCE:291
 - software requirements, DCE:274
 - Sun Enterprise Cluster support, DCE:312
 - Sun Enterprise E10000,
 - DCE:301–DCE:310
 - Sun Management Center integration,
 - DCE:311
 - system resource files, DCE:296
 - template groups, DCE:287
- OVPA
 - de-installing, AR:216
 - installation requirements, AR:210–AR:211
 - installing, AR:212–AR:215
 - overview, AR:205–AR:224
 - preconfigured elements, AR:218–AR:222
 - template groups, AR:220–AR:222
- solaris node group, AR:71
- Solaris template group, DCE:287
- solutions, documenting, CG:40, CG:178
- solving problems, CG:39
 - accessing terminal, CG:177
 - adding OVO variables, CG:174
 - applications, CG:170–CG:171
 - broadcasting commands, CG:175–CG:176
 - escalating messages, CG:177
 - evaluating action results, CG:164
 - overview, CG:160–CG:161
 - owning messages, CG:162–CG:163
 - process, CG:128–CG:129
 - reading operator instructions,
 - CG:168–CG:169
 - verifying
 - automatic actions, CG:165–CG:166
 - operator-initiated actions, CG:167
- sources, message correlation, CG:429
- Spanish
 - OVO, AR:307
- SPARCclassic. *See* Sun SPARCclassic
- SPARCserver. *See* Sun SPARCserver
- SPARCstation. *See* Sun SPARCstation
- special characters, flexible management templates, AR:124
- SSH
 - OVO agent installation, AR:57–AR:61
 - security, AR:461
- SSP
 - configuring, DCE:307–DCE:308
 - establishing remote host equivalence,
 - DCE:308
 - exporting SSP logfiles directory, DCE:308
 - reconfiguring
 - snmpd daemon, DCE:307
 - SSP templates, DCE:309, DCE:310
 - SSP Tools, DCE:306
 - SSP Config application, DCE:306
 - SSP message group, AR:73
 - standard de-installation
 - See also* de-installing
 - OVO

- MPE/iX, DCE:163
- SINIX RM/Reliant, DCE:262
- Solaris, DCE:285
- Tru64 UNIX, DCE:334
- Windows NT/2000, DCE:385
- OVPA
 - HP-UX, AR:216
 - Solaris, AR:216
- standard installation
 - See also installing*
- OVO
 - HP-UX, DCE:85
 - Linux, DCE:137
 - MPE/iX, DCE:163
 - SINIX RM/Reliant, DCE:261
 - Solaris, DCE:280
 - Windows NT/2000, DCE:373–DCE:378
- OVPA
 - HP-UX, AR:212
 - Solaris, AR:212
- standard scenarios, automating, CG:364
- Start Customized Application wizard
 - figures
 - broadcasting commands, CG:176
 - Step 2 of 3, CG:171
 - Step 3 of 3, CG:174
- Start extract application, AR:218
- Start Perf Agt application, AR:219
- Start pv application, AR:219
- Start pvalarmd application, AR:219
- Start Services application, DCE:420
- Start utility application, AR:219
- starting
 - applications, CG:170
 - accounts, AR:466
 - managed nodes, AR:261–AR:262
 - remotely, AR:467
 - broadcast commands
 - managed nodes, AR:261–AR:262
 - remotely, AR:467
 - corrective actions, CG:393
 - EMS GUI, DCE:116, DCE:117
 - I/O applications remotely, AR:467
 - operator-initiated actions, CG:167
 - OVO from operator GUI, CG:222
 - SMIT User Interface, DCE:57
 - streamed jobs on MPE/iX managed nodes, DCE:161
 - startup options, Java GUI, AR:321–AR:322
 - state-based browsers, CG:364, CG:411–CG:412
 - statistical reports, AR:115
 - status
 - application, HTTPS:185
 - status bar
 - figure, CG:105
 - overview, CG:104
 - Status Propagation display mode, CG:163, CG:293
 - status variables, AR:133
 - status.alarmgen logfile template, AR:220
 - status.mi logfile logfile template, AR:220
 - status.perflbd logfile template, AR:220
 - status.pv logfile template, AR:222
 - status.pvalarmd logfile template, AR:222
 - status.rep_server logfile template, AR:220
 - status.scope logfile template, AR:220
 - status.ttd logfile template, AR:221
 - stderr action, CG:164
 - stderr and stdout devices, reporting errors, AR:383
 - stdout action, CG:164
 - Stop Perf Agt application, AR:219
 - Stop pvalarmd application, AR:219
 - Stop Services application, DCE:421
 - strategies
 - message filtering, CG:355–CG:378
 - message forwarding, CG:480–CG:482
 - streamed jobs on MPE/iX managed nodes
 - customizing job stream facility, DCE:162
 - excluding networking commands, DCE:161
 - overview, DCE:161–DCE:163
 - preparing OVO, DCE:163
 - starting, DCE:161
 - SYSSTART.PUB.SYS parameters, DCE:161
 - strings, time zone, AR:135–AR:136
 - subproduct option, AR:326
 - subproducts
 - English, DCE:83
 - sub-tree on management server
 - customer-specific, DCE:81
 - vendor-specific, DCE:80
 - sudo
 - setting up, HTTPS:82
 - working with, HTTPS:81

Master Index

- Sun Clusters
 - See also* Solaris managed nodes; Sun Enterprise E10000
 - support, DCE:312
- Sun Enterprise E10000
 - See also* Solaris managed nodes; Sun Clusters
 - installing OVO agent, DCE:309–DCE:310
 - logfile templates, DCE:304
 - managing, DCE:301–DCE:302
 - monitored objects, DCE:305
 - monitoring, DCE:301–DCE:302
 - operating system versions, DCE:302
 - overview, DCE:301–DCE:310
 - preconfigured elements, DCE:302–DCE:306
 - SNMP trap interception, DCE:303
 - SSP
 - configuring, DCE:307–DCE:308
 - SSP Tools, DCE:306
 - template groups, DCE:302
- Sun Management Center, DCE:311
 - See also* Solaris managed nodes
- Sun Microsystems. *See* Solaris managed nodes; Sun Clusters; Sun Enterprise E10000; Sun Management Center; Sun SPARCclassic; Sun SPARCserver; Sun SPARCstation; Sun Ultra
- Sun Solaris. *See* Solaris
- Sun SPARCclassic
 - See also* Solaris managed nodes
- Sun SPARCserver
 - See also* Solaris managed nodes
- Sun SPARCstation, DCE:294
 - See also* Solaris managed nodes
- Sun Ultra
 - See also* Solaris managed nodes
- supported platforms, HTTPS:28
- suppress
 - See also* suppressing; suppression conditions
 - deploying, CG:356
 - description, CG:334–CG:337
 - types, verifying, CG:371–CG:373
- SUPPRESS parameter, AR:131
- suppressing
 - See also* suppress; suppression
 - duplicate messages, CG:370
 - flexible management environments, CG:378
 - management server, CG:376
 - multiple messages, CG:329
 - unmatched conditions, CG:356
- suppression
 - See also* suppress; suppressing
 - counter, CG:375
 - time, CG:374
- Switch User template, CG:438
- switching
 - backup server, CG:469
 - message control, CG:473–CG:474
 - primary management responsibility, CG:467–CG:468
 - reversing switch, CG:468
- switching message colors to entire line, CG:215
- symptoms, analyzing, AR:379
- synchronizing
 - commands with OVO agent character set, AR:286
 - OVO and NNM event correlation, CG:431
- syntax
 - EMS Resources application, DCE:119
 - oplic command, AR:512
 - pattern-matching, CG:341–CG:343
 - proxies, HTTPS:142
- templates
 - flexible management, AR:124–AR:129
 - management responsibility switching, AR:126
 - message operations and target rules, AR:127
 - responsible manager configuration, AR:125
 - scheduled outages, AR:128, AR:130
 - service hours, AR:128, AR:130
 - time, AR:126
 - time zone strings, AR:135
- SYSSTART.PUB.SYS parameters, DCE:161
- System Administrator. *See* SAM
- System Log (MetaFrame) template, DCE:437
- System Log (Terminal Server) template, DCE:437
- system resource files
 - AIX, DCE:61
 - HP-UX, DCE:109

MPE/iX, DCE:178
 Novell NetWare, DCE:218
 Sequent DYNIX, DCE:236
 SGI IRIX, DCE:250
 SINIX RM/Reliant, DCE:268
 Solaris, DCE:296
 Tru64 UNIX, DCE:349
 Windows NT/2000, DCE:431
 system security
 exception warnings, AR:343
 System Summary application, DCE:214

T

<\$T> variable, AR:168
 tables and tablespaces
 non-OVO, AR:552
 OVO, AR:547
 tabs, adding to browser pane, CG:214
 Tail Status Files application, AR:219
 tailored set of applications, CG:207
 tailored_applications_start option, AR:327
 target directories
 See also directories; temporary directories
 AIX, DCE:59
 HP-UX, DCE:103
 Linux, DCE:146
 MPE/iX, DCE:176
 Novell NetWare, DCE:216
 SGI IRIX, DCE:247
 SINIX RM/Reliant, DCE:265
 Solaris, DCE:294
 Tru64 UNIX, DCE:338
 Windows NT/2000, DCE:428
 target rules, messages, CG:465–CG:466
 tasks
 OVO, CG:44–CG:54
 TCP/IP
 tools, HTTPS:188
 TCP/IP Status application, DCE:422
 techniques, C2 security, CG:226
 template administrators
 See also operators; templates; users; OVO
 administrator
 description, CG:58
 template conditions, CG:46
 See also templates
 Template Detail Report, AR:111

template groups
 See also templates
 advantages, CG:310
 creating, CG:311
 hierarchies
 creating, CG:311
 navigating, CG:311
 organizing, CG:310–CG:311
 preconfigured
 HP-UX (OVO), DCE:97
 HP-UX (OVPA), AR:220–AR:222
 Linux, DCE:142
 Solaris (OVO), DCE:287
 Solaris (OVPA), AR:220–AR:222
 Sun Enterprise E10000, DCE:302
 templates
 See also template administrators; template
 conditions; template groups
 adding
 new combination of nodes and templates,
 CG:314
 SNMP traps, CG:418
 assigning, CG:313–CG:315
 configuring
 application-specific, CG:329
 multiple, CG:326
 creating for message sources, CG:309
 distributing
 assigned, CG:315
 description, CG:305
 message source, CG:307–CG:316
 EMS
 configuring, DCE:120
 event correlation example, CG:435–CG:438
 flexible management
 configuring, AR:117–AR:153
 examples, AR:146–AR:153
 follow-the-sun responsibility switch,
 AR:148–AR:149
 keywords, AR:119–AR:123
 location, AR:117
 message forwarding between
 management servers, AR:150–AR:151
 responsibility switch, AR:146–AR:147
 scheduled outages, AR:153
 service hours, AR:152

Master Index

- syntax, AR:124–AR:129
- types, AR:117
- generic, CG:329
- importing OVO templates into OpenView
 - Operations for Windows, AR:241
- logfile, CG:385
 - Citrix MetaFrame, DCE:437
 - HP-UX (OVO), DCE:98
 - Linux, DCE:142
 - SGI IRIX, DCE:245
 - Solaris (OVO), DCE:288
 - Sun Enterprise E10000, DCE:304
 - Tru64 UNIX, DCE:335
- variables, AR:162
- management responsibility switching, AR:126
- message
 - HP-UX (OVO), DCE:97
 - Solaris (OVO), DCE:287
- message forwarding, CG:476–CG:477
 - attributes, AR:138
 - configuring, AR:138
 - location, AR:137
 - parameters, AR:139
 - troubleshooting, CG:483
- message operations syntax, AR:127
- message source variables, AR:155–AR:169
- message target rule syntax, AR:127
- MPE/ix console messages
 - default attributes, CG:424
 - defining, CG:423
- multiple, CG:327–CG:328
- protecting distribution, AR:470
- responsible manager, CG:464
- scheduled outage syntax, AR:128–AR:130
- scheduling, AR:130–AR:136
- service hours
 - location, AR:130
 - parameters, AR:131
 - syntax, AR:128, AR:130
- SNMP trap variables, AR:165–AR:168
- SSP, reconfiguring, DCE:309, DCE:310
- Switch User, CG:438
- threshold monitor
 - EMS, DCE:113
 - variables, AR:163
- time, CG:466
 - examples, AR:141–AR:143
 - keywords, AR:144–AR:145
 - overview, AR:140–AR:145
 - syntax, AR:126
- time-indifferent, CG:466
- Transient Interface Down, CG:437
- Transient Node Down, CG:436
- Templates Groups list box, CG:310
- Templates Overview Report, AR:112
- Templates Summary Report, AR:112
- temporary directories
 - See also* directories; target directories
 - AIX, DCE:59
 - HP-UX, DCE:103
 - Linux, DCE:146
 - MPE/ix, DCE:176
 - Novell NetWare, DCE:216
 - Sequent DYNIX, DCE:233
 - SGI IRIX, DCE:247
 - SINIX RM/Reliant, DCE:265
 - Solaris, DCE:294
 - Tru64 UNIX, DCE:338
 - Windows NT/2000, DCE:428
- temporary files, excluding from automatic backups, AR:491
- terminal access, CG:177, CG:226
- text, reviewing original message, CG:146
- <\$THRESHOLD> variable, AR:163
- threshold monitors
 - conditions
 - advanced monitoring, CG:409–CG:410
 - examples, CG:413
 - multiple, CG:411–CG:412
 - configuring, CG:408
 - default, CG:409
 - integrating, CG:406–CG:409
 - messages, CG:393–CG:413
- templates
 - EMS, DCE:113
 - variables, AR:163
- thresholds
 - maximum, CG:401
 - minimum, CG:401
- ticket, RPC server, AR:457
- time
 - attributes, CG:449

- configuring time-indifferent templates, CG:466
- setting intervals, CG:466
- templates
 - description, CG:466
 - examples, AR:141–AR:143
 - keywords, AR:144–AR:145
 - overview, AR:140–AR:145
 - syntax, AR:126
 - zone, AR:135
- time-based suppression, CG:374
- Time message attribute, AR:77
- timeouts, configuring for report generation, AR:109
- Tips_for_Installing_Agents, DCE:135
- title_suffix option
 - ito_op, AR:322
 - itoprc, AR:327
- To De-install an Agent Manually, DCE:140
- toolbar
 - figure, CG:107
 - overview, CG:107
- tools
 - backup, AR:488
 - controller, AR:333–AR:334
 - license maintenance, AR:512–AR:513
 - node mapping, AR:334–AR:335
 - recovery, AR:488
- tour, Java GUI, CG:65–CG:66
- trace (ASCII) file, AR:359
- trace option
 - ito_op, AR:322
 - itoprc, AR:327
- tracing
 - commands, AR:67
 - events, AR:67
 - problems, AR:378
- Transient Interface Down template, CG:437
- Transient Node Down template, CG:436
- traps
 - SNMP, CG:414–CG:421
 - well-defined, DCE:99
- trend-analysis reports, AR:115
- Trend Parameters* application, DCE:214
- trouble ticket services
 - forwarding messages, AR:133
- trouble ticket system
 - concepts, AR:265
- configuring, AR:269
- connecting management servers, CG:480
- parameters, AR:270
- writing scripts and programs, AR:266–AR:267
- troubleshooting, HTTPS:184
 - AIX managed nodes, DCE:49
 - application status, HTTPS:185
 - authentication, HTTPS:199
 - certificate deployment, HTTPS:208
 - certificates, HTTPS:199
 - communication, HTTPS:190, HTTPS:192
 - database, AR:385–AR:387
 - embedded performance component, AR:428–AR:432
 - installed OV filesets, HTTPS:186
 - basic inventory, HTTPS:186
 - detailed inventory, HTTPS:187
 - native inventory, HTTPS:187
 - IP aliases, DCE:49
 - logging, HTTPS:189
 - managed node runtime, AR:401–AR:415
 - management server
 - GUI, AR:390–AR:392
 - message forwarding template, CG:483
 - OVO, AR:388–AR:389
 - MPE/iX managed nodes
 - installation, AR:395–AR:398
 - runtime, AR:420–AR:426
 - multi-homed host installation, AR:435–AR:442
 - network, HTTPS:190
 - NSF, AR:443
 - OvCoreId, HTTPS:209
 - overview, AR:375–AR:384
 - OVO communication, HTTPS:204
 - OVO in a Cluster environment, DCE:459–DCE:462, ??–DCE:462
 - ping applications, HTTPS:184
 - PRC daemons or local location brokers, AR:427
 - registered applications, HTTPS:185
 - RPC call, HTTPS:188
 - TCP/IP tools, HTTPS:188
 - tools, HTTPS:184
 - UNIX managed nodes

Master Index

- installation, AR:393
- runtime, AR:416–AR:419
- what string, HTTPS:186
- Windows managed nodes
 - installation, AR:399–AR:400
- Tru64 UNIX managed nodes
 - DCE
 - configuring, DCE:326–DCE:327
 - removing, DCE:327
 - OVO
 - default operator, DCE:348
 - directory structure, DCE:347
 - file locations, DCE:347
 - hardware requirements, DCE:317
 - include file, DCE:351
 - installation requirements,
 - DCE:317–DCE:320
 - installation tips, DCE:323–DCE:325
 - libraries, DCE:350–DCE:352
 - logfile templates, DCE:335
 - makefile, DCE:352
 - organization, DCE:347–DCE:349
 - overview, DCE:315–DCE:353
 - preconfigured elements,
 - DCE:335–DCE:336
 - scripts and programs, DCE:337–DCE:338
 - SNMP event interceptor (not supported),
 - DCE:335
 - software requirements, DCE:318–DCE:320
 - system resource files, DCE:349
 - OVPA, AR:207
 - trusted system security. *See* C2 security
 - TS_Licensing object, DCE:436
 - TS_Service object, DCE:436
 - ttd monitor template, AR:221
 - ttnsarp pipe file, AR:354
 - ttnsarq queue file, AR:354
 - ttnsp pipe file, AR:354
 - ttnsq queue file, AR:354
 - tuning performance, AR:370–AR:374
 - Types of Default Applications, DCE:56

U

 - U message attribute, AR:75
 - Ultra. *See* Sun Ultra
 - unbuffering messages
 - automatically, CG:439
 - manually, CG:439–CG:440
 - unbuffering pending messages, CG:99
 - UNIX
 - distribution tips, AR:194
 - kernel parameters, AR:38
 - managed nodes
 - assigning passwords, AR:469
 - troubleshooting
 - installation, AR:393
 - runtime, AR:416–AR:419
 - Unknown message severity level, AR:74
 - unknown nodes
 - select all, HTTPS:162
 - unmatched
 - conditions, suppressing, CG:356
 - messages, classifying, CG:49
 - unmatched
 - messages, forwarding, AR:382
 - Unmonitored Report, AR:112
 - update
 - root certificate, HTTPS:54
 - updating current workspace, CG:86–CG:88
 - updating OVO on managed nodes
 - agents, AR:48–AR:56
 - configuration, AR:187–AR:203
 - uploading configuration files, CG:470
 - URL Shortcuts folder
 - figures
 - object tree, CG:78
 - starting application, CG:87
 - updating application, CG:88
 - overview, CG:78
 - Used Shares application, DCE:423
 - User Action Report, AR:112
 - User Audit Report, AR:112
 - User Logon Report, AR:112
 - user option
 - ito_op, AR:322
 - itoopec, AR:327
 - User Profile Overview Report, AR:112
 - User Profile Report, AR:112
 - <\$USER> variable, AR:169
 - users
 - See also* operators; template
 - administrators; OVO administrator
 - changing
 - names, AR:462
 - passwords, AR:462

- concept, CG:55—CG:61
- controlling passwords, AR:462
- logged into Java GUI, AR:343
- profiles, CG:56
- roles, CG:55
- root, AR:466
- Users application, DCE:214, DCE:441

V

- <\$V> variable, AR:168
- <\$VALAVG> variable, AR:163
- <\$VALCNT> variable, AR:163
- <\$VALUE> variable, AR:163
- variables
 - See also* parameters
 - action, AR:160—AR:161
 - adding OVO, CG:174
 - applications, AR:171—AR:186
 - environmental, AR:155
 - GUI, AR:171—AR:186
 - language, AR:277
 - instruction text interface, AR:170
 - message source templates, AR:155—AR:169
 - messages
 - MPE/iX console, AR:164
 - scheduled actions, AR:169
 - monitoring, CG:401
 - opcinfo, HTTPS:126
 - opcsvinfo, HTTPS:126
 - overview, AR:154—AR:186
 - resolving, AR:159
 - setting, HTTPS:126
 - status, AR:133
 - templates
 - logfile, AR:162
 - SNMP trap, AR:165—AR:168
 - threshold monitor, AR:163
 - types, AR:154
- vendor-specific sub-tree on management
 - server, DCE:80
- verifying
 - automatic actions, CG:165—CG:166
 - operator-initiated actions, CG:167
 - RPC server ticket, AR:457
 - suppress types, CG:371—CG:373
- versions
 - OVO, AR:376—AR:377

- OVO agent
 - displaying available, AR:65
 - displaying installed, AR:65
 - managing, AR:64
 - removing, AR:66
- programs, AR:190
- scripts, AR:190
- viewing
 - EMS GUI resource instances, DCE:116
 - message severity in Message Dashboard
 - overview, CG:151—CG:155
 - messages
 - in message browser, CG:133
 - OVPA documentation, AR:223
- virtual node, HTTPS:146
 - adding, HTTPS:147
 - assigning policies, HTTPS:150
 - cluster, HTTPS:146
 - de-assigning policies, HTTPS:150
 - deleting, HTTPS:149
 - deploying policies, HTTPS:151
 - HA resource group, HTTPS:146
 - modifying, HTTPS:149
 - modifying policies, HTTPS:151
 - physical node, HTTPS:146
- Virtual Terminal application, DCE:174, DCE:176
- Virtual Terminal PC application, DCE:424
- Volume application, DCE:214
- vt3k operation, DCE:179

W

- Warning message severity level, AR:74
- web browser
 - choosing, CG:204
 - figures
 - embedded web browser, CG:102
 - proxy settings, CG:103
 - overview, CG:100—CG:103
- web reporting, restricting, AR:116
- web_browser_type option, AR:327
- well-defined traps, DCE:99
- what string, HTTPS:186
- which_browser option, AR:327
- windows
 - managed node
 - Add Node for External Events, CG:236

Master Index

- Node Advanced Options, CG:244
- Node Communication Options, CG:245
- OVO Add Node, CG:243
- OVO Add Nodes, CG:236
- OVO Node Bank, CG:229—CG:230
- OVO Node Hierarchy Bank, CG:231—CG:235
 - primary windows, CG:228
- NetWare
 - NetWare Config, DCE:206
 - NetWare Performance, DCE:207—DCE:208
 - NetWare Tools, DCE:208
- operator
 - Application Desktop, CG:60
 - Managed Nodes, CG:60
 - Message Browser, CG:61
 - Message Groups, CG:60
- OVO administrator
 - Configure Management Server, AR:193
 - Download Configuration Data, AR:486—AR:487
 - Install/Update OVO Software and Configuration, AR:51, AR:189
 - Message Group Bank, AR:72
 - Node Group Bank, AR:71
- template administrator
 - Add Configuration window, CG:314
 - Add MPE/iX Console Messages, CG:423
 - Add SNMP Trap, CG:418
 - Condition No., CG:410
 - Define Configuration, CG:313
 - Message and Suppress Conditions, CG:337
 - Message Condition Advanced Options, CG:418
 - Message Correlation, CG:360
 - Message Source Template, CG:309
 - Message Source Templates, CG:316
 - Modify OVO Interface Messages, CG:392
 - Regroup Conditions, CG:382
- Windows Installation Server requirements, DCE:358
- Windows managed nodes
 - troubleshooting
 - installation, AR:399—AR:400
- Windows managed nodes requirements, DCE:358
- Windows NT/2000 managed nodes
 - agent accounts, DCE:364—DCE:366
 - alternative accounts, DCE:365—DCE:366
 - applications, DCE:394—DCE:426
 - assigning passwords, AR:470
 - Citrix MetaFrame
 - applications, DCE:438—DCE:441
 - integration, DCE:433—DCE:437
 - default operator, DCE:430
 - de-installing agents, DCE:385
 - directory structure, DCE:429
 - file locations, DCE:430
 - FTP
 - installing agents, DCE:367—DCE:372
 - re-installing agents, DCE:378—DCE:381
 - hardware requirements, DCE:357—DCE:358
 - HP ITO Account, DCE:364
 - include file, DCE:432
 - installation
 - methods, DCE:363
 - requirements, DCE:357—DCE:360
 - installing agents, DCE:361—DCE:384
 - libraries, DCE:432
 - logfile locations, AR:508
 - makefile, DCE:432
 - management server requirements, DCE:357
 - node requirements, DCE:358
 - organization, DCE:429—DCE:431
 - overview, DCE:355—DCE:448
 - preconfigured elements, DCE:386—DCE:393
 - pre-installing agents, DCE:382—DCE:384
 - re-installing agents, DCE:378—DCE:381
 - scripts and programs, DCE:427—DCE:428
 - SMS integration, DCE:442—DCE:447
 - SNMP event interceptor, DCE:388—DCE:391
 - software requirements, DCE:359—DCE:360
 - system resources, DCE:431
 - Windows Installation Server requirements, DCE:358
- WMI policy, changing default name, AR:240
- Working OVO Operators Report, AR:112
- workspace pane
 - accessing OpenView applications, CG:156
 - evaluating action results, CG:164
 - figures
 - graphs and charts, CG:81
 - main window, CG:79
 - message browser, CG:91

- moving (after), CG:200
- moving (before), CG:199
- popup menu on pane, CG:114
- popup menu on tab, CG:113
- finding impacted Service Navigator services, CG:156
- investigating problems, CG:150
- moving, CG:199
- overview, CG:79–CG:81
- popup menus, CG:113
- workspaces
 - Corrective Actions, CG:84
 - Diagnostic Dashboard, CG:83
 - Message Dashboard, CG:82
 - Online Help, CG:85
 - Services, CG:82
 - updating current, CG:86–CG:88
- Workspace Properties dialog box figure, CG:102
- workspaces, assigned by the OVO administrator, CG:193
- Workst Stats application, DCE:426
- worldwide management. *See* follow-the-sun control
- worldwide management domain, CG:448
- writing to default working directory, AR:463

X

- X resources
 - fonts, AR:279–AR:283
- <\$X> variable, AR:168
- <\$x> variable, AR:168
- XCONSOLE application, DCE:214
- X-OVw group applications, AR:330

Z

- zone, time
 - parameter, AR:136
 - string, AR:135

